STANDARD
TEXTILE

Processing Procedure
Mattress Pads

PROCESSING REQUIREMENTS

Mattress pads should be laundered separate from other linens to minimize cross-contamination of lint.

Formula: This formula is only a guideline. Alterations should be made at the discretion of the laundry professional based on specific requirements, supplies, equipment and experience.

OPERATION	TIME	WATER LEVEL	TEMP.	SUPPLIES
1. Flush	3 min.	High	100°F	--
2. Break	15 min.	Low	160°F	Nonionic detergent Alkali (pH ≤ 11.0)
3. Suds	10 min.	Low	160°F	½ Break Supplies
4. Rinse	3 min.	High	135°F	--
5. Rinse	3 min.	High	120°F	--
6. Rinse	3 min.	High	90°F	--
7. Sour	5 min.	Low	90°F	Sour to a pH of 5.5 – 6.5

DRYING

After washing, tumble dry at an exhaust temperature of 140°F and use an appropriate cool down cycle. High dry temperatures can cause excessive shrinkage.

NOTE:

- DO NOT BLEACH
- TUMBLE DRY AND HAND FOLD
- DO NOT IRON

For more information on performance and/or processing, please contact the Technical Affairs Department at 513-761-9255 or toll free 1-800-999-0400.

Standard Textile Co., Inc.
1 Knollcrest Drive
Cincinnati, Ohio 45237