

F1960 x MIP Brass PEX 90° Elbow

Engineer _	
	PO#

Specifications

Manufactured to the highest industry standards, Jones Stephens' F1960 cold expansion fittings provide precise, secure, and leak-free connections. Made with strong polymer material, F1960 cold expansion fittings are corrosion and chlorine/chemical resistant – making them a great fit for aggressive water environments. Approved for use with PEX-A piping. Can be used with F1960 PEX rings.

Applications

Jones Stephens' F1960 x MIP Brass PEX 90° Elbows are approved for use with commercial and residential potable and non-potable water applications.

Materials


Polymer construction. Manufactured of premium-grade resin with non-mixed blends.

Certifications/Listings/Approvals

ASTM F1960-2018a ASTM F877-2020 NSF/ANSI/CAN 61-2022 NSF/ANSI 14-2016a NSF/ANSI/CAN 372-2022 CSA B137.5-2020







	ID	OD	
F1960 Specified Dimensions	in (mm)	in (mm)	
1/2" End Connection	.41(10.33)	.61(15.59)	
5/8" End Connection	.53(13.40)	.74(18.90)	
3/4" End Connection	.62(15.80)	.87(22.10)	
1" End Connection	.83(21.00)	1.11(28.10)	
1-1/4" End Connection	.80(20.32)	1.36(35.54)	
1-1/2" End Connection	1.08(27.43)	1.49(37.85)	
2" End Connection	1.56(39.62)	2.08(52.83)	

Brass PEX Fittings

Submittal Sheet



Dimensions and Product Offering

PART NO.	SIZE	A - IN (MM)	A TOLERANCE ±IN(MM)	B-IN (MM)	B TOLERANCE ±IN(MM)	C - IN (MM)	C TOLERANCE ±IN(MM)	WEIGHT - LBS (G)	WEIGHT TOLERANCE ±LBS (G)
F76831	0.50"	1.24(31.60)	0.36 (9.07)	1.02 (26.00)	0.04 (0.912)	0.77 (19.50)	0.13 (3.39)	0.10 (44.45)	0.02 (10.89)