### For Residential Applications

Job Name	Contractor
Job Location	Approval
Engineer	Contractor's P.O. No.
Approval	Representative

## **LEAD FREE\***

# Series LFSS, LFST, LFSWS, LFSWT

Stop Valves, Stop and Waste Valves

Sizes: 1/2" - 3/4" LFSS, LFST

3/8" - 3/4" LFSWS, LFSWT

#### Models

Model LFSS Sizes ½", ¾" solder connections

Model LFST Sizes ½", ¾" NPT female connections

Model LFSWS Sizes ¾", ½", ¾" solder connections

Model LFSWT Sizes ¾", ½", ¾" threaded connections




Maximum Working Pressure: 150psi (10.3 bars) WOG.

Maximum Temperature: 180°F (82°C).

MODEL	SIZE	DIMENSIONS						WEIGHT	
		A		С		K			
	in	in	mm	in	mm	in	mm	lbs	kgs
LFSS	1/2	23/16	55	2 <sup>9</sup> / <sub>16</sub>	65	21/16	53	0.44	0.20
LFSS	3/4	211/16	69	21/2	63	21/16	53	0.51	0.23
LFSWS	3/8	1%	35	2 <sup>15</sup> / <sub>16</sub>	75	2	51	0.50	0.20
LFSWS	1/2	1%	35	2 <sup>15</sup> / <sub>16</sub>	75	2	51	0.50	0.20
LFSWS	3/4	11/4	32	2 <sup>15</sup> / <sub>16</sub>	75	2	51	0.50	0.20
LFST	1/2	21/8	54	<b>2</b> <sup>3</sup> / <sub>8</sub>	60	1 <sup>5</sup> /8	42	0.53	0.24
LFST	3/4	21/8	54	2 <sup>3</sup> / <sub>8</sub>	60	1 <sup>5</sup> /8	42	0.57	0.26
LFSWT	1/2	21//8	54	21/2	64	2	51	0.40	0.20
LFSWT	3/4	21/4	57	25/8	67	2	51	0.80	0.30



**LFSWT** 



#### NOTICE


The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of this product.

#### NOTICE

Inquire with governing authorities for local installation requirements

\*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.





NO.	PART	MATERIAL
1	Hand Wheel Nut	Carbon Steel
2	Name Plate	Aluminum
3	Hand Wheel	Cast Iron
4	Stem	Lead free brass
5	Packing Nut	Brass
6	Gland Packing	Rubber
7	Bonnet	Lead free brass
8	Body	Lead free brass
9	Seat Packing	Rubber
10	Seat Packing Screw	Brass
11	Drain Packing	Rubber
12	Drain Cup Nut	Rubber



USA: T: (978) 689-6066 • F: (978) 975-8350 • Watts.com Canada: T: (905) 332-4090 • F: (905) 332-7068 • Watts.ca Latin America: T: (52) 81-1001-8600 • Watts.com

ES-STOPVALVES 1324 © 2013 Watts