

# **THANK YOU!**

## We appreciate you for choosing WestinTrends!

Thank you for letting WestinTrends continue to offer accessible luxury trends, inspired by everyone!

# JOIN THE WESTINTRENDS COMMUNITY


Sign up here:

https://westintrends.com/welcome



# OUESTIONS OR COMMENTS?

If you have questions reach out to cs@westintrends.com











## PRODUCT REGISTRATION https://westintrends.com/apps/product-registration



**ACCESSIBILITY - COMMUNIT** V - VALUE - SUSTAINAB


# TABLE OF CONTENTS

# ASSEMBLY INSTRUCTIONS

Patio Deep Seating Left Arm Chair with Cushions	. 4
Patio Deep Seating Armless Chair with Cushions	. 9
Patio deep Seating Corner Chair with Cushions	. 14
Patio Deep Seating Right Arm Chair with Cushions	. 18
Combining Sofas	. 23



#### DESIGNED IN CALIFORNIA




PATIO DEEP SEATING LEFT ARM CHAIR WITH CUSHIONS

PAGE 4 OF 24


#### () CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)




#### CUSHION



#### PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach **Part B Backrest** to **Part A Chair Seat** with 4 sets of **Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.





Attach 2pcs of **Part C Chair Arm** to **Part A Chair Seat** with 8 sets of **Hardware** (**1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench.


Make sure to insert all bolts first, then tighten each one evenly to 100%



#### **PRODUCT ASSEMBLY**




Insert 4pcs of Hardware #4 Foot Nail to the bottom of legs. Put Part FLI Seat Cushion and Part FL2 Back Cushion on the seat.





#### DESIGNED IN CALIFORNIA




PATIO DEEP SEATING ARMLESS -CHAIR WITH CUSHIONS

PAGE 9 OF 24


#### () CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)




### CUSHION




#### PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach **Part B Backrest** to **Part A Chair Seat** with 4 sets of **Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.






Insert 4pcs of Hardware #4 Foot Nail to the bottom of legs. Put Part FLI Seat Cushion and Part FL2 Back Cushion on the seat.

Now enjoy your chair.





DESIGNED IN CALIFORNIA




PATIO DEEP SEATING CORNER CHAIR WITH CUSHIONS

PAGE 14 OF 24

#### () CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)


- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)



# FL1 SEAT CUSHION FL2 BACK CUSHION FL2 SMALL 1 PC 1 PC 1 PC 1 PC 1 PC


#### PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.





Attach 2 pcs of **Part B Backrest** to **Part A Chair Seat** with 8 sets of **Hardware (1pc of # 1 Bolt+2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.




#### **PRODUCT ASSEMBLY**




Insert 4pcs of Hardware #4 Foot Nail to the bottom of legs. Put Part FLI Seat Cushion , Part FL2 Back Cushion and Part FL3 Back Cushion on the seat.

Now enjoy your chair.





#### DESIGNED IN CALIFORNIA



PATIO DEEP SEATING RIGHT -ARM CHAIR WITH CUSHIONS

PAGE 18 OF 24

#### () CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)

Be careful when assembling to avoid damaging the surface.


Clean the chair with lukewarm water, mild detergent & soft cloth.

Firmly secure all bolts before use. Do not use any part of this item as a step ladder.


Make sure that all bolts, screws, and nuts are secure every 90 days.

Do not use or store this item in the proximity of open flame or flammable/combustible chemicals. Be aware that some parts are heavy and have sharp edges.

Do not overtighten screws. (Insert all screws before tighten screws.)




#### CUSHION



#### PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach **Part B Backrest** to **Part A Chair Seat** with 4 sets of **Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.





Attach 2pcs of **Part C Chair Arm** to **Part A Chair Seat** with 4 sets of **Hardware** (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench.


Make sure to insert all bolts first, then tighten each one evenly to 100%




#### **PRODUCT ASSEMBLY**




Insert 4pcs of **Hardware #4 Foot Nail** to the bottom of legs. Put **Part FLI Seat Cushion** and **Part FL2 Back Cushion** on the seat.







Installation of sectional sofa is shown as below if you purchase a set of sofa. There are two connecting holes on side of **Part A Chair Seat**. Use 1 set of **Hardware** (2pcs of #5 Connecting Piece + 2pcs of #1 Bolt + 4pcs of #2 Washer + 2pcs of #3 Nut) for each connecting hole to lock the chairs.



# **REGISTRATION & REFUND POLICY**

https://westintrends.com/apps/product-registration



https://westintrends.com/policies/refund-policy



HAVING TROUBLE

• Not sure how to assemble or missing pieces? Please contact our Customer Service Team for assistance at *cs@westintrends.com* 

Have Order #, Part # or SKU ready to speed up customer service!

#### **CLEANING TIPS**

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

**QUICK CLEAN:** You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture but also helps extend its lifespan.