
Banting / Devlin / Argyle

Mid Century 9 Cube Bookcase with Drawers

Model # AXCBAN12A



brooklyn + max





It's time to register your product warranty.

It's quick and easy. And you'll be happy you did.



- ✓ Activate your 1-year warranty
- ✓ Automatic entry to win a \$500 gift certificate
- ✓ Earn instant rewards and save



simpli-home.com/product-registration

Review your product and collect rewards!

Thank you for your purchase! We hope you enjoy it. We'd love your feedback. Please share a review and get instant rewards!












Share photos and get your cash back!



Send us images or share them on social and qualify for instant rewards. You may even receive store credit on your entire purchase!





simpli-home.com/share-images

For Fastest Customer Service:



- 1. Open your phone's camera.
- 2. Point your phone's camera at the QR code to scan.
- 3. Click on the pop up.
- 4. You'll be taken to our customer service page.
- 5. Fill the form with your order information and issue.
- 6. Submit form.
- 7. A customer service associate will contact you.

Other ways to contact us...



Email Us

customer service@simpli-home.com



Visit Us

Visit our site directly at www.simpli-home.com



Call Us

1-866-518-0120 Monday to Friday 9am to 5pm EST

*If you've purchased from a retailer and you wish to return the product, please contact the retailer directly.

IMPORTANT: Please read this manual carefully before beginning assembly of this product. Keep this manual for future reference.

Safety Information

CAUTION: Injuries and damage can occur from furniture tip over if product is not properly anchored to the wall. Use the Furniture Anti-Tipping Restraint provided with the product. Consult our assembly instructions for help.

If the Furniture Anti-Tipping Restraint kit is not in the box, please contact our customer service department in order to obtain another kit before using the furniture.

Identify all the parts and hardware. Do not discard of the packaging until you have checked that you have all of the parts and hardware required. Hardware package may have spare parts.

WARNING: This item contains small parts which can be swallowed by children and pets. Keep children and pets away during assembly. To avoid danger of suffocation, always keep plastic bags away from children and pets. We recommend that you assemble this unit on a carpeted floor to avoid scratches. If using power tools, set the tool to low torque to avoid damage.

May require 2 people for ease of assembly.

Care & Maintenance


This furniture is designed for indoor use.

Damage to furniture can come from temperature changes in relative humidity (RH) in our homes. Humid air oxidizes metal which results in rusting, corrosion, tarnishing and roughness. Wood absorbs water as relative humidity rises and falls, and in doing so it swells and shrinks.

To protect against the humidity effect, the metal is powder coated. The powder coat layer protects the metal from oxidizing, corrosion, tarnishing and scratching and keeps it looking good for years to come. The wood is sealed and lacquered to protect against humidity.

To help protect your furniture, follow these steps:


- Use a humidifier, preferably one with an automatic control system that can sense the humidity level and adjust itself accordingly
- Dust with soft dry cloth
- Wipe up spills promptly
- Clean with a dry cloth
- Do not use abrasive cleaners, chemical solvents, strong detergents, cleaners with bleach, and furniture polish
- Use soft felt base coasters, placemats to help prevent scratches
- Keep furniture out of direct sunlight, which can cause cracking or roughness on the protective layer
- If it can be avoided, do not put furniture near heating vents
- Keep the furniture 3 to 4 inches away from the wall, giving heat and air space to circulate.




Model # AXCBAN12A **Pre-Assembly Information Part Description** M LR DRAWER BACK RIGHT DRAWER SIDE LEFT DRAWER SIDE QTY 3 QTY 3 QTY 3 Ν O LEG (L&R Same) LEG UPPER CONNECTOR DRAWER BOTTOM QTY 3 QTY 2 QTY 2 Q LEG LOWER CONNECTOR QTY 1

Model # AXCBAN12A Pre-Assembly Information Hardware Description WOOD DOWEL **CAM LOCK PIN ALLEN KEY** Ø8 X 30mm CAM LOCK QTY 1 **QTY 14** QTY 40 SETS **ALLEN KEY SCREW ALLEN KEY BOLT ALLEN KEY BOLT** M6 X 30mm M6 x 30 mm M6 x 15 mm **QTY 40 QTY 12 QTY 10** LOCK WASHER WASHER PHILLIPS SCREW ROUND HEAD Ø10 / Ø6.5 x 1.5 mm Ø16 / Ø6.5 x 1.5 mm M4 X 15mm **QTY 10 QTY 14 QTY 31** 10 a. **M**4X25mm-QTY2 (1 is extra) Required b. **9** M4X15mm-QTY1 Flathead screwdriver c. ¶M4X25mm-QTY1 Phillips screwdriver Rubber mallet PLASTIC CAP FURNITURE TIP OVER RESTRAINT **Not Included QTY 12** QTY 1 SET


Components - Key Diagram Model # AXCBAN12A \mathbb{H} (E) (E) (c)(BR) E (BL) E (C) E E (D) 0 P 0 10




- 1. Attach four Cam Lock Pins (3) into pre-drilled holes at back of Drawer Front (K).
- 2. Use Phillips screwdriver to secure Cam Lock Pins. Do not over-tighten.




- 1. Align Cam Lock Pins with guide holes and attach Drawer Sides(L),(R) to Drawer Front(K).
- 2. Insert two Cam Locks (3) into guide holes on each Drawer Side(LL), (LR).
- 3. Use Phillips screwdriver to secure Cam Locks. Do not over-tighten.




1. Slide Drawer Bottom (N) firmly into slots on Drawer Sides(LL),(LR) and Drawer Front (K).




- 1. Align Drawer Back (M) with Drawer Bottom (N) and press firmly into slot.
- 2. Attach Drawer Back using two Allen Key Screws 4 through guide holes on each Drawer Side (LL), (LR).
- 3. Use Allen Key (2) to tighten Screws. Do not over-tighten.



Repeat Step 1 - 4 for the second and third drawer.





- 1. Attach three Cam Lock Pins ③ into pre-drilled holes at Top ④ and Cabinet Shelves ⑥, ⑥.
- 2. Use Phillips screwdriver to secure Cam Lock Pins. Do not over-tighten.
- 3. Insert four Dowels ① into guide holes on Shelf ②.
- 4. Use rubber mallet to tap Dowels ① into bottom of holes securely. 1/3 length of Dowels should be exposed.



- 1. Insert Dowels (1) into guide holes on Sides (BL), (BR) and Dividers (F).
- 2. Use rubber mallet to tap Dowels 1 into bottom of holes securely. 1/3 length of Dowels should be exposed.
- 3. Attach six Cam Lock Pins (3) into pre-drilled holes at each Side (BL), (BR).
- 4. Use Phillips screwdriver to secure Cam Lock Pins. Do not over-tighten.


Step 7






- 2. Use six Allen Key Screws 4 to attach Cabinet Shelf C through guide holes from Cabinet Shelf C to pre-drilled holes of Dividers E.
- 3. Use Allen Key (2) to tighten Screws. Do not over-tighten.

Step 8




- 1. Align Cam Lock Pins with guide holes on Dividers (E) and attach Dividers (E) to Cabinet Shelf (C).
- 2. Insert two Cam Locks (3) into guide holes on each Divider (E).
- 3. Use Phillips screwdriver to secure Cam Locks.


Step 9



1. Repeat Step 7 for the second Cabinet Shelf ©.


Step 10






1. Repeat Step 8 for the other Dividers (E).


Step 11




1. Repeat Step 7 for the third Cabinet Shelf ①.




- 1. Align Cam Lock Pins with guide holes on Dividers (G) and attach Dividers (G) to Cabinet Shelf (D).
- 2. Insert two Cam Locks (3) into guide holes on each Divider (G).
- 3. Use Phillips screwdriver to secure Cam Locks.




- 1. Align Cam Lock Pins and Wood Dowels with guide holes on Cabinet Shelves (C), (D) and attach Left Side (BL) to Cabinet Shelves (C), (D).
- 2. Insert three Cam Locks (3) into guide holes on each Cabinet Shelf (C).
- 3. Use Phillips screwdriver to secure Cam Locks.
- 4. Use two Allen Key Screws 4 to attach Cabinet Shelf D through guide holes from Cabinet Shelf D to pre-drilled holes of Left Side BL.
- 5. Use Allen Key 2 to tighten Screws. Do not over-tighten.







- 1. Align Wood Dowels with guide holes on Bottom Frame (F) and attach Dividers (G) and Sides (BL), (BR) to Bottom Frame (F).
- 2. Use six Allen Key Bolts (5) to attach Sides (BL), (BR) through guide holes from Bottom Frame (F) to Sides (BL), (BR).
- 3. Use six Allen Key Screws 4 to attach Dividers G through guide holes from Bottom Frame F to pre-drilled holes of Dividers G.
- 4. Use Allen Key (2) to tighten Screws and Bolts. Do not over-tighten.




- 1. Align Wood Dowels and Cam Lock Pins with guide holes on Top (A) and attach Top (A) to Sides (BL), (BR) and Dividers (E).
- 2. Use six Allen Key Bolts 5 to attach Sides BL, BR through guide holes from Sides BL, BR to Top A.
- 3. Use Allen Key 2 to tighten Bolts. Do not over-tighten.
- 4. Insert two Cam Locks 3 into guide holes on each Divider (E).
- 5. Use Phillips screwdriver to secure Cam Locks. Do not over-tighten.







2. Use Allen Key 3 to tighten Bolts.





1. Align iron dowels with guide holes on wooden frame and attach the assembled metal frame to bottom wooden frame.




- 2. Use four Bolts 6), four Lock Washers 7) and four Washers 8 to secure metal frame and wooden frame .
- 3. Use Allen Key (2) to tighten Bolts.








- 1. Attach the Back Panels (H, (J), (J)) to back frame using Phillips Screws Round Head (9) through guide holes.
- $2. \ Use \ Phillips \ Screwdriver \ to \ tighten \ screws. \ Do \ not \ over-tighten.$



1. Insert Plastic Caps 10 into holes Cam Locks on Dividers (E).

Note: Levelers on bottom of legs can be adjusted if floor is uneven.

Model # AXCBAN12A




1. Insert assembled drawers into glides on assembled Bookcase.

Furniture Tip Over Restraint Assembly




WARNING

Serious or fatal crushing injuries can occur from furniture tip-over. If the furniture tip over restraint kit is not in the box, please contact our customer service department in order to obtain another kit before using the furniture.




Furniture Anti-Tipping Restraint Instructions


1. Attach one of the mounting brackets securely to the back edge of the furniture. Use the shorter screw.



2. Determine where furniture is to be placed and mark location on the wall for mounting bracket screw hole approximately 2 inches below the bracket mounted to the furniture.



- 3. Drill a 3/16 inch hole in the wall. Press the plastic anchor into the hole and gently tap until the flange on the anchor is against the wall surface.
- 4. Position the bracket over the anchor and use the longer screw to securely attach the bracket to the wall.
- 5. Place the furniture so the back edge is in line with the bracket on the wall.
- 6. Lace an end of the nylon zip-tie strap down through each bracket. Bring both ends together and slide the smooth side upright through the square-shaped end and pull through to create the "locked" position.
- 7. Check to make sure the strap is securely laced and locked to the brackets.



- DO NOT put a TV or other heavy objects on top of furniture not intended for use with a TV
- **DO NOT** place heavy objects in top drawers or on top shelves
- **DO NOT** let children climb or hang on drawers, doors or shelves