

SPECIFICATION SUBMITTAL SHEET


jones stephens corporation

3" x 4" PIPE FIT BASE WITH 3 1/2" SPUDS

FITS OVER 3" OR INSIDE 4" SCHEDULE 40 DWV PIPE



- SS strainers are .06" thick
- PB, NB and CP strainers are .1875" thick
- Primer tapped, includes 1/2" plug



A = OVER 3" PIPE
B = OVER 4" PIPE

3 1/2" IPS plastic spuds with 5" round strainers

PVC	BASE	SPUD	ABS	BASE	SPUD	DIAMETER	C	D	E
☐ D53-428	☐ D52-451	☐ D56-211	☐ D53-435	☐ D52-461	☐ D57-211	5" SS	4 1/2"	5 1/16" - 7 1/8"	5 3/16"
☐ D53-429	☐ D52-451	☐ D56-212	☐ D53-436	☐ D52-461	☐ D57-212	5" PB	4 1/2"	5 1/16" - 7 1/8"	5 3/16"
☐ D53-430	☐ D52-451	☐ D56-213	☐ D53-437	☐ D52-461	☐ D57-213	5" PB w/ring	4 1/2"	5 13/16" - 7 1/4"	5 1/2"
☐ D53-431	☐ D52-451	☐ D56-214	☐ D53-438	☐ D52-461	☐ D57-214	5" NB	4 1/2"	5 1/16" - 7 1/8"	5 3/16"
☐ D53-432	☐ D52-451	☐ D56-215	☐ D53-439	☐ D52-461	☐ D57-215	5" NB w/ring	4 1/2"	5 13/16" - 7 1/4"	5 1/2"
☐ D53-433	☐ D52-451	☐ D56-216	☐ D53-440	☐ D52-461	☐ D57-216	5" CP	4 1/2"	5 1/16" - 7 1/8"	5 3/16"
☐ D53-434	☐ D52-451	☐ D56-217	☐ D53-441	☐ D52-461	☐ D57-217	5" CP w/ring	4 1/2"	5 13/16" - 7 1/4"	5 1/2"

3 1/2" IPS plastic spuds with 6" round strainers

PVC	BASE	SPUD	ABS	BASE	SPUD	DIAMETER	C	D	E
☐ D53-020	☐ D52-451	☐ D56-106	☐ D53-023	☐ D52-461	☐ D57-106	6" SS	4 1/2"	5 3/4" - 7 1/4"	6 1/8"
☐ D53-022	☐ D52-451	☐ D56-306	☐ D53-025	☐ D52-461	☐ D57-306	6" PB	4 1/2"	5 3/4" - 7 1/4"	6 1/8"
☐ D53-074	☐ D52-451	☐ D56-307	☐ D53-075	☐ D52-461	☐ D57-307	6" PB w/ring	4 1/2"	6 1/16" - 7 5/16"	6 1/2"
☐ D53-072	☐ D52-451	☐ D56-406	☐ D53-073	☐ D52-461	☐ D57-406	6" NB	4 1/2"	5 3/4" - 7 1/4"	6 1/8"
☐ D53-076	☐ D52-451	☐ D56-407	☐ D53-077	☐ D52-461	☐ D57-407	6" NB w/ring	4 1/2"	6 1/16" - 7 5/16"	6 1/2"
☐ D53-021	☐ D52-451	☐ D56-206	☐ D53-024	☐ D52-461	☐ D57-206	6" CP	4 1/2"	5 3/4" - 7 1/4"	6 1/8"
☐ D53-284	☐ D52-451	☐ D56-209	☐ D53-285	☐ D52-461	☐ D57-209	6" CP w/ring	4 1/2"	6 1/16" - 7 5/16"	6 1/2"