

Test Report No.: SZHL250900306701CW Date: SEP 18, 2025 Page 1 of 8

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

Sample Descriptions : ERNIE PLATE, ROSE, STONEWARE

ERNIE SERVING PLATE, RED, STONEWARE ERNIE SERVING PLATE, BLUE, STONEWARE

Item No.(s) : 82072762

82072764

82072766

P.O./ Ref No.(s) : 70204

Country of Origin : China

Country of Destination : Denmark

Buyer : BLOOMINGVILLE A/S

SGS Order No : SZHL2509003067CW

Sample Receiving Date : SEP 10, 2025

Testing Period : SEP 10, 2025 TO SEP 18, 2025



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

1444, or email: CM. LOGCCNeCK@sgs.com Room (M/SM), Plant 4 & Room (M), Plant 2 & Room (M), Plant 3 & Room 301 501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.461, Jihua Rood, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 253 sgs.china@sgs.com




Test Report No.: SZHL250900306701CW Date: SEP 18, 2025 Page 2 of 8

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test	Test Requested		
Danish Executive Order on Food Contact Materials and Penal Code for Violation of Related EU Acts (BEK No 681 of 25/05/2020) - Leachable Lead and Cadmium		PASS	
2	Norwegian regulation FOR 1993-12-21 nr 1381 - Leachable lead, cadmium and barium		
3			

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch







Test Report No.: SZHL250900306701CW Date: SEP 18, 2025 Page 3 of 8

Test Result(s):

Test Part Description:

SN ID	Sample No.	Description	Material (claimed by the client)
SN1	A1	Glazed cream ceramic square plate w/ red rim	Ceramic
SN2	B1	Glazed cream ceramic square plate w/ pink rim	Ceramic
SN3	C1	Glazed cream ceramic square plate w/ yellow rim	Ceramic
SN4	D1	Glazed cream ceramic square plate w/ green rim	Ceramic

Remarks:

 mg/dm² = milligram per square decimeter mg/inch² = milligram per square inches μg/cm² = microgram per square centimeter mg/L = milligram per litre mg/kg = milligram per kilogram

(2) °C = degree Celsius

°F = degree Fahrenheit

- (1) <= less than
- (2) RL = Reporting Limit
- (3) ND = Not Detected (< RL).

<u>Danish Executive Order on Food Contact Materials and Penal Code for Violation of Related EU Acts</u> (BEK No 681 of 25/05/2020) - Leachable Lead and Cadmium

Test Method: With reference to BEK No 681 of 25/05/2020 annex 6, analysis was performed by

AAS/ICP-OES.

A1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CNDoccheck@sgs.com



Test Report No.: SZHL250900306701CW Date: SEP 18, 2025 Page 4 of 8

B1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

C1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

D1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

Notes:

(1) Category 1:

A: Articles which cannot be filled;

B: Articles for filling, whose internal depth measured between the lowest point and the upper edge horizontal level is not more than 25mm;

(2) Category 2: Articles, not in categories 1 or 3, which can be filled.

(3) Category 3:

A: Cooking ware;

B: Packaging and storage vessels having a capacity of more than three liters.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are temple(s) are temple(s) and the full of the company of the compan



Test Report No.: SZHL250900306701CW Date: SEP 18, 2025 Page 5 of 8

Norwegian regulation FOR 1993-12-21 nr 1381 - Leachable lead, cadmium and barium

Test Method: With reference to Norwegian regulation FOR 1993-12-21 nr 1381 section 26, analysis was

performed by ICP-OES and AAS.

A1 Flatware Pass

	Vol. of 4% acetic acid used (mL)	Depth (mm)	Surface Area (dm²)
1	110	10	1.69

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)	Leachable Barium (mg/dm²)
1	<0.02	<0.002	<0.2
Limit	0.02	0.002	0.2

B1 Flatware Pass

	Vol. of 4% acetic acid used (mL)	Depth (mm)	Surface Area (dm²)
1	110	10	1.69

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)	Leachable Barium (mg/dm²)
1	<0.02	<0.002	<0.2
Limit	0.02	0.002	0.2

C1 Flatware Pass

	Vol. of 4% acetic acid used (mL)	Depth (mm)	Surface Area (dm²)
1	110	10	1.69

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)	Leachable Barium (mg/dm²)
1	<0.02	<0.002	<0.2
Limit	0.02	0.002	0.2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are standard for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@psq.com



Test Report No.: SZHL250900306701CW Date: SEP 18, 2025 Page 6 of 8

D1 Flatware Pass

	Vol. of 4% acetic acid used (mL)	Depth (mm)	Surface Area (dm²)
1	110	10	1.69

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)	Leachable Barium (mg/dm²)
1	<0.02	<0.002	<0.2
Limit	0.02	0.002	0.2

Notes:

- (1) Flatware Articles with an internal depth not exceeding 25 mm or articles which cannot be filled.
- (2) Hollow-ware Articles which can be filled.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, European Council Directive 84/500/EEC & its amendment 2005/31/EC - Leachable Lead and Cadmium

Test Method: With reference to European Council Directive 84/500/EEC & its amendment 2005/31/EC,

analysis was performed by AAS/ICP-OES.

A1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

B1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) are tailed for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sss.com



Test Report No.: SZHL250900306701CW Date: SEP 18, 2025 Page 7 of 8

C1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

D1 Category 1 Pass

	Depth (mm)	Surface Area (dm²)	Vol. of 4% acetic acid used (mL)
1	10	1.69	110

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

Notes:

- (1) Category 1: Articles that cannot be filled and articles that can be filled, the internal depth of which does not exceed 25 mm.
- (2) Category 2: Articles, not in categories 1 or 3, which can be filled.
- (3) Category 3: Cooking ware; packaging and storage vessels having a capacity of more than three liters.

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A(NA) = Not Applicable

N/C(NC) = Not Conducted

N/T(NT) = Not Tested

3. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Test Report

No.: SZHL250900306701CW

Date: SEP 18, 2025

Page 8 of 8

Sample Picture (As received)







SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms