

Woods®



2018 CORD CATALOG



ABOUT WOODS®

Whether you're keeping your family and electronics safe or powering your next home improvement project, count on Woods® to meet your needs! For more than 85 years, Woods® has been a leading developer of electrical products for consumers and professionals.

Woods® carries a wide array of extension cords and extension cord accessories for contractors and homeowners alike! Our outdoor cord brands, like Yellow Jacket® and Yard Master™, are perfect for tougher jobs, while Woods® Indoor Cords, like fabric cords and Slimline®, are great for powering your indoor electronics.

Additionally, the Woods® cord organization line offers options for keeping bulky extension cords, ropes, and holiday lighting tangle-free. While our cord adapter line offers a safe way to convert an electric range for gas use.

From outdoor rough-use to indoor light-use extension cords, Woods® has you covered!

TABLE OF CONTENTS

Yellow Jacket® Outdoor Extension Cords.....	4
Yard Master™ Landscape Extension Cords.....	6
Woods® Outdoor Extension Cords.....	8
Woods® Specialty Extension Cords.....	10
Slimline® Indoor Extension Cords.....	11
Woods® Indoor Extension Cords.....	13
Woods® Indoor Specialty Cords.....	14
Woods® Adapters.....	15
Woods® Cord Organization.....	16
Canada Exclusive Cords.....	18
WinterFlex™ Extension Cords.....	19

Yellow Jacket® Outdoor Extension Cords

Yellow Jacket® high gloss extension cords are designed to be the toughest cords on the jobsite and workshop.

- Temperature rating of -58°F to 140°F (-50°C to 60°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Table Saw, Electric Drill, Work Light

Specifications

Extension Cords w/ Power Light Indicator

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
2886	14/3	Premium SJTW	25'	7.6 m	Yellow	15	12
2887	14/3	Premium SJTW	50'	15.2 m	Yellow	15	6
2888	14/3	Premium SJTW	100'	30.5 m	Yellow	13	3
2883	12/3	Premium SJTW	25'	7.6 m	Yellow	15	6
2884	12/3	Premium SJTW	50'	15.2 m	Yellow	15	4
2885	12/3	Premium SJTW	100'	30.5 m	Yellow	15	2
2805	10/3	Premium SJTW	50'	15.2 m	Yellow	15	2
2806	10/3	Premium SJTW	100'	30.5 m	Yellow	15	2



2884



2882

Tritap Extension Cords w/ Power Light Indicator

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
51011001**	14/3	Premium SJTW	25'	7.6 m	Yellow	15	13
2882	12/3	Premium STW	2'	0.6 m	Yellow	15	10
51002301**	12/3	Premium SJTW	25'	7.6 m	Yellow	15	10
2827	12/3	Premium SJTW	50'	15.2 m	Yellow	15	4
2820	12/3	Premium SJTW	100'	30.5 m	Yellow	15	2

**Product packaging is advertised in Meters



2830

Multi-Outlet Extension Cord

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
2830	12/3	Premium STW	25'	7.6 m	Yellow	15	2



2737

Locking Plug Extension Cords

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
2734	14/3	Premium SJTW	50'	15.2 m	Yellow	15	6
2737	12/3	Premium SJTW	50'	15.2 m	Yellow	15	4
2738	12/3	Premium SJTW	100'	30.5 m	Yellow	15	2



2991

Extension Cords w/ T-Blade

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
2991*	10/3	Premium SJTW	50'	15.2 m	Yellow	20	2
2992*	10/3	Premium SJTW	100'	30.5 m	Yellow	20	2

*NEMA 5-20 P/R



1381

Twist-to-Lock Generator Cords

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
1381*	10/4	Premium STW	25'	7.6 m	Yellow	20	2
504493^**	10/4	Premium STW	25'	7.6 m	Yellow	30	2
1493^	10/4	Premium STW	25'	7.6 m	Yellow	30	2

* NEMA L14-20 P/R

^NEMA L14-30 P/R

**Product packaging is advertised in Meters

Yard Master™ Landscape Extension Cords

Yard Master™ extension cords bring power to outdoor living areas with colors that compliment landscapes and patios.

- Temperature rating of -40°F to 167°F (-40°C to 75°C)
- 125 Voltage Rating
- Common Applications: Landscape Lighting, Holiday Lighting, Garden Fountain

Specifications

Outdoor Extension Cords

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
54326001**	16/2	SJTW	25'	7.6 m	White	13	9
54326101**	16/2	SJTW	25'	7.6 m	Green	13	9
992222	16/3	SJTW	20'	6.1 m	White	13	12
160001	16/3	SJTW	20'	6.1 m	Green	13	12
992382	16/3	SJTW	40'	12.2 m	White	13	4
393	16/3	SJTW	40'	12.2 m	Green	13	4
385	16/3	SJTW	40'	12.2 m	Beige	13	4
990394	16/3	SJTW	80'	24.4 m	Green	10	6

**Product packaging is advertised in Meters



54326001



54326101



984413



23578823

Outdoor Tritap Extension Cords

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
2466	16/3	SJTW	8'	2.4 m	Green	13	12
984413	16/3	SJTW	25'	7.6 m	Green	13	5
23578823	16/3	SJTW	40'	12.2 m	Beige	13	8



864

3-Outlet Extension Cords

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
864	16/3	SJTW	9'	2.7 m	Green	13	12
859	16/3	SJTW	20'	6.1 m	Green	13	12



3030

Outdoor Multi-Outlet Extension Cord

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
3030	14/3	STW	25'	7.6 m	Green	15	4

Woods® Outdoor Extension Cords

Woods® outdoor extension cords are perfect for a variety of outdoor applications.

- Temperature rating of -40°F to 167°F (-40°C to 75°C)
- 125 Voltage Rating
- Common Applications: Electric Push Mower, Hedge Trimmer, Electric Drill

Specifications

Standard Extension Cords

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
720*	16/2	SJTW	8'	2.4 m	Orange	13	15
22048803	16/2	SJTW	10'	3 m	Orange	13	24
722*	16/2	SJTW	25'	7.6 m	Orange	13	12
538444* **	16/2	SJTW	30'	9.1 m	Orange	13	12
723*	16/2	SJTW	50'	15.2 m	Orange	13	12
724*	16/2	SJTW	100'	30.5 m	Orange	10	6
9940010*	16/2	SJTW	120'	36.6 m	Lime Green	10	4
265	16/3	SJTW	8'	2.4 m	Orange	13	15
266	16/3	SJTW	15'	4.6 m	Orange	13	4
267	16/3	SJTW	25'	7.6 m	Orange	13	12
547860*^ **	16/3	SJTW	25'	7.6 m	Lime Green	13	8
541522* **	16/3	SJTW	30'	9.1 m	Orange	13	12
268	16/3	SJTW	50'	15.2 m	Orange	13	12
542107* **	16/3	SJTW	50'	15.2 m	Yellow	13	10
44211102* **	16/3	SJTW	80'	24.4 m	Yellow	10	6
269	16/3	SJTW	100'	30.5 m	Orange	10	6
541564* **	16/3	SJTW	100'	30.5 m	Orange	10	3
625	14/3	SJTW	25'	7.6 m	Orange	15	12
541570* **	14/3	SJTW	30'	9.1 m	Red	15	13
626	14/3	SJTW	50'	15.2 m	Orange	15	6
627	14/3	SJTW	100'	30.5 m	Orange	13	3
528	12/3	SJTW	25'	7.6 m	Orange	15	6
529	12/3	SJTW	50'	15.2 m	Orange	15	4
530	12/3	SJTW	100'	30.5 m	Orange	15	2

*Black Plug

^Bonus Carry Strap included

**Product packaging is advertised in Meters



530



720

WOODS | CORDS



820

Standard Outdoor Tritap Extension Cords

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
543329* **	16/2	SJTW	30'	9.1 m	Orange	13	12
825	14/3	SJTW	25'	7.6 m	Orange	15	12
826	14/3	SJTW	50'	15.2 m	Orange	15	6
827	14/3	SJTW	100'	30.5 m	Orange	13	12
990824	12/3	STW	2'	0.6 m	Orange	15	4
819	12/3	SJTW	50'	15.2 m	Orange	15	3
820	12/3	SJTW	100'	30.5 m	Orange	15	2

*Black Plug

**Product packaging is advertised in Meters



545528

Standard 3-Outlet Extension Cords

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
40038803	16/3	SJTW	3'	0.9 m	Orange	13	24
2864	16/3	SJTW	9'	2.7 m	Orange	13	12
540650* **	16/3	SJTW	10'	3 m	Orange	13	14
545454* **	16/3	SJTW	15'	4.6 m	Orange	13	21
545502* **	16/3	SJTW	30'	9.1 m	Orange	13	12
545528* **	16/3	SJTW	50'	15.2 m	Orange	13	10
872	14/3	SJTW	9'	2.7 m	Orange	15	4
545609* **	14/3	SJTW	30'	9.1 m	Red	15	13

*Black Plug

**Product packaging is advertised in Meters

Woods® Specialty Extension Cords

Woods has a variety of specialty extension cords to meet a variety of indoor and outdoor needs.

Specifications

Garage & Workshop Extension Cords

Woods garage and workshop extension cords are tough enough to stand up to temperature changes, dirt and abrasion.

- Temperature rating of -40°F to 167°F (-40°C to 75°C).
- 125 Voltage Rating
- Common Applications: Air Compressor, Chop Saw, Electric Chain Saw



990261

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
257	16/2	SJTW	8'	2.4 m	Black	13	15
258	16/2	SJTW	15'	4.6 m	Black	13	15
260	16/3	SJTW	8'	2.4 m	Black	13	15
990261	16/3	SJTW	15'	4.6 m	Black	13	4



35227408

Garage & Workshop 3-Outlet Extension Cord

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
35227408	14/3	SJTW	15'	4.6 m	Black	15	12

Push-Lock Extension Cords w/ Black Plug

Woods® push-lock extension cords keep your tools plugged in while doing common yard work.

- Temperature rating of -40°F to 167°F (-40°C to 75°C).
- 125 Voltage Rating
- Common Applications: Electric Push Mower, Leaf Blower, Hedge Trimmer



54158302

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
54327001**	16/2	SJTW	50'	15.2 m	Lime Green	13	12
54327201**	16/2	SJTW	100'	30.5 m	Lime Green	10	3
54157902**	14/3	SJTW	30'	9.1 m	Red	15	13
54158302**	12/3	SJTW	50'	15.2 m	Yellow	15	6
54158502**	12/3	SJTW	100'	30.5 m	Yellow	15	13

**Product packaging is advertised in Meters

Slimline® Indoor Extension Cords

Woods® indoor extension cords come in a variety of slimline shapes and lengths to make powering your home easier.

Specifications

Fabric Household Cords

Slimline® fabric cords are designed to replace traditional cube taps with stylish colors, so you no longer need to hide them.

- Temperature rating of -4°F to 140°F (-20°C to 60°C)
- 125 Voltage Rating
- Common Applications: Lamp, Fan, Home Controls



64598101

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
64598001	16/2	Premium SPT-2	8'	2.4 m	Black	13	20
64598101	16/2	Premium SPT-2	8'	2.4 m	Light Gray	13	20
64598201	16/2	Premium SPT-2	8'	2.4 m	Light Blue	13	20
64598301	16/2	Premium SPT-2	8'	2.4 m	Beige	13	20
64600701	16/2	Premium SPT-2	8'	2.4 m	Red	13	20
64600801	16/2	Premium SPT-2	8'	2.4 m	Green	13	20


Available In:




Black




Light Grey



Light Blue



Beige



Red



Green

Slimline®
CORDS

Household 3-Outlet Extension Cords

Slimline® extension cords have thin male plugs that are perfect space-saving solutions to power your indoor electronics.

- Temperature rating of -4°F to 167°F (-20°C to 75°C)
- 125 Voltage Rating
- Common Applications: Lamp, Television, Home Controls



2239



2241



540150

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
2235	16/2	SPT-2	3'	0.9 m	White	13	12
2236	16/2	SPT-2	7'	2.1 m	White	13	12
2239	16/2	SPT-2	7'	2.1 m	Beige	13	12
94078907	16/2	SPT-2	7'	2.1 m	Brown	13	12
547805**	16/2	SPT-2	7'	2.1 m	Black	13	12
94098907	16/2	SPT-2	11'	3.4 m	Brown	13	8
2237	16/2	SPT-2	13'	4 m	White	13	12
2240	16/2	SPT-2	13'	4 m	Beige	13	12
547806**	16/2	SPT-2	13'	4 m	Black	13	12
35178801	16/3	SPT-2	6'	1.8 m	White	13	24
2241	16/3	SPT-2	8'	2.4 m	White	13	6
2254	16/3	SPT-2	8'	2.4 m	Beige	13	6
2243	16/3	SPT-2	8'	2.4 m	Black	13	6
2232	16/3	SPT-2	13'	4 m	White	13	6
2255	16/3	SPT-2	13'	4 m	Beige	13	6

**Product packaging is advertised in Meters

Household Dual-Outlet Extension Cord

Part #	Gauge/ Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
540150**	16/2	SPT-2	12'	3.6 m	White	13	8

**Product packaging is advertised in Meters


Woods® Indoor Extension Cords

Woods® indoor extension cords bring power where you need it.

- Temperature rating of -4°F to 167°F (-20°C to 75°C)
- 125 Voltage Rating
- Common Applications: Lamp, Fan, Indoor Holiday Lighting



359W



601W



94188901

Specifications

3-Outlet Extension Cords

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
600	16/2	SPT-2	6'	1.8 m	Brown	13	25
600W	16/2	SPT-2	6'	1.8 m	White	13	25
647760**	16/2	SPT-2	6'	1.8 m	Black	13	25
292	16/2	HPN	6'	1.8 m	Black	15	10
601	16/2	SPT-2	9'	2.7 m	Brown	13	25
601W	16/2	SPT-2	9'	2.7 m	White	13	25
602	16/2	SPT-2	12'	3.7 m	Brown	13	24
602W	16/2	SPT-2	12'	3.7 m	White	13	24
647761**	16/2	SPT-2	15'	4.6 m	Black	13	9
603	16/2	SPT-2	15'	4.6 m	Brown	13	9
603W	16/2	SPT-2	15'	4.6 m	White	13	9
359W*	16/2	SPT-2	15'	4.6 m	White	10	9
547808**	16/2	SPT-2	15'	4.6 m	Clear	13	9
94058907	16/2	SPT-2	20'	6.1 m	Brown	13	24
94158901	16/2	SPT-2	20'	6.1 m	White	13	24
608	16/3	SPT-2	8'	2.4 m	Brown	13	10
609	16/3	SPT-2	8'	2.4 m	White	13	10
2611	16/3	SPT-2	8'	2.4 m	Black	13	10

*with switch

**Product packaging is advertised in Meters

Household Dual-Outlet Extension Cord

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
94188901	16/2	SPT-2	12'	3.6 m	White	13	24



2188



870

Holiday Indoor Extension Cords

Woods® holiday extension cords come in dark green and white colors to blend with holiday decorations.

- Temperature rating of -4°F to 167°F (-20°C to 75°C)
- 125 Voltage Rating
- Common Applications: Holiday Wreaths, String Lights, Tree Décor

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Color	Amps	Case Pack Quantity
32189^	18/2	SPT-2	12'	3.7 m	Green	5	25
2188^	18/2	SPT-2	15'	4.6 m	White	5	25
2189^	18/2	SPT-2	15'	4.6 m	Green	5	25
10203*	18/2	SPT-2	15'	4.6 m	Green	5	12
12600G	16/2	SPT-2	6'	1.8 m	Green	13	25
12601G	16/2	SPT-2	9'	2.7 m	Green	13	25
870	16/2	SPT-2	15'	4.6 m	Green	13	25
548290* **	16/2	SPT-2	10'	3 m	White	13	8

*with Foot Switch

^Multi-Outlet With Switch

**Product packaging is advertised in Meters

Woods® Indoor Specialty Cords

Woods® indoor specialty extension cords provide power options for a variety of specific indoor applications.

Specifications

Office Extension Cords

- Temperature rating of:
 - o SPT-2 and SVT -4°F to 167°F (-20°C to 75°C)
 - o SJTW -40°F to 167°F (-40°C to 75°C)
 - o SPT-3 -4°F to 140°F (-20°C to 60°C)
- 125 Voltage Rating
- Common Applications: Computer, Printer, Copier



540191



6991



545515

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
540038**	16/2	SPT-2	6'	1.8 m	Gray	13	25
5606	16/2	SPT-2	10'	3 m	Gray	13	25
540191**	16/2	SPT-2	15'	4.6 m	Gray	13	9
990547*	16/2	SVT	20'	6.1 m	Gray	13	6
6991	16/3	SPT-2	8" x 3	0.2 m	Multi	13	3
814	16/3	SPT-2	3'	0.9 m	Orange	13	12
2978	16/3	SJTW	9'	2.7 m	Beige	13	12
542652**	16/3	SPT-2	10'	3 m	Beige	13	18
2865	16/3	SJTW	10'	3 m	Beige	13	8
542654**	16/3	SPT-3	15'	4.6 m	White	13	28
545515**	16/3	SJTW	15'	4.6 m	Black	13	12
2867	16/3	SJTW	20'	6.1 m	Gray	13	12
5601*	16/3	SJTW	25'	7.6 m	Black	13	12
545517**	16/3	SJTW	30'	9.1 m	Black	13	12
542661* **	14/3	SPT-3	3'	0.9 m	White	15	24
863	14/3	SPT-3	3'	0.9 m	Yellow	15	12
537901**	14/3	SPT-3	6'	1.8 m	Gray	15	36
542703**	14/3	SPT-3	9'	2.7 m	Gray	15	28
542705**	14/3	SPT-3	14'	4.3 m	Gray	15	20

*Single Outlet

**Product packaging is advertised in Meters



542699



295



93038808

Indoor Major Appliance Cords

- Temperature rating of -4°F to 140°F (-20°C to 60°C)
- 125 Voltage Rating
- Common Applications: Air Conditioner, Space Heater, Refrigerator

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Color	Amps	Case Pack Quantity
537802**	16/3	SPT-3	6'	2.0 m	Beige	13	36
542615**	16/3	SPT-3	9'	3.0 m	Beige	13	28
542648**	16/3	SPT-3	15'	4.5 m	Beige	13	20
542660**	14/3	SPT-3	6'	2.0 m	Gray	15	36
542673**	14/3	SPT-3	9'	3.0 m	Gray	15	28
542699**	14/3	SPT-3	15'	4.5 m	Gray	15	20

**Product packaging is advertised in Meters

Small Appliance Replacement Cords

- Temperature rating of -4°F to 167°F (-20°C to 75°C)
- 125 Voltage Rating
- Common Applications: Coffee Maker, Waffle Iron, Indoor Grill

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Color	Amps	Case Pack Quantity
293	18/2	HPN	2'	0.6 m	Black	10	10
93038808	18/2	HPN	3'	0.9 m	Black	10	12
294	18/2	HPN	6'	1.8 m	Black	10	10
93078801	18/2	SPT-2	6'	1.8 m	White	7	10
291	18/2	HPN	6'	1.8 m	Black	10	10
295	18/2	SPT-2	6'	1.8 m	Brown	6	10
290	16/2	HPN	6'	1.8 m	Black	15	10
288	16/2	HPN	7'	2.1 m	Black	15	10

Woods® Adapters

Woods® Gas Range Adapter offers a safe way to convert electric ranges for gas use.



548303

Specifications

Gas Range Adapter

Part #	Color	Amps	Case Pack Quantity	NEMA Plug	NEMA Receptacle
548303	White	15	6	14-50P	5-15R

Woods® Cord Organization

Woods® cord organization offers options for keeping bulky extension cords, ropes, and holiday lighting tangle-free.

**Product images displayed on following page*

Specifications

Accessories

Part #	Description	Color	Case Pack Quantity
E105	"S" Shaped Cord Lock	Yellow	12
272802	Carry Strap	Black	6

Cord Storage Wraps

Part #	Holds	Color	Case Pack Quantity
2803	100' of 16/3 Gauge Cord	Black	12
E101	150' of 16/3 Gauge Cord	Yellow	24
64788201	50' of 14/3 Gauge Cord	Black	24

Cord Storage Reels

Part #	Holds	Color	Case Pack Quantity
547702**	150' of 16/3 Gauge Cord	Black	8
E102	125' of 14/3 Gauge Cord	Red/Black	8
E103^	125' of 14/3 Gauge Cord	Red/Black	4
22849*	100' of 14/3 Gauge Cord	Black	6

*with Metal Stand

^with Stand

**Product packaging is advertised in Meters

Cord Reels

Part #	Gauge/ Conductor	Wire Type	Color	Length (ft)	Length (m)	Outlets	Amps	Case Pack Quantity
E231	16/3	SJTW	Black/Yellow	20'	6 m	4	13	6
2801	16/3	SJTW	Yellow/Black	25'	7.6 m	4	13	3
4907	16/3	SJTW	Black/Yellow	25'	7.6 m	4	13	4
445794**	16/3	SJTW	Black/Orange	32'	10 m	4	13	6
947732WC**	16/3	SJTW	Black/Yellow	32'	10 m	4	13	4

*with Metal Stand

**Product packaging is advertised in Meters

Retractable Cord Reel w/ Black Banana Plug

Part #	Cord	Wire Type	Color	Length (ft)	Length (m)	Outlets	Amps	Case Pack Quantity
E315	16/3	SJTW	Yellow/Black	20'	6 m	3	13	4

Retractable Cord Reel w/ Work Light

Part #	Cord	Wire Type	Color	Length (ft)	Length (m)	Outlets	Amps	Case Pack Quantity
E216	16/3	SJTW	Yellow/Black	20'	6 m	1	13	4



E105



272802



2803



E101



64788201



547702



E102



E103



22849



E231



2801



4907



445794



947732WC



E315



E216

Canada Exclusive Cords

The below products are Canadian Exclusives.

Specifications



548301

Gas Range Adapter

Woods® Gas Range Adapter is a safe way to convert an electric range for gas use.

Part #	Color	Amps	Case Pack Quantity	NEMA Plug	NEMA Receptacle
548301**	Black	15	10	14-50P	5-15R

**Product packaging is advertised in Meters

PXWT Cords

Woods® PXWT cords fulfill the need for temporary outdoor and indoor lighting.

- Temperature rating -40°F to 140°F (-40°C to 60°C)
- 125 Voltage rating
- Common Applications: Holiday Lights, Patio Lights, Flood Lights



54270901

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Color	Amps	Case Pack Quantity
54270901**	16/2	PXWT	10	3 m	Green	13	25
54272501**	16/2	PXWT	15	4.6 m	Green	13	20
542711**	16/2	PXWT	15	4.6 m	White	13	20

**Product packaging is advertised in Meters

Block Heater Cords

Woods® block heater cords withstand low temperatures making them ideal for garages.

- Temperature rating -40°F to 140°F (-40°C to 60°C)
- 125 Voltage rating
- Common Applications: Block Heater, Battery Blanket, Car Warmer



545332

Part #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Color	Amps	Case Pack Quantity
545332* **	16/3	SJTW	10	3 m	Blue	13	32
545340* **	16/3	SJTW	15	4.6 m	Blue	13	21
511434^ **	16/3	SJTW	10	3 m	Blue	13	32
511435^ **	16/3	SJTW	15	4.6 m	Blue	13	21

*Black Banana Plug

^Lighted End Banana

**Product packaging is advertised in Meters

WinterFlex™ Extension Cords

WinterFlex™ extension cords remain flexible for all your common winter jobs!

- Temperature rating of -40°F to 194°F (-40°C to 90°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Push Mowers, Electric Chainsaws, and Blowers

Specifications



545337

3-Outlet Extension Cords w/ Power Light Indicator

Stock #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
545337**	16/3	WinterFlex SJOW	6'	2 m	Black	13	32
545338**	16/3	WinterFlex SJOW	16'	5 m	Black	13	21
545339**	16/3	WinterFlex SJOW	32'	10 m	Black	13	12
545346**	14/3	WinterFlex SJOW	49'	15 m	Black	13	8

**Product packaging is advertised in Meters



545779

3-Outlet Extension Cords w/ Blue Plug


Stock #	Gauge/Conductors	Wire Type	Length (ft)	Length (m)	Cord Color	Amps	Case Pack Quantity
545779**	16/3	WinterFlex SJOW	9'	3 m	Black	13	32
545780**	16/3	WinterFlex SJOW	16'	5 m	Black	13	21
545781**	16/3	WinterFlex SJOW	32'	10 m	Black	13	12
545782**	16/3	WinterFlex SJOW	49'	15 m	Black	13	10

**Product packaging is advertised in Meters

III Woods®



2018 CORD CATALOG



©2018 Southwire Company, LLC. All rights reserved.
Registered Trademark & ™ Trademark of Southwire Company, LLC.