

## ELECTRICAL PANELS

See Notes on Page 10

1. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE LOCAL ELECTRICAL CODES.

2. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS ACCESSIBLE TO THE ELECTRICAL CONTRACTOR FOR MAINTENANCE AND REPAIR.

3. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM WEATHER AND VIBRATION.

4. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM OVERHEATING AND OVERLOADING.

5. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM CORROSION AND OTHER ENVIRONMENTAL DAMAGE.

6. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM PHYSICAL DAMAGE AND THEFT.

7. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL SHOCK AND FIRE.

8. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL INTERFERENCE AND NOISE.

9. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL SURGES AND SPARKS.

10. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL SHORTS AND GROUNDING.

11. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL OVERCURRENTS AND OVERVOLTAGES.

12. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL UNDERCURRENTS AND UNDERVOLTAGES.

13. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL OVERHEATING AND OVERLOADING.

14. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL CORROSION AND OTHER ENVIRONMENTAL DAMAGE.

15. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM PHYSICAL DAMAGE AND THEFT.

16. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL SHOCK AND FIRE.

17. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL INTERFERENCE AND NOISE.

18. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL SURGES AND SPARKS.

19. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL SHORTS AND GROUNDING.

20. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL OVERCURRENTS AND OVERVOLTAGES.

21. ALL ELECTRICAL PANELS SHALL BE INSTALLED IN A LOCATION THAT IS PROTECTED FROM ELECTRICAL UNDERCURRENTS AND UNDERVOLTAGES.

