

Product Change Notice: 3M™ Round Conductor, Flat Cable, Series 3365, .050" 28 AWG Stranded, PVC

Issue Number: 541 Date: May 31, 2004

To: 3M Electronic Solutions Division Global Copy List

3M Electronic Solutions Division Distribution List 3M Electronic Solutions Manufacturing Rep Firm List

Mara Guzman, 3M EMD

Product Change

Product: All Versions (Standard, CSA, Black) TS-0080

3365/06(300')	TBA	C3365/06(300')	TBA
3365/08(300')	TBA	C3365/08(300')	TBA
3365/09(300')	80610088348	C3365/09(300')	TBA
3365/10(300')	80610076004	C3365/10(300')	80610804090
3365/12(300')	80610208672	C3365/12(300')	TBA
3365/14(300')	80610076012	C3365/14(300')	80610804124
3365/15(300')	80610088355	C3365/15(300')	80610814172
3365/16(300')	80610076020	C3365/16(300')	80610804140
3365/20(300')	80610076038	C3365/20(300')	80610804173
3365/24(300')	80610076046	C3365/24(300')	80400006591
3365/25(300')	80610076053	C3365/25(300')	80610804207
3365/26(300')	80610076061	C3365/26(300')	80610804223
3365/30(300')	80610670459	C3365/30(300')	80610497838
3365/34(300')	80610076079	C3365/34(300')	80610804264
3365/36(300')	80610088363	C3365/36(300')	80610809677
3365/37(300')	80610076087	C3365/37(300')	TBA
3365/40(300')	80610076095	C3365/40(300')	80610804306
3365/44(300')	80610561856	C3365/44(300')	TBA
3365/50(300')	80610076103	C3365/50(300')	80610804330
3365/60(300')	80610076111	C3365/60(300')	80610804355
3365/64(300')	80610076129	C3365/64(300')	80610810667

Enhancement:

3M ESD is pleased to announce 3MTM Round Conductor Flat Cable Series 3365 is now RoHS Compliant.

3M's intent is to offer products that allow our customers to be in compliance with European Union directive 2002/95/EC (Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment). 3M's determination of compliance is based on the current RoHS legislation and certification from 3M raw material suppliers. This change does not affect the form, fit or function of the cable, therefore product numbers and stock numbers will remain unchanged. The description, as well as the factory run number, will be updated to include "RC" for RoHS Compliant.

The 3M[™] Round Conductor Flat Cable Series 3365 is available in standard lengths of 300 feet with a minimum order quantity of one roll.

No new literature will be issued at this time. Please use the latest revision of TS-0080 which lists the RoHS and WEEE compliance in the Features and Benefits section.

Actions Required:

• Please notify customers of this enhancement.

Thank you for your continued support of 3M products.

Please direct all correspondence on this matter to:

Jeff Bullion Copper Product Marketing Phone: 512-984-5982

Email: jbullion@mmm.com

3M is a trademark of 3M Company.

Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

Warranty; Limited Remedy; Limited Liability.

This product will be free from defects in material and manufacture for a period of one (1) year from the date of purchase. 3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any loss or damage arising from this 3M product, whether direct, indirect, special, incidental or consequential regardless of the legal theory asserted.

