HADLEY QUEEN / FULL BED

ASSEMBLY INSTRUCTIONS





PARTS AND PACKAGING DETAIL


BOX #1

- A. HEADBOARD PANEL 1 PC
- B. LEFT PANEL LEG 1 PC
- C. RIGHT PANEL LEG 1 PC











BOX #2 E. FOOTBOARD 1 PC

H5

ALLEN KEY



BOX #3 F. SIDE RAIL 2 PCS G. SUPPORT LEG 5 PCS




WOOD SCREW (M4x25)

HARDWARE PACKED IN BOX #1 HARDWARE PACKED IN BOX #2 H1 ALLEN HEAD BOLT (M6x40) 2 **H6 ALLEN HEAD BOLT (M8x20)** 8 6 **H2 ALLEN HEAD BOLT (M8x50)** 6 **H7 LOCK WASHER (M9x13)** 0 **H3 LOCK WASHER (M9x13)** H8 FLAT WASHER (M8x20) 8 **H4** FLAT WASHER (M8x20) 0 8 H9 **ALLEN KEY** 1


H10

1

TOOL REQUIRED: PHILLIPS HEAD SCREW DRIVER (NOT PROVIDED)









HADLEY QUEEN / FULL BED ASSEMBLY INSTRUCTIONS



STEP 2: USE HARDWARE PACKED IN BOX #1




STEP 3: USE HARDWARE PACKED IN BOX #2 FOR REMAINING STEPS




HADLEY QUEEN / FULL BED ASSEMBLY INSTRUCTIONS







STEP 5:




HADLEY QUEEN / FULL BED


ASSEMBLY INSTRUCTIONS



STEP 6:



STEP 7:




INSTRUCTIONS FOR ADJUSTING LEVELERS:

Position the bed in your room. Locate levelers under each leg support.

Turn counter-clockwise to extend, clockwise to contract.

Adjust levelers until each leg support is applying equal upward pressure on the bed slat.



MAINTENANCE INSTRUCTION:

- Remove box spring and mattress before moving your bed
- Lift your bed when moving it. Dragging can damage leg support.
- Readjust levelers after moving your bed.