

B16SC



Car Dealerships



Kitchens



Tight Spaces

HILLYARD
The Cleaning Resource®

TRIDENT®

Better Built. Better Equipment.



Better Built. Better Equipment.


Replace The Mop Bucket

Get Better Cleaning Results - Faster - with Far Less Effort!

Float switch for suction motor protection.

Onboard "plug-in" battery charging.

Over-sized wheels and light weight for increased maneuverability.




Quick-Release
Lever Control Squeegee



Intuitive User
Control Panel



Easily Remove and
Replace Battery



Auto Adjust

The B16 automatically adjusts to any floor type to deliver high-performance cleaning.

Center Feed-Solution

Excellent drying performance thanks to solution outflow from the center of the brush preventing splashes of water on the floor.



Productivity: Up to 13,000 Sq. Ft. per hour



Intelligent Design





Exceptional Engineering



Innovative Technology

Perfect Drying

The powerful suction motor is paired with a parabolic squeegee that swings around the brush and leaves the floor dry and safe.



180-Degree
Complete
Cleaning
Coverage

Simple Operation

Simple operation - simple access - minimal training - easy routine maintenance.



Foot lever lowers brush.



Quick disconnect solution supply hose.

Automatic Brush Coupling

Just a light impulse of the brush motor control is enough to couple and release the brush automatically.



Standard Onboard Charging

The B16 comes with onboard battery charging, simplifying recharging.



Better Built. Better Equipment.

ORDER WITH FACTORY INSTALLED BATTERIES

Equipment purchased with factory installed batteries include batteries, cables, and an onboard charger.

Specifications		B16SC
Hillyard Item Number		HIL56002SLA
Cleaning Path	In	16
Squeegee Width	In	18
Disc Brushes	(No.) In	(1) 16
Solution Tank	Gal	5.8
Recovery Tank	Gal	5.3
Supply/Traction	V	12/Brush Assist
Acoustic Level (Iso 11201)	Db (A)	<70
Brush Motor(s)	(No.) V/W	(1) 12/250
Vacuum Motor	V/W	12/250
Brushes RPM	RPM/Min.	140
Brush Pressure	Lb	44
Forward Speed	MPH	0 - 1.86
Gradeability	%	2
Productivity	Sq.ft/Hr	13,000
Battery Compartment Dimensions (L,H,W)	In	13.0, 10.1, 7.1
Battery Type		Trojan AES
Quantity		1
Voltage / Capacity		12 V / 130 AH
Battery Weight (Each)	lbs	83
Machine Dimensions (L,H,W)	In	27.0, 37.2 , 18.1
Charging System		Onboard
Machine Weight (Without Battery)	Lb	93
Contents		1 - Machine 1 - Nylon Brush 1 - Pad Holder 1 - Charging Cord 1 - Owners Kit

Squeegee Replacement Guide	B16SC
Front Squeegee (Standard Rubber Shore 33)	HIL420648
Rear Squeegee (Standard Rubber Shore 33)	HIL420649
Front and Rear Kit (Linatex Rubber)	HIL34800
Front and Rear Kit (Primothane Urethane)	HIL34801

Brush and Pad Guide	B16SC
Brush(es) - Medium, 0.6MM PPL, White (Standard)	HIL428782
Brush(es) - Soft, 0.3MM PPL, Blue	HIL429372
Brush(es) - Stiff, 0.9MM PPL, Black	HIL432674
Pad - Red	HIL42216



HILLYARD
 The Cleaning Resource®

PO Box 909
 St. Joseph, MO 64502
www.hillyard.com

LIT-B16-1025