Item # : BR36ELR4D **Assembly Instructions**






Please visit our website for the most current instructions, assembly tips, report damage, or request parts. www.walkeredison.com

Walker Edison.

Revised 29/10/2020 (L)

General Assembly Guidelines

- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are: wood dowels, screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.




VI. A Phillips head screwdriver is required for the assembly of this product .



VII. Power tools should not be used to assemble this product.




VIII. Drill may be needed for securing product to wall.





Hardware List

А		Ø8x30mm	Wooden dowel	18	pcs
В		Ø6x35mm	Cam bolt	34	pcs
С		Ø15x11mm	Cam lock	14	pcs
D		Ø15x9mm	Cam lock	20	pcs
Е	\bigcirc	Ø30mm	Sticker	28	pcs
F	annan 🗆 ()	Ø6x50mm	Screw	4	pcs
G			Plastic wedge	12	pcs
Н		Ø3x17mm	Screw	12	pcs
J		M4	Hex Key	1	рс
К	<uunuuu (b<="" td=""><td>Ø4x38mm</td><td>Screw</td><td>26</td><td>pcs</td></uunuuu>	Ø4x38mm	Screw	26	pcs
L	<uun (f)<="" td=""><td>Ø3x12mm</td><td>Screw</td><td>48</td><td>pcs</td></uun>	Ø3x12mm	Screw	48	pcs
М	<acced}< td=""><td>Ø5x15mm</td><td>Screw</td><td>16</td><td>pcs</td></acced}<>	Ø5x15mm	Screw	16	pcs
Ν		Ø6x12mm	Bolt	4	pcs
Ρ			Velcro strap	2	pcs
Q	<uund)< td=""><td>Ø4x25mm</td><td>Screw</td><td>2</td><td>pcs</td></uund)<>	Ø4x25mm	Screw	2	pcs
R			Nut	2	pcs
S		Ø4x12mm	Screw	2	pcs
т		Ø6x30mm	Wooden dowel	8	pcs
U		10"	Drawer slider	4	Sets
			 Note: This piece comes prea shipping purposes and must b to complete the desk assembly 	e disassembled	
V			Glue tube	1	рс
W	0	Ø30mm	Sticker(black)	6	pcs
		driver required for a	assembly		
		(not included)			
The hardware quantities listed above are required for proper assembly. Some extra hardware may also have been included.					




Insert wooden dowel (A) into part (5), and then secure cam bolt (B) into part (1) with Philips head screwdriver as per diagram.







Pick up the slider arm (U) and separate the slider bracket for the following steps. Extend the slider bracket all the way forward, press the plastic release lever of the slider arm up and pull the slider bracket complete out.




Using screw (L) attach drawer slider (U) to parts (2,3) with Philips head screwdriver as per diagram.





Insert wooden dowel (A) into parts (2,3,8), and then secure cam bolt (B) into parts (2,3) with Philips head screwdriver as per diagram




Using cam lock (C) secure part (8) to part (3) with Philips head screwdriver as per diagram.









Using screw (M) attach part (15) to part (4) with Philips head screwdriver, and using bolt (N) attach part (15) to part (4) with hex key (J) as per diagram.




Using screw (M) attach part (15) to part (4) with Philips head screwdriver and using bolt (N) attach part (15) to part (4) with hex key (J) as per diagram.










Using cam lock (C) secure part (1) into parts (2,3,7) with Philips head screwdriver as per diagram.












Using screw (K) secure part (14) to part (11), and using cam lock (D) secure part (12) into parts (9,10,14) with Philips head screwdriver as per diagram.





Insert the assembled drawers into the unit frame, extend the ball bearing slide tracks (U) on the pedestal side panel all the way forward. Then align the slider runners on the assembled drawers with the slide tracks and push the drawer carefully inside until it stops. Note: if the drawer does not go in smoothly, please take it out and repeat the step. If you need to remove the drawer, please pull the drawer all the way out, press or lift the plastic release lever and pull out the drawer and the re-assembled the drawer unit it was going in smoothly.





Using screw (S) attach Velcro strap (P) into part (1) with Philips head screwdriver as per diagram.

