

Foam-Tech Non-Acid Condenser Coil Cleaner

MSDS# 8-EB

May 2012

7 Total Pages

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Foam-Tech Non-Acid Condenser Coil Cleaner

Manufactured by: Diversitech

6650 Sugarloaf Parkway, Duluth, GA 30097

Phone: 800-995-2222 (Product Information)

Phone: 800-255-3924 (CHEM-TEL, Chemical Emergencies Only)

Revised: 05/25/2012

Prepared By: Wyatt Coleman

2. HAZARDS IDENTIFICATION



Corrosive Irritant

Emergency Overview: Danger! Corrosive! Causes respiratory tract, eye and skin burns. Harmful if absorbed through skin or if swallowed.

Contains Material Which Causes Damage To The Following Organs: Lungs, respiratory tract, skin, eye, lens or cornea. Causes severe irritation and burns. May be harmful if swallowed. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

Routes of entry: Inhalation. Ingestion.

Potential acute health effects

Eyes: Corrosive to eyes.

Skin: Toxic in contact with skin. Corrosive to the skin.

Inhalation: Corrosive to the respiratory system.

Ingestion: Toxic if swallowed. May cause burns to mouth, throat and stomach.

Carcinogenic effects: No known significant effects or critical hazards.

Mutagenic effects: No known significant effects or critical hazards.

Teratogenicity/Reproductive toxicity: No known significant effects or critical hazards.

Medical conditions: Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged exposure to the substance can produce lung damage. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to the substance can produce damage to target organs.

Signs and Symptoms of Exposure:

Inhalation: Effects from inhalation of mist vary from mild to severe irritation and may cause serious damage of the upper respiratory tract, depending on severity of exposure. Symptoms may include sneezing, sore throat or runny nose. Severe pneumonitis may occur.

Ingestion: Swallowing may cause severe burns of mouth, throat, and stomach. Severe scarring of tissue and death may result.

Foam-Tech Non-Acid Condenser Coil Cleaner

Symptoms may include bleeding, vomiting, diarrhea, fall in blood pressure. Damage may appear days after exposure.

Skin Contact: Contact with skin can cause irritation or severe burns and scarring with greater exposures.

Eye Contact: Contact with mist, spray or liquid causes redness, severe irritation or burning in eyes. Prolonged exposures can cause burns that may result in permanent impairment of vision, even blindness.

Chronic Exposure: Prolonged contact with dilute solutions or mists has a destructive effect upon tissue.

3. COMPOSITION / INFORMATION INGREDIENTS

INGREDIENT	CAS No.	EINECS No.	% or Range	Symbol	Risk Phrases
Water	7732-18-5	231-791-2	85-95		
Sodium Carbonate	497-19-8	207-838-8	1-3	Xi	R36
Sodium hydroxide	1310-73-2	215-185-5	5-7	C	R35

Additional information: For the wording of the listed risk phrases refer to section 15.

4. FIRST-AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Ingestion: DO NOT INDUCE VOMITING! Give large quantities of water or milk if available. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician, immediately. Wash clothing before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Note to Physician: Perform endoscopy in all cases of suspected sodium hydroxide ingestion. In cases of severe esophageal corrosion, consider the use of therapeutic doses of steroids. General supportive measures with continual monitoring of gas exchange, acid-base balance, electrolytes, and fluid intake are also required.

5. FIREFIGHTING MEASURES

Not considered a fire hazard. Sodium hydroxide can react with non-ferrous metals to generate flammable hydrogen gas.

Explosion: May cause fire and explosions when in contact with incompatible materials.

Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face-piece operated in the pressure demand or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate personal protective equipment as specified in [Section 8](#). Contain and recover liquid when possible. Do not flush caustic residues to the sewer. Residues from spills can be diluted with water, then neutralized with dilute acid such as acetic, hydrochloric or sulfuric. Absorb neutralized caustic residue on clay, vermiculite or other inert substance and package in a suitable container for disposal. do not use aluminum tools to collect absorbed material or aluminum containers to store collected waste. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities (500 gallons) of this product. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. Remove contaminated clothing immediately.

Foam-Tech Non-Acid Condenser Coil Cleaner

7. HANDLING AND STORAGE

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatible materials. Protect from freezing. Containers of this material may be hazardous when empty since they retain product residues. Observe all warnings and precautions listed for the product. Do not store with aluminum or magnesium. Do not mix with acids or organic materials. Keep this and all chemicals out of the reach of children. Wash thoroughly after handling.

8. EXPOSURE CONTROLS /PERSONAL PROTECTION

Airborne Exposure Limits:

OSHA Permissible Exposure Limit (PEL): 15 mg/m³ Ceiling

ACGIH Threshold Limit Value (TLV): 15 mg/m³ Ceiling

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-face piece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear rubber, neoprene, nitrile, Saranex® boots, gloves, lab coat, apron or coveralls, as necessary and appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities or a source of running water in the work area.

Work Hygienic Practices: Use proper industrial hygiene practices to minimize hazardous exposure. Wash hands after handling this material, and before eating, smoking or using the toilet.

9. PHYSICAL AND CHEMICAL CHARACTERISTICS

Appearance: Dark blue liquid

Odor: Odorless

Odor threshold: N/A

pH: 13

Melting point/freezing point: <0 °C (32°F)

Initial boiling point and boiling range: >104°C (220°F)

Flash point: Not applicable

Evaporation rate (water=1): ~1

Flammability limits %: Not applicable

Vapor pressure: @20°C

Vapor density: 0.62

Foam-Tech Non-Acid Condenser Coil Cleaner

Relative density: 1.05

Solubility: 100% soluble in water

Partition Coefficient: n-octanol/water: n.a.

Auto-ignition temperature: Not applicable

Decomposition temperature: Not applicable

Viscosity: N/A

Explosive properties: Not applicable

Oxidizing properties: Not applicable

N/A = Data not available

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: Sodium oxide. Decomposition by reaction with non-ferrous metals releases flammable and explosive hydrogen gas.

Hazardous Polymerization: Will not occur.

Incompatibilities: Sodium hydroxide in contact with acids and organic halogen compounds, especially trichloroethylene, may cause violent reactions. Contact with nitromethane and other similar nitro compounds causes formation of shock-sensitive salts. Contact with metals such as aluminum, magnesium, tin, and zinc cause formation of flammable hydrogen gas. Sodium hydroxide, even in fairly dilute solution, reacts readily with various sugars to produce carbon monoxide.

Conditions to Avoid: Extreme heat, incompatibles.

11. TOXICOLOGICAL INFORMATION

Sodium hydroxide, CAS #1310-73-2:

Irritation data:

Skin, rabbit: 500 mg/24H severe;

Eye rabbit: 50 ug/24H severe.

Investigated as a mutagen.

NTP Carcinogen: No

Sodium carbonate, CAS# 497-19-8

Acute toxicity: Oral route, LD50, rat, > 2,000 mg/kg.

Inhalation, LC50, 2 h, rat, 2.3 mg/l

Chronic toxicity: Inhalation, rat, target organ: lungs, 0.07 mg/l, observed effect. No effect on reproduction. **Irritation:** Rabbit, non-irritant (skin). Rabbit, irritant (eyes).

12. ECOLOGICAL INFORMATION

Sodium carbonate: Cas# 497-19-8

Acute Ecotoxicity: Crustaceans, Daphnia magna, EC 50, 48 hours, 265 mg/l. Fishes, Lepomis macrochirus, LC 50, 96 hours, 300 mg/l. Algae, Nitzscheria linearis, EC 50, 5 day, 242 mg/l. 12.3 **Chronic Ecotoxicity:** Phytoplankton, EC, biomass, 7 day, 14 mg/l.

13. DISPOSAL CONSIDERATIONS

Dispose of spill-clean up and other wastes in accordance with Federal, State, and local regulations. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of

Foam-Tech Non-Acid Condenser Coil Cleaner

this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Treat empty containers as hazardous. Dispose of container and unused contents in accordance with federal, state and local requirements. State and local disposal regulations may differ from federal disposal regulations
 RCRA Hazard Class (if discarded): CORROSIVE D002.

14. TRANSPORT INFORMATION

US DOT: UN3266, Corrosive liquid, basic, inorganic, N.O.S. (contains sodium hydroxide), 8, PGIII
 UN/NA: UN3266
 Packing Group: III
 UN Number: UN3266
 UN Proper Shipping Name: Corrosive liquid, basic inorganic, N.O.S. (contains sodium hydroxide)
 Transport Hazard Class(es): 8
 Packing group: III
 Environmental Hazards: Not a marine pollutant
 ADR/RID Transport Information
 ADR/RID Class: 8
 ADR/RID Packing Group III
 IMDG Hazard Class 8
 IMDG Packing Group None Allocated
 ADNR Class 8
 ADNR Item III
 IATA Hazard Class 8
 IATA Packing Group III
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable
 EmS: F-A, S-B

15. REGULATORY INFORMATION



Corrosive Irritant

Risk phrases:.

R35: Causes severe burns.

R36: Irritating to eyes



Safety phrases:

S2: Keep out of reach of children

S24/25: Avoid contact with skin and eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Foam-Tech Non-Acid Condenser Coil Cleaner

S37/39: Wear suitable, gloves and eye/face protection.

US EPA

Comprehensive Environmental Response Compensation and Liability

Act of 1980 (CERCLA) requires notification of the National Response Center of release quantities of Hazardous Substances is not required for this material.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on threshold planning quantities and release reporting based on reportable quantities in 40 CFR 355 (used for SARA 302, 304, 311, and 312) is not required for quantities below 250 pounds.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of

toxic chemicals that appear in 40 CFR 372 (for SARA 313). This material is not subject to reporting requirements.

Toxic Substances Control Act (TSCA) Status: The ingredients of this product are on the TSCA inventory.

State Right to Know

California Proposition 65: This product does not contain any materials on the Proposition 65 List of Chemicals Known to Cause Cancer or Reproductive Toxicity.

Massachusetts: Hazardous substances and extraordinarily hazardous substances must be identified.

Pennsylvania: Hazardous substances must be identified.

California SCAQMD Rule 443.1 (VOC's): None

Chemical Inventory Status

Ingredient	Canada					
	TSCA	EC	Japan	Australia	Korea	DSL NDSL Phil.
Sodium Hydroxide (1310-73-2)	Yes	Yes	Yes	Yes	Yes	Yes No Yes

Ingredient	SARA 302		SARA 313	TSCA	CERCLA 261.33 8(d)
	RQ	TPQ	Chemical	RCRA	List -
Sodium Hydroxide (1310-73-2)	No	No	No	1000	No No

Chemical Weapons Convention: No

TSCA 12(b): No CDTA: No

SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No Reactivity: Yes (Mixture / Liquid)

Australian Hazchem Code: 2R

Poison Schedule: S6

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. OTHER INFORMATION

NFPA Ratings: Health: 3 Flammability: 0 Reactivity: 1

Label Hazard Warning:

CORROSIVE - POISON!

Contains sodium hydroxide. May be fatal if swallowed. May cause severe burns to skin and eyes.

KEEP OUT OF REACH OF CHILDREN

Label Precautions:

Do not use this product until you have read and understood the Material Safety Data Sheet.

Foam-Tech Non-Acid Condenser Coil Cleaner

Do not use this product without skin and eye protection.

Do not use this product unless a source of running water is available.

For use by trained professional personnel only.

Use only according to label directions.

Wash thoroughly after use.

It is the user's responsibility to understand the function of all recommended Personal Protective Equipment (PPE), and be properly trained in its use.

Label First Aid:

EYES: Flush eyes with running water for at least 15 minutes while lifting lids periodically. Call a physician without delay.

SKIN: Flush affected area with water for 15 minutes or until skin no longer feels slick. If irritation persists or burns are present, consult a physician.

INGESTION: Immediately drink 3 or 4 glasses of water followed by a large glass of citrus juice. Do not induce vomiting. Call a physician immediately.

INHALATION: Remove person to fresh air. If unconscious or if breathing does not return to normal within a few minutes, contact a physician immediately. Keep away from children. Rinse bottle thoroughly before disposal.

For health, safety, and transportation information, call 1-800-255-3924

This information is, to the best of our knowledge and belief, accurate and reliable as of the date completed. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the completeness and suitability of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against patent infringement