

SAFETY DATA SHEET

1. Identification

Product identifier	Heavy Duty Mold Cleaner			
Other means of identification				
Product Code	No. 03315 (Item# 1003500)			
Recommended use	Mold cleaner			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/	Distributor information			
Manufactured or sold by:				
Company name	CRC Industries, Inc.			
Address	885 Louis Dr.			
	Warminster, PA 18974 US			
Telephone				
General Information	215-674-4300			
Technical Assistance	800-521-3168			
Customer Service	800-272-4620			
24-Hour Emergency	800-424-9300 (US)			
(CHEMTREC)	703-527-3887 (International)			
Website	www.crcindustries.com			
2. Hazard(s) identification				
Physical hazards	Gases under pressure	Compressed gas		
Health hazards	Skin corrosion/irritation	Category 2		
	Serious eye damage/eye irritation	Category 2B		
	Sensitization, skin	Category 1B		
	Carcinogenicity	Category 1B		
	Specific target organ toxicity, single exposure	Category 3 narcotic effects		
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2		
	Hazardous to the aquatic environment, long-term hazard	Category 2		
OSHA defined hazards	Not classified.			
Label elements				
Signal word	Danger			
Hazard statement	Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation. May cause drowsiness or dizziness. May cause cancer. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.			
Precautionary statement				
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49°C/120°F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid release to the environment.			

Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Collect spillage.
Storage	Store locked up. Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

Supplemental information

When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

3. Composition/information on ingredients

Mixtures

127-18-4	90 - 100
124-38-9	1 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Irritation of nose and throat. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, or water spray.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

Special protective equipment
and precautions for firefightersFirefighters must use standard protective equipment including flame retardant coat, helmet with
face shield, gloves, rubber boots, and in enclosed spaces, SCBA.Fire-fightingIn case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without

Fire-fighting
equipment/instructionsIn case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without
risk. Containers should be cooled with water to prevent vapor pressure build up.

General fire hazards Contents under pressure. Pressurized container may rupture when exposed to heat or flame.

6. Accidental release measures

0. Accidental release mea	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Collect spillage. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices. For product usage instructions, see the product label.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Contents under pressure. Do not handle or store near an open flame, heat or other sources of ignition. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49 °C/120 °F. Protect from sunlight. Store in a well-ventilated place. Store in cool place. Exposure to high temperature may cause can to burst. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
carbon dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
		5000 ppm	
US. OSHA Table Z-2 (29 CFR 191	0.1000)		
Components	Туре	Value	
tetrachloroethylene (CAS 127-18-4)	Ceiling	200 ppm	
,	TWA	100 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	
carbon dioxide (CAS 124-38-9)	STEL	30000 ppm	
	TWA	5000 ppm	

US. ACGIH Threshold Lin Components	Typ)e	Va	alue
tetrachloroethylene (CAS 127-18-4)	STE	EL	10	00 ppm
127-10-4)	TW	A	25	5 ppm
US. NIOSH: Pocket Guide Components	to Chemical Hazards Typ		Vá	alue
carbon dioxide (CAS 124-38-9)	STE	EL	54	4000 mg/m3
	TW	A	90	0000 ppm 000 mg/m3 000 ppm
Biological limit values				
ACGIH Biological Exposu Components	ire Indices Value	Determinant	Specimen	Sampling Time
tetrachloroethylene (CAS 127-18-4)	0.5 mg/l	Tetrachloroethy lene	Blood	*
,	3 ppm	Tetrachloroethy lene	End-exhaled air	*
* - For sampling details, ple	ase see the source do	cument.		
xposure guidelines				
US - Minnesota Haz Subs	: Skin designation ap	plies		
tetrachloroethylene (C	AS 127-18-4)	Skin de	esignation applie	es.
Appropriate engineering controls	should be matche or other engineeri exposure limits ha	d to conditions. If ap ng controls to mainta ive not been establis	olicable, use pro in airborne leve hed, maintain ai	hour) should be used. Ventilation rates ocess enclosures, local exhaust ventilation, els below recommended exposure limits. If irborne levels to an acceptable level. Eye able when handling this product. Provide
ndividual protection measure	s, such as personal	protective equipme	nt	
Eye/face protection	Wear safety glass	es with side shields	or goggles).	
Skin protection				
Hand protection	Wear protective g	oves such as: Nitrile	. Viton/butyl. Po	blyvinyl alcohol (PVA). Silver Shield $^{ m I\!R}$
Other	Wear appropriate	chemical resistant cl	othing.	
Respiratory protection	NIOSH-approved breathing apparat	cartridge respirator v	vith an organic \ s and for emerg	exceeds the applicable exposure limits, use vapor cartridge. Use a self-contained jencies. Air monitoring is needed to
Thermal hazards	Wear appropriate	thermal protective cl	othing, when ne	ecessary.
General hygiene considerations	personal hygiene drinking, and/or sr	measures, such as w noking. Routinely w	/ashing after ha ash work clothir	n using do not smoke. Always observe good indling the material and before eating, ing and protective equipment to remove be allowed out of the workplace.
9. Physical and chemica	al properties			
Appearance				
Physical state	Liquid.			
Form	Aerosol.			
Color	Colorless.			

Form	Aerosol.
Color	Colorless.
Odor	Irritating.
Odor threshold	50 ppm
рН	Not available.
Melting point/freezing point	-8.1 °F (-22.3 °C) estimated
Initial boiling point and boiling range	250.3 °F (121.3 °C) estimated
Flash point	None (Tag Closed Cup)

Evaporation rate	Very fast.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	1352.4 hPa estimated
Vapor density	5.76 (air = 1)
Relative density	1.62
Solubility (water)	0.02 % (77 °F (25 °C))
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	97.7 % estimated
Other information	
Partition coefficient (oil/water)	2.88

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.
Hazardous decomposition products	Hydrogen chloride. Trace amounts of chlorine and phosgene. Carbon oxides. Halogenated materials. Carbonyl halides.

11. Toxicological information

Information on likely routes of exposure

tetrachloroethylene (CAS 127-18	j4)			
Components	Species	Test Results		
Acute toxicity	None known.			
Information on toxicological ef	fects			
Symptoms related to the physical, chemical and toxicological characteristics	membranes. Exposed indiv	dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous iduals may experience eye tearing, redness, and discomfort. Irritation tation. May cause redness and pain. May cause an allergic skin		
Ingestion	Ingestion of large amounts and diarrhea.	may produce gastrointestinal disturbances including irritation, nausea,		
Eye contact	Causes eye irritation.	Causes eye irritation.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.			
Inhalation	Prolonged inhalation may b vomiting.	e harmful. May cause drowsiness and dizziness. Headache. Nausea,		
Inhalation	•	e harmful. May cause drowsiness and dizziness. Head		

<u>Acute</u> Dermal

Donnai	
LD50	

Rabbit

> 3228 mg/kg

Oral LD50 Rat 2629 mg/kg * Estimates for product may be based on additional component data not shown. Skin corrosion/irritation Causes skin initiation. Serious say damageleyo Causes exel initiation. Skin corrosion/irritation Respiratory sensitization Not a respiratory sensitizar. Skin sensitization Not arespiratory sensitizar. Skin sensitization Not arespiratory sensitizar. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenicity geneticity. May Cause cancer. IARC Monographs. Overall Evaluation of Carcinogenicity. May cause cancer. IARC Monographs. Overall Evaluation of Carcinogenos US. National Toxicology rogram (NTP) Report on Carcinogens transin Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - spiration hazard. Not an aspiration hazard. Chronic effects Prolonged Inhalation may be harmful. Prolonged exposure may cause chronic effects. Specific target organ toxicity - spiration. Space Test Results Fish LC50 Rainbow trout, donaldson trout (Oncorrhynchus mykis) 4.73 - 5.27 mg/l. 96 hours (Oncorrhynchus mykis) * Estimates for product may be based on additional component data not shown. Peristence andegradability on data is available on the degradability of	Components	Species		Test Results
* Estimates for product may be based on additional component data not shown. Rin corrosion/initiation Causes skin irritation. Strin corrosion/initiation Not a respiratory sensitizer. Rin sensitization Not a respiratory sensitizer. Rin Sensitizer	Oral			
Skin corrosion/irritation Causes skin irritation. Serious syo damage/eyo Causes eye irritation. Stafin sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Sem cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenicity May cause cancer. IARC Monographs. Overall Evaluation of Carcinogenicity Interaction controlled Substances (29 CFR 1910-1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens tetrachloroethylene (CAS 127-18-4) Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - ingle exposure May cause cause drowsiness and dizziness. Specific target organ toxicity - prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Schonic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. 12. Ecological information Economonts Species Test Results tetrachloroethylene (CAS 127-18-4) Agaatic 4.73 - 5.27 mg/l, 96 hours Components Species Test Results 12.	LD50	Rat		2629 mg/kg
tardos eye damage/eye Causes eye irritation. ritiation Kin sensitization Skin sensitization May cause an allergic skin reaction. Bern cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenicity exploration of Carcinogenicity Causes an allergic skin reaction. May cause cancer. IARC Monographs. Overall Evaluation of Carcinogenicity tetrachioroethylene (CAS 127-18-4) CANA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not aguidated. This product is not expected to cause reproductive or developmental effects. specific targot organ toxicity - ingle exposure May cause drowsiness and dizziness. ingle exposure Not an aspiration hazard. hornoit effects Prolonged inhalation may be harmful. Prolonged exposure mey cause chronic effects. 12 Ecological information Specific argot organ toxicity - indicate available on the degradability of this product. Aquatic Fish LC50 Prolonged inhalation may be harmful. Prolonged exposure mey cause chronic effects. 12 Ecological information Species r Estimates for product may be based on additional component data not shown. versionce and degradability No data is available on the degradability of this product. 30accumulative potential Partition coefficient n-octanol / water (log Kow) tetracholoreditylene (CAS 127-18-4) </td <td></td> <td></td> <td></td> <td></td>				
riritation Kespiratory sensitization Kespiratory sensitizer. Kespiratory sensitization Kespiratory sensitizer. Kespiratory Sen		Causes skin irritation.		
Skin sensitization May cause an allergic skin reaction. Bern cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity May cause cancer. IARC Monographs. Overall Evaluation of Carcinogenicity terms. tetrachioroethyleen (CAS 127-18-4) 2A Probably carcinogenic to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens tetrachioroethyleen (CAS 127-18-4) Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - ing cause drowsiness and dizziness. May cause drowsiness and dizziness. Specific target organ toxicity - prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachloroethyleen (CAS 127-18-4) Aquatic Aquatic No data available on the degradability of this product. Species Test Results tetrachloroethyleen (CAS 127-18-4) <		Causes eye	e irritation.	
Serm cell mutagenicity No data available in indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. carcinogenicity May cause cancer. IARC Monographs. Overall Evaluation of Carcinogenicity tetrachioroethylene (CAS 127-18-4) 2.A Probably carcinogenic to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens tetrachioroethylene (CAS 127-18-4) Reasonably Anticipated to be a Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - single target organ toxicity - especific target organ toxicity - sepecific target organ toxicity - tetrachioroethylene (CAS 127-18-4) Not an aspiration hazard. Components Species Test Results Components Species Test Results Valuatic Fish LC50 Rainbow trout.donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Specific target organ toxicity - volatial, endocrine disruption, global available. No data available. Obstopsal considerations No data available. No data available. No data	Respiratory sensitization	Not a respi	ratory sensitizer.	
mutagenic or genotoxic. carcinogenicity May cause cancer. IARC Monographs. Overall Evaluation of Carcinogenicity tetrachioroethylene (CAS 127-18-4) OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens tetrachioroethylene (CAS 127-18-4) Reasonably Anticipated to be a Human Carcinogen. This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - ingle exposure May cause drowsiness and dizziness. ingle exposure Not classified. specific target organ toxicity - prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Species Ecotoxicity Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachioroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data available. No other adverse environ	Skin sensitization	May cause	an allergic skin reaction.	
IARC Monographs. Overall Evaluation of Carcinogenicity tetrachioroethylene (CAS 127-18-4) 2A Probably carcinogenic to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens tetrachioreethylene (CAS 127-18-4) Reproductive toxicity Reasonably Anticipated to be a Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - ingile exposure May cause drowsiness and dizziness. Specific target organ toxicity - specific target organ toxicity - specific target organ toxicity - Pronic effects Not classified. Propagination hazard Not an aspiration hazard. Dronic effects. Dronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. Components Species Test Results Tetrahloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Partition coefficient n-octanol / water (log Kow) tetrachioroethylene 2.88 Mobility in soil No data is available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation p	Germ cell mutagenicity			nents present at greater than 0.1% are
tetrachloroethylene (CAS 127-18-4) 2A Probably carcinogenic to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens tetrachloroethylene (CAS 127-18-4) Reasonably Anticipated to be a Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - ingle exposure May cause drowsiness and diziness. Specific target organ toxicity - ingle exposure Not classified. epeated exposure Specific target organ toxicity - ingle exposure Not classified. epeated exposure Specific target organ toxicity - ingle exposure Not an aspiration hazard. Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout 4.73 - 5.27 mg/l, 96 hours (Oncorthynchus mykiss) * Estimates for product may be based on additional component data not shown. Persistence and degradability No data available on the degradability of this	Carcinogenicity	May cause	cancer.	
tetrachloroethylene (CAS 127-18-4) Reasonably Anticipated to be a Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - ingle exposure May cause drowsiness and dizziness. Specific target organ toxicity - epsated exposure Not classified. Specific target organ toxicity - specific target organ toxicity - Not classified. Not an aspiration hazard. Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorrhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours (Oncorrhynchus mykiss) * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Wobility in soil No data available. No data available. Disposal considerations Bioposal Considerations Disposal consider	tetrachloroethylene (CAS OSHA Specifically Regulate Not regulated.	6 127-18-4) ed Substance	2A Probably carcino es (29 CFR 1910.1001-1050)	ogenic to humans.
Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - ingle exposure May cause drowsiness and dizziness. Specific target organ toxicity - expected exposure Not classified. Specific target organ toxicity - expected in hazard. Not an aspiration hazard. Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Ecotoxicity Ecotoxicity Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Etrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) * Estimates for product may be based on additional component data not shown. Presistence and degradability No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Wobility in soil No data available. No ther adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations Conseveresurptices. Do not alalow thi				ated to be a liveran Carring and
Specific target organ toxicity - inside exposure May cause drowsiness and dizziness. Specific target organ toxicity - inside exposure Not classified. Specific target organ toxicity - inside exposure Not an aspiration hazard. Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorrhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours (Oncorrhynchus mykiss) * Estimates for product may be based on additional component data not shown. No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Wobility in soil No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations Disposal of waste from esidues / unused products This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into se	• •	-		-
Specific target organ toxicity - epeated exposure Not classified. Spiration hazard Not an aspiration hazard. Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Components Species Components Species Valuatic Fish Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Persistence and degradability Partition coefficient n-octanol / water (log Kow) tetrachloroethylene No data is available on the degradability of this product. Bioaccumulative potential No data available. No data available. Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Oblity in soil No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not pun	Specific target organ toxicity -	-		or developmental enects.
Aspiration hazard Not an aspiration hazard. Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Components Species tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorrhynchus mykiss) * Estimates for product may be based on additional component data not shown. Persistence and degradability Boioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Wobility in soil No data available. No ther adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations Disposal of waste from residues / unused products This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into severs/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene	Specific target organ toxicity -	Not classifi	ed.	
Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. 12. Ecological information Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorrhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. No data is available on the degradability of this product. Bioaccumulative potential No data is available on the degradability of this product. Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Wobility in soil No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Do39: Waste Tetrachloroethylene Foo1: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing FOO2: Waste Halogenated Solvent - Spent Halogenated Solvent U		Not on con	instice beyond	
12. Ecological information Ecotoxicity Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Mobility in soil No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	-	-		
Ecotoxicity Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Components Species Test Results tetrachloroethylene (CAS 127-18-4) Aquatic Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data is available on the degradability of this product. No data available. Mobility in soil No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F011: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	Shronic effects	Proiongea	innalation may be narmful. Prolonged ex	posure may cause chronic effects.
Components Species Test Results tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout,donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Mobility in soil No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	12. Ecological information	n		
tetrachloroethylene (CAS 127-18-4) Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient no-ctanol / water (log Kow) tetrachloroethylene 2.88 Mobility in soil No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into severs/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	Ecotoxicity	Toxic to aq	uatic life with long lasting effects. Accum	ulation in aquatic organisms is expected.
Aquatic Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Mobility in soil No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	Components		Species	Test Results
Fish LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss) 4.73 - 5.27 mg/l, 96 hours * Estimates for product may be based on additional component data not shown. * Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data is available on the degradability of this product. Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Wobility in soil No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference State Freence	tetrachloroethylene (CAS 127	7-18-4)		
(Oncorhynchus mykiss) * Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Wobility in soil No data available. Dther adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	Aquatic			
Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Mobility in soil No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	Fish	LC50		4.73 - 5.27 mg/l, 96 hours
Bioaccumulative potential Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Mobility in soil No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	* Estimates for product may t	e based on a	dditional component data not shown.	
Partition coefficient n-octanol / water (log Kow) tetrachloroethylene 2.88 Mobility in soil No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations residues / unused products This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this m to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	• •	No data is a	available on the degradability of this pro	duct.
Mobility in soilNo data available.Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.13. Disposal considerationsThis material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this must to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with ch or used container. Dispose in accordance with all applicable regulations.Hazardous waste codeD039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	Partition coefficient n-octar	nol / water (lo		
13. Disposal considerations Disposal of waste from residues / unused products This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this must be disposed. Containing potential. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing US RCRA Hazardous Waste U List: Reference Disposal Solvent - Spent Halogenated Solvent	•	No data av	ailable.	
Disposal of waste from This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this mit to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chor used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste U List: Reference	Other adverse effects			
Disposal of waste from This material and its container must be disposed of as hazardous waste. Consult authorities disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this mit to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chor used container. Dispose in accordance with all applicable regulations. Hazardous waste code D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste U List: Reference	13. Disposal consideratio	ons		
F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent US RCRA Hazardous Waste U List: Reference	Disposal of waste from	This materi disposal. C to drain into	ontents under pressure. Do not puncture o sewers/water supplies. Do not contami	e, incinerate or crush. Do not allow this materia nate ponds, waterways or ditches with chemic
US RCRA Hazardous Waste U List: Reference	Hazardous waste code	F001: Was	te Halogenated Solvent - Spent Halogen	
	US RCRA Hazardous Waste			
tetrachloroethylene (CAS 127-18-4) U210				

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT				
UN number	UN1950			
UN proper shipping name	Aerosols, poison, Limited Quantity			
Transport hazard class(es)				
Class	2.2			
Subsidiary risk	6.1(PGIII)			
Label(s)	2.2, 6.1			
Packing group	Not applicable.			
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.			
Packaging exceptions	306			
Packaging non bulk	None			
Packaging bulk	None			
ΙΑΤΑ				
UN number	UN1950			
UN proper shipping name	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III			
Transport hazard class(es)				
Class	2.2			
Subsidiary risk	6.1			
Packing group	Not applicable.			
ERG Code	2P			
	Read safety instructions, SDS and emergency procedures before handling.			
Other information				
Passenger and cargo	Allowed with restrictions.			
aircraft				
Cargo aircraft only	Allowed with restrictions.			
IMDG				
UN number	UN1950			
UN proper shipping name	AEROSOLS			
Transport hazard class(es)				
Class	2			
Subsidiary risk	6.1 Nationalizable			
Packing group Environmental hazards	Not applicable.			
	Na			
Marine pollutant	No. Not available.			
EmS Special procestions for user	Read safety instructions, SDS and emergency procedures before handling.			
15. Regulatory information	1			
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.			
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)				
Not regulated.				
SARA 304 Emergency release notification				
Not regulated.				
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)				
Not regulated.				
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance				

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

tetrachloroethylene (CAS 127-18-4)

CERCLA Hazardous Substance List (40 CFR 302.4)

tetrachloroethylene (CAS 127-18-4) Listed.

CERCLA Hazardous Substances: Reportable quantity

tetrachloroethylene (CAS 127-18-4)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

100 LBS

tetrachloroethylene (CAS		
	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.	Natropulated	
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
Superfund Amendments and	Reauthorization Act of 1986 (SARA)	
Section 311/312	Immediate Hazard - Yes	
Hazard categories	Delayed Hazard - Yes Fire Hazard - No	
	Pressure Hazard - Yes	
	Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	
IS state regulations		
US. California. Candidate Ch (a))	emicals List. Safer Consumer Products Regulations (Cal. Code Regs	, tit. 22, 69502.3, subd.
tetrachloroethylene (CAS		
•	Community Right-to-Know Act	
carbon dioxide (CAS 124- tetrachloroethylene (CAS	,	
US. Massachusetts RTK - Su		
carbon dioxide (CAS 124-	38-9)	
tetrachloroethylene (CAS		
•	d Community Right-to-Know Law	
carbon dioxide (CAS 124-		
tetrachloroethylene (CAS US. Rhode Island RTK		
carbon dioxide (CAS 124- tetrachloroethylene (CAS	127-18-4)	
US. California Proposition 68 WARNING: This product of	5 contains a chemical known to the State of California to cause cancer.	
US - California Propositi	on 65 - CRT: Listed date/Carcinogenic substance	
tetrachloroethylene (C	CAS 127-18-4) Listed: April 1, 1988	
olatile organic compounds (VO EPA	C) regulations	
VOC content (40 CFR 51.100(s))	0 %	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	This product is regulated as a Single Purpose Degreaser. This product is for use in California. This product is compliant in all other states.	not compliant to be sold
VOC content (CA)	0 %	
VOC content (OTC)	0 %	
nternational Inventories		
	Inventory name	On inventory (yes/no)*
Country(s) or region Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes
	Substances (EINECS)	100
Europe	European List of Notified Chemical Substances (ELINCS)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-20-2013
Revision date	09-13-2017
Prepared by	Allison Yoon
Version #	04
Further information	CRC # 491G/1002481
HMIS® ratings	Health: 2* Flammability: 0 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
NFPA ratings	
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision Information	Product and Company Identification: Product Codes Composition/information on ingredients: Component information Handling and storage: Precautions for safe handling Exposure controls/personal protection: Hand protection Ecological Information: Ecotoxicity Transport Information: Agency Name, Packaging Type, and Transport Mode Selection Regulatory information: Consumer products Other information, including date of preparation or last revision: Further information GHS: Classification