homestyles[®]

20 05507 0432

Dresser


IMPORTANT

Carefully remove all the parts from the carton and place them individually on a soft cloth to prevent scratches or other damage.

Carefully and strictly follow these assembly instructions to ensure a completed product as designed.

Do not use power tools above 8 volts to assemble.





Carton 20 05507 0431 is also needed for assembly.


Tool(s) required for assembly: Phillips screwdriver, Level, Drill (8 volts or less), 3/8" Drill Bit

Home Styles Customer Service: www.homestyles-furniture.com, servicedesk@homestyles-furniture.com, 888-680-7460, 877-831-0319

Assembly Instructions 2/11

IMPORTANT


- Use a soft cloth between these parts and the floor.
- Do not use power tools above 8 volts to assemble.
- Do not tighten all the bolts until each part is properly assembled.
- The unit must be level to work properly. Use the included adjustable levelers to level.
- Keep Hex Wrench as the bolts may need to be tightened in the future.




STEP 1

Place Bottom (B) upside down on a soft cloth.

Attach Feet (H) to unit with Flat Washers, Spring Washers and Head Cap Bolts (long). (See Figure 1)




Assembly Instructions 3/11



STEP 3

Attach Back Panels (F) and (G) to unit with Flat Washers, Spring Washers, and Head Cap Bolts, tightening bolts only halfway.

STEP 4



Attach Side Panel (D) and Middle Panel (E) to unit with Flat Washers, Spring Washers and Head Cap Bolts, tightening bolts only halfway.

Assembly Instructions 4/11


Attach Drawer Side (I4) to unit with Wood Screws.


STEP 6

Slide Drawer Bottom (I5) into groove.


Attach Support (I6) to unit with Wood Screws.

Attach Drawer Bottom (I5) to unit with Wood Screws (short).






STEP 7



Assembly Instructions 5/11





STEP 9

Slide Drawer Bottom (I5) into groove.

Attach Support (I6) to unit with Wood Screws.


Attach Drawer Bottom (I5) to unit with Wood Screws (short).






STEP 10

with Wood Screws.



Assembly Instructions 6/11




Attach Drawer Side (I4) to unit with Wood Screws.


STEP 12

Slide Drawer Bottom (K5) into groove.


Attach Support (I6) to unit with Wood Screws.

Attach Drawer Bottom (K5) to unit with Wood Screws (short).






STEP 13



Assembly Instructions 7/11




Attach Drawer Side (I4) to unit with Wood Screws.


STEP 15

Slide Drawer Bottom (K5) into groove.


Attach Support (I6) to unit with Wood Screws.

Attach Drawer Bottom (K5) to unit with Wood Screws (short).






STEP 16



Assembly Instructions 8/11




Attach Drawer Side (I4) to unit with Wood Screws.


STEP 18

Slide Drawer Bottom (K5) into groove.


Attach Support (I6) to unit with Wood Screws.

Attach Drawer Bottom (K5) to unit with Wood Screws (short).





STEP 19



Assembly Instructions 9/11

Drawer (N) Bottom Bo


Attach Drawer Side (I4) to unit with Wood Screws.


STEP 21

Slide Drawer Bottom (K5) into groove.


Attach Support (I6) to unit with Wood Screws.

Attach Drawer Bottom (K5) to unit with Wood Screws (short).






STEP 22



Assembly Instructions 10/11




STEP 23

Attach Top (A) to unit with Flat Washers, Spring Washers and Head Cap Bolts, tightening bolts on halfway.

Tighten all bolts used in Steps 2, 3, 4 and 23.

STEP 24

Slide Drawers (I), (J), (K), (L), (M) and (N) into position.



Assembly Instructions 11/11

IMPORTANT

• To help reduce the risk of the unit tipping over, the Tip-over Restraint must be installed following these instructions exactly.

STEP 25

Place unit at desired location.

Drill a 3/8" hole in wall in-line with the pre-drilled hole at top of unit.

Move unit.

Insert Anchor into the wall hole and attach Bracket with Wall Screw.

Attach Bracket at pre-drilled hole at top of unit with Wood Screw.

Move unit back into place.

Slide Tip-over Restraint through Bracket on wall and Bracket on unit. (See Figure 4)

Put tie end of Tip-over Restraint into lock end of Tip-over Restraint and pull until tight.





Figure 4





CLEAN with a soft cloth moistened in lukewarm soap and water. Buff with a dry clean cloth.

Home Styles will provide replacements free of charge for missing or damaged hardware or parts within 30 days of purchase. Digital images of the defective parts may be required. If the product was not purchased from an authorized retail affiliate, Home Styles is under no obligation to provide replacement parts. Parts are not available for fully assembled items nor are parts available for sale. Replacements for missing or damaged hardware or parts may be requested at: www.homestyles-furniture.com/customer-service/replacement-parts

Home Styles Customer Service: www.homestyles-furniture.com, servicedesk@homestyles-furniture.com, 888-680-7460, 877-831-0319