



## **DESIGN BEYOND LIMITS**


A curated collection offering enhanced looks and features that provides endless opportunities to design beyond limits.

Design is a work of passion. Creating spaces that are as beautiful as they are functional does not happen by accident. Careful thought and planning must take place to ensure the proper mix of form and functionality is achieved. Even then, the results may not always come out as expected.

Enhance<sup>™</sup> by Emser Tile was inspired by this challenge. This collection offers a vast selection of colors and styles making every installation as unique as its owner. Plus, with special features such as R11 Anti-Slip and EmGuard<sup>™</sup> Anti-Microbial finishes, this collection is a remarkable example of functionality fusing with design.

Take a look inside and become inspired by a small selection of the countless possibilities available. There are truly no limits to the level of design and personalization that can be achieved with Enhance $^{\text{TM}}$  by Emser Tile $^{\text{RM}}$ .





- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable


<sup>\*</sup>For more information check with your Emser representative. Always consult a professional for proper usage and installation.
\*\*EmGuard is applicable to FIXT Stone & Cement 12x24, 24x24, 16x32, 32x32. EmGuard\* is applicable to FIXT Stone & Cement 12x24, 24x24, 16x32, 32x32. FIXT Wood 8x48.




A collection of on trend looks designed to coordinate perfectly with one another to create a one-of-a-kind look. Combine Fixt stone, cement, wood and metal together to create a stylish, yet highly functional space, for any application.







Speck and Flake Available in 32"x32" and 24"x24" Brushed, Texture, and Mineral Available in 32"x32", 24"x24", and 12"x24"





EmGuard & EmGuard+ Anti-Microbial Technology Available\*\*

Product and Installation Details | ANSI A108.02 Section 4.3.8.2 - For running bond/brick joing patterns utilizing tiles (square or rectangular) patterns unlizing lines (square or rectanguar) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Red List Free


- Health Product Declaration (HPD) provided upon request
   Product Packaging is 100% recyclable
- $^*$ For more information check with your Emser representative. Always consult a professional for proper usage and installation

Sustainability Attributes

<sup>\*\*</sup>EmGuard and EmGuard+ are applicable to the entire MIXT series.

A blend of gradiant color ranging from warm to cool offers a one-of-a-kind look. Mix stone, terrazzo, wood and concrete together to create a stylish, yet highly functional space, for any commercial application.





BORIGNI™ R11 3 Colors | 1 Size

Enhance"













Beige Bush Hammered



Gray Bush Hammered



White Bush Hammered

Sizes	24"×24" 23.43"×23.43"						
Thickness	10mm						
Faces	20						
Finish	R11, Bush Hamm	ered					
Edge	Rectified						
Grout Joint Recommendation	1/8"						
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Skid Resistant DIN 51130	Scratch Hardness MOHS	Shade Variation Rating
Results*	IV	≥250 lbf	Resistant	≤0.50%	R-11	5	V2







IRONWORX™ R11 3 Colors | 1 Size

RESIDENTIAL COMMERCIAL INDOOR Enhance" FLOOR / WALL





Gray Rust



Silver

Sizes	31"x31" 31.38"x31.38"						
Thickness	20mm						
Faces	18						
Finish	R11						
Edge	Rectified Beve	eled					
Grout Joint Recommendation	Check Webs	iite					
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Skid Resistant DIN 51130	Scratch Hardness MOHS	Shade Variation Rating
Results*	III	>350 lbf	Resistant	<0.5%	R-11	7	V2







This special subset of Ironworx is being offered with an anti-slip finish making this product and three rich colors providing a level of refined elegance that cannot be matched.



Enhance | 11

Ironworx™ R11 | Gray, Rust, Silver

MILESTONE™ R11 2 Colors | 1 Size

Enhance™

LARGE FORMAT

FLOOR / WALL

RESIDENTIAL

COMMERCIAL

INDOOR

OUTDOOR



Gray



Moon

Sizes	20"x39" 19.69"x39.37"						
Thickness	20mm						
Faces	8						
Finish	R11, Grip						
Edge	Pressed & Rec	tified					
Grout Joint Recommendation	Check Webs	ite					
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Skid Resistant DIN 51130	Scratch Hardness MOHS	Shade Variation Rating
Results*	IV	≥550 lbf	Resistant	<u>&lt;</u> 0.50%	R-11	7	V2



- Dod List From
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable





Milestone embodies the natural elements of slate but with the added safety of the R11 Anti-Slip finish. This large format tile is available in our two most popular colors and is ideal for commercial and residential spaces both indoors and out.

# MILESTONE™ R11

Glazed Porcelain



MOOD™ R11

Enhance<sup>™</sup>











Ivory



Gray



Charcoal





- Dad List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable



One of our most popular tiles, Mood, has now been enhanced with the added R1 Anti-Slip finish. Mood is reminiscent of the quartzite stone from Vals om the cantor of the Grisons, Switzerland and adds a natural feel to any space. Ideal for use indoor and out, this 12"x23" tile is available in three stylish colors.

# MOOD™ R11

Glazed Porcelain



3 Colors | 1 Size NETWORK™ R11

Enhance"







Gray Taupe



Silver

Size	24"×24 23.46"×25.	"					
	23.46″x23.4	46"					
Thicknes	s 9mm						
Face	s 17						
Finisl	Rıı						
Edge	Rectifie	ed					
Grout Join Recommendation		ebsite					
Testi	Abrasion Resistano	ce Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Skid Resistant DIN 51130	Scratch Hardness MOHS	Shade Variation Rating
Resul	ts*	>500 lbf	Resistant	<0.50%	R-11	7	V2



- Sustainability Attributes

  Red List Free

  Health Product Declaration (HPD) provided upon request
  Product Packaging is 100% recyclable





UPTOWN™ R11 3 Colors | 1 Size

Enhance"

LARGE FORMAT

FLOOR / WALL













Hamilton



Hudson




Morningside

Sizes	20″×4 1969°×39						
Thickness	20mr	n					
Faces	6						
Finish	R11, G1	rip					
Edge	Pressed & F	Rectified					
Grout Joint Recommendation	Check W	ebsite					
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Skid Resist. DIN 51130	Scratch Hardness MOHS	Shade Variation Rating
Results*	IV	<u>&gt;</u> 850 lbf	Resistant	<u>&lt;</u> 0.50%	R-11	7	V2









INDOOR



\*For more information, or to see other available options for this series, please visit emser.com. Always consult a professional for proper usage and installat......

Designed in collaboration with Gensler™ as product design consultant.





<sup>\*</sup>For more information, or to see other available options for this series, please visit emser.com. Always consult a professional for proper usage and installation.

Designed in collaboration with Gensler™ as product design consultant.


complement other collections. A range of cool, warm and neutral colors available in a basic shape enables everything from pure color fields to complex ombre effects.

# BACK TO BASICS™

Glazed Ceramic



CITIZEN™



Sizes	24"x48" 23.62"x4724"		/x24" "x23.62"	12"x24" 11.81"x23.62"	3"x24" Floor SBN	3"x12" Floor SBN	6"x12" Cove Base	1"x6" Cove Base Corner Out
Thickness	10mm	10	mm	10mm	10mm	10mm	10mm	10mm
Faces	12		15	30	N/A	N/A	20	20
Finish	Lappato	Lap	pato	Lappato	Lappato (Subject)	Lappato (Civilian)	Matte (Resident)	Matte (Resident)
Edge	Rectified	Rec	tified	Rectified	Cut/Rounded	Cut/Rounded	Rectified	Rectified
Grout Joint Recommendation	1/8"	1,	/8"	1/8"	1/8"	1/8"	1/8"	1/8"
Testing	Abrasion Resistance	Breaking Strength C648	Chemical Resis	tance Water Abs	DCOF ANSI A137.1	Scratch Hardness MOHS	Shade Variation Rating	
Results*	III	>500 lbf	Resistant	<u>&lt;</u> 0.50%	≥0.65 (M) ≥0.50 (LP)	8	V2	



- Red List Free
- · Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable

In a return to form, Citizen<sup>™</sup> embraces large format tiles and complementary mosaics. The timelessly classic concrete look is expressed through subtle brushed color variations of tans and grays. Visually arresting, Citizen<sup>™</sup> achieves an unencumbered chic aesthetic on floors, walls, and a wide array of surfaces.

# CITIZEN™

Glazed Body Match Porcelain



Enhance"













Astral Expanse



Brown Expanse

Sizes	102"xz 47.24"x10						
Thickness	3mn	ı					
Faces	9 Astral; 8	Brown					
Finish	Polish	ed					
Edge	Rectifi	ed					
Grout Joint Recommendation	Check W	ebsite					
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A137.1	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V2



- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable



Inspired by the world's finest marbles, Parkview™ Expanse offers traditional marble looks with classic whites and the deepest blacks in an elegant large format tile with a 3mm thickness

# PARKVIEW™ EXPANSE

Glazed Porcelain



Enhance"













Outline Blue



Outline Brown



Outline Cold



Sizes	24"×47" 23.46"×4705						
Thickness	7mm						
Faces	4						
Finish	Polished						
Edge	Rectified						
Grout Joint Recommendation	1/8"						
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A137.1	Scratch Hardness MOHS	Shade Variation Rating
Results*	II	>350 lbf	Resistant	<0.50%	<0.42	4	V2





Inspired by the world's finest marbles, Parkview offers traditional marble looks with classic whites and the deepest blacks as well as unconventional marbles with its deep, rich cobalt blue. Parkview Outline provides as unique blend of these colors makes a stunning statement.

# PARKVIEW™ OUTLINE \_

Glazed Porcelain



Enhance™




RESIDENTIAL









Sand




Rose



Green



Blue





- Health Product Declaration (HPD)
   provided upon request.
- provided upon request
- VOC Fre

<sup>\*</sup>For more information, or to see other available options for this series, please visit emser.com. Always consult a professional for proper usage and installation.





Glazed Ceramic



TERAZIO™ 1 Color | 2 Sizes

Enhance™


FLOOR / WALL RESIDENTIAL COMMERCIAL INDOOR



Sizes	24"x24" 23.62"x23.62"	3"x24 Floor SE	 SN					
Thickness	10mm	10mm	ı					
Faces	8	N/A						
Finish	Polished	Polishe	ed					
Edge	Pressed	Cut/Rou	nded					
Grout Joint Recommendation	3/16"	1/8"						
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A137.1	Scratch Hardness MOHS	Shade Variation Rating	
Results*	III	≥250 lbf	Resistant	≤0.50%	<0.42 (Polished) >0.60 (Matte)	6	V <sub>2</sub>	



- Ded List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable





8431 Santa Monica Boulevard | Los Angeles, California 90069 Tel: 323. 650. 2000 | Fax: 323. 654. 3190 | www.emser.com