

Xtra Plus™ is a collection of 2CM porcelain pavers in a wide variety of colors and styles available through special order. These pavers complement our Xtra line and are designed to perfectly replicate stone and concrete. These color matched porcelain tiles are ideal for both indoor and outdoor use and are freeze-thaw stable making them more durable than stone. Lead time may apply.

XTRA PLUS™

2CM Porcelain Pavers





Soneva Pearl - 24x47




Soneva Sand - 24x47



Soneva Gray - 24x47



Soneva Lava - 24x47



Tribu - 24x35



Lenaro Ice - 24x35



Trav Beige
24x24, 24x35, 12x24 Coping



Trav Silver
24x24, 24x35, 12x24 Coping



CYTOS CHALK

XTRA PLUS™


2CM Porcelain Pavers



SILA GRAY



LAMER GRAY



HILEA BLUE



Cytos Chalk
23x23, 23x47



Cytos Greige
23x23, 23x47



Cytos Ash
23x23, 23x47



Acer Cream
23x23, 23x47



Kanji Gray
23x23, 23x47



Calle Gray
24x24



Bodart White
24x24



Hilea Blue
24x24



Sila Gray
24x24



Otani Silver
23x23, 23x47



Misen White
23x23, 23x47, 11x23 Coping



Damar Sand
23x23, 23x47



Lamer Gray
23x23, 23x47



Fossite Gray
24x24



Fossite Cream
24x24

Not Pictured:
Niseko Snow - 24x24
Arda Gray - 24x24

Sustainability Attributes	Sizes	 24" x 24" 23.62" x 23.62"	 24" x 47" 23.62" x 47.24"	 24" x 35" 23.62" x 35.43"	 23" x 23" 23.46" x 23.46"	 23" x 47" 23.46" x 47.24"	 12" x 24" Coping
	Thickness	20mm	20mm	20mm	20mm	20mm	20mm
	Faces	6	12	Check Website	30	12	16
	Finish	Matte	Matte	Matte	Matte	Matte	Matte
	Edge	Rectified	Rectified	Rectified	Rectified	Rectified	Rectified
	Grout Joint Recommendation	1/8"	Check Website	Check Website	Check Website	Check Website	Check Website
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A137.1	Scratch Hardness MOHS	Shade Variation Rating
	Results*	Check Website	≥2000 lbf	Resistant	≤0.5%	≥0.55	5

-  Sustainability Attributes
 - Red List Free
 - Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
- VOC Free
 - Recycled Content 0% Pre- and Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.