


# INSTRUCTION MANUAL



Patio Sectional 6-Piece Deep Seating Set  
with Frame and Cushion

V1.0


# TABLE OF CONTENTS

---

## ASSEMBLY INSTRUCTIONS

Patio Deep Seating Club Chair With Cushion .....	3
Patio Deep Seating Right Arm Chair With Cushion .....	10
Patio Deep Seating Left Arm Chair With Cushion .....	20
Patio Deep Seating Armless Chair With Cushion .....	30
Patio Coffee Table .....	39

# INSTRUCTION MANUAL



Patio Deep Seating Club Chair With Cushion

## ! CARE & MAINTENANCE

### Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

## TOOLS REQUIRED



**CHAIR  
300 LBS  
CAPACITY**



**1 PERSON  
ASSEMBLY**



**UP TO 20 MIN.  
ASSEMBLY**

## HARDWARE

**1**

**M6.3 x 40mm  
SCREW**



16 PCS

**2**

**M6.3 x 55 mm  
SCREW**



2 PCS

**3**

**ALLEN  
WRENCH**




1 PC

## PARTS

**A**


**CHAIR SEAT**



1 PC

**B**


**BACKREST**



1 PC

**C**


**CHAIR RIGHT ARM**



1 PC

**D**

**CHAIR LEFT ARM**



1 PC

**E**

**BACK SUPPORT**




1 PC

## CUSHION

**Z1**


**BACK CUSHION**



1 PC

**Z2**


**SEAT CUSHION**



1 PC

## PRODUCT ASSEMBLY - OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.



## PRODUCT ASSEMBLY


1

Attach **Part C Chair Right Arm** to **Part A Chair Seat** with 4 pcs of **Hardware #1 Screw**.



2


Attach **Part D Chair Left Arm** to **Part A Chair Seat** with 4 pcs of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY


3

Attach **Part A Chair Seat** to **Part C Chair Right Arm** and **Part D Chair Left Arm** with 4 pcs of **Hardware #1 Screw**.



4


Place **Part E Back Support** between **Part C Chair Right Arm** and **Part D Chair Left Arm** as below and attach them with 2 pcs of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY


5

Place **Part B Backrest** onto **Part A Chair Seat** as below, attach **Part B Backrest** to **Part C Right Arm** and **Part D Chair Left Arm** with 2 pcs of **Hardware #2 Screw**.



6

Attach **Part B Backrest** to **Part E Back Support** with 2 pcs of **Hardware #1 Screw**.






## PRODUCT ASSEMBLY

7


Check and tighten all the screws when the parts are loosely attached.

Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to make it steady.



# INSTRUCTION MANUAL




Patio Deep Seating Right Arm Chair With Cushion

## ! CARE & MAINTENANCE

### Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

## TOOLS REQUIRED



**CHAIR**  
**300 LBS**  
**CAPACITY**




**1 PERSON**  
**ASSEMBLY**




**UP TO 20 MIN.**  
**ASSEMBLY**

## HARDWARE




## PARTS



## PARTS

**D1**


**REAR LEG**



1 PC

**E1**

**FRONT LEG**



1 PC

**F1**


**BACK SUPPORT**



1 PC

**G1**

**CHAIR LEFT ARM**




1 PC

## CUSHION

**Z1**


**BACK CUSHION**



1 PC

**Z2**


**SEAT CUSHION**



1 PC

## PRODUCT ASSEMBLY – OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.



## PRODUCT ASSEMBLY

1


Attach **Part C1 Bottom Bar** to **Part E1 Front Leg** with 2 pcs of **Hardware #3 Screw**.



## PRODUCT ASSEMBLY


2

Attach **Part D1 Rear Leg** to **Part C1 Bottom Bar** with 2 pcs of **Hardware #3 Bolt**.



3


Attach **Part A1 Chair Seat** to **Part E1 Front Leg** with 2 pcs of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY


4

Attach **Part D1 Rear Leg** to **Part A1 Chair Seat** with 2 sets of **Hardware #4 Bolt**, **#5 Washer** and **#6 Nut**.



5


Attach **Part G1 Chair Left Arm** to **Part A1 Chair Seat** as below with 4 pcs of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY

6


Attach **Part A1 Chair Seat** to **Part G1 Chair Left Arm** from inside with 2 pcs of **Hardware #1 Screw**.



7

Place **Part F1 Back Support** as below and attach the **Part F1 Back Support** to **Part D1 Rear Leg** with 2 pcs of **Hardware #1 Screw**.

Attach **Part F1 Back Support** to **Part G1 Chair Left Arm** with 1 pc of **Hardware #1 Screw**.






## PRODUCT ASSEMBLY


8

Place **Part B1 Backrest** onto **Part A1 Chair Seat** as below and attach them with 1 pc of **Hardware #1 Screw**.



9


Attach **Part B1 Backrest** to **Part G1 Chair Left Arm** with 1 pc of **Hardware #2 Screw**.



## PRODUCT ASSEMBLY

10

Attach **Part B1 Backrest** to **Part F1 Back Support** with 2 pcs of **Hardware #1 Screw**.




11

Check and tighten all the screws when the parts are loosely attached.


Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to make it steady.




## PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form comfortable sofa set by connecting the seats together as following methods.




By Hardware set:  
Bolt (M6 x 60mm) +M6 Washer+M6 Nut



Specially By Hardware set:  
Bolt (M6 x 80mm) +M6 Washer+M6 Nut

# INSTRUCTION MANUAL




Patio Deep Seating Left Arm Chair With Cushion

## ! CARE & MAINTENANCE

### Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

## TOOLS REQUIRED



**CHAIR**  
**300 LBS**  
**CAPACITY**




**1 PERSON**  
**ASSEMBLY**




**UP TO 20 MIN.**  
**ASSEMBLY**

## HARDWARE




## PARTS



## PARTS

**D2**

**REAR LEG**



1 PC

**E2**

**FRONT LEG**



1 PC

**F2**


**BACK SUPPORT**



1 PC

**G2**

**CHAIR RIGHT ARM**




1 PC

## CUSHION

**Z1**


**BACK CUSHION**



1 PC

**Z2**


**SEAT CUSHION**



1 PC

## PRODUCT ASSEMBLY – OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.



## PRODUCT ASSEMBLY

1


Attach **Part C2 Bottom Bar** to **Part E2 Front Leg** with 2 pcs of **Hardware #3 Screw**.



## PRODUCT ASSEMBLY


2

Attach **Part D2 Rear Leg** to **Part C2 Bottom Bar** with 2 pcs of **Hardware #3 Bolt**.



3

Attach **Part A2 Chair Seat** to **Part E2 Front Leg** with 2 pcs of **Hardware #1 Screw**.






## PRODUCT ASSEMBLY


4

Attach **Part D2 Rear Leg** to **Part A2 Chair Seat** with 2 sets of **Hardware #4 Bolt, #5 Washer** and **#6 Nut**.



5


Attach **Part G2 Chair Right Arm** to **Part A2 Chair Seat** as below with 4 pcs of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY

6


Attach **Part A2 Chair Seat** to **Part G2 Chair Right Arm** from inside with 2 pcs of **Hardware #1 Screw**.



7

Place **Part F2 Back Support** as below and attach the **Part F2 Back Support** to **Part D2 Rear Leg** with 2 pcs of **Hardware #1 Screw**.


Attach **Part F2 Back Support** to **Part G2 Chair Right Arm** with 1 pc of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY


8

Place **Part B2 Backrest** onto **Part A2 Chair Seat** and **Part F2 Back Support** as below and attach with 1 pc of **Hardware #1 Screw**.




9

Attach **Part B2 Backrest** to **Part G2 Chair Right Arm** and **Part A2 Chair Seat** with 1 pc of **Hardware #2 Screw**.



10

Attach **Part B2 Backrest** to **Part F2 Back Support** with 2 pcs of **Hardware #1 Screw**.




11

Check and tighten all the screws when the parts are loosely attached.



Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to make it steady.




## PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form comfortable sofa set by connecting the seats together as following methods.



# INSTRUCTION MANUAL




Patio Deep Seating Armless Chair With Cushion

## ! CARE & MAINTENANCE

### Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

## TOOLS REQUIRED



**CHAIR**  
**300 LBS**  
**CAPACITY**




**1 PERSON**  
**ASSEMBLY**




**UP TO 20 MIN.**  
**ASSEMBLY**

## HARDWARE



## PARTS



## PARTS

**C2**

### FRONT LEG II



1 PC

**D**


### BOTTOM BAR



2 PCS

**E**

### REAR LEG



2 PCS

**F**

### BACK SUPPORT




1 PC

## CUSHION

**Z1**


### BACK CUSHION



1 PC

**Z2**

### SEAT CUSHION




1 PC



## PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.




## PRODUCT ASSEMBLY

1

Attach **Part D Bottom Bar** to **Part C1 Front Leg I** with 2 pcs of **Hardware #3 Screw**.


Do the same to attach **Part D Bottom Bar** and **Part C2 Front Leg II**.



## PRODUCT ASSEMBLY


2

Attach 2 pcs of **Part E Rear Leg** to **Part D Bottom Bar** with 4 pcs of **Hardware #3 Screw**.



3


Attach **Part A Chair Seat** to **Part C1 & C2 Front Legs** with 4 pcs of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY


4

Attach **Part A Chair Seat** to 2 pcs of **Part E Rear Leg** with 4 sets of **Hardware #2 Bolt**, **#4 Washer** and **#5 Nut**.



5


Attach **Part F Back Support** to 2 pcs of **Part E Rear Leg** with 4 pcs of **Hardware #1 Screw**.



## PRODUCT ASSEMBLY


6

Place **Part B Backrest** onto **Part A Chair Seat** as below and attach them with 2 pcs of **Hardware #1 Screw**.



7

Attach **Part B Backrest** to **Part F Back Support** with 2 pcs of **Hardware #1 Screw**.




## PRODUCT ASSEMBLY

8

Check and tighten all the screws when the parts are loosely attached.


Place the **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to make it steady.




## PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form comfortable sofa set by connecting the seats together as following methods.




By Hardware set:  
Bolt (M6 x 60mm) + M6 Washer + M6 Nut



Specially By Hardware set:  
Bolt (M6 x 80mm) + M6 Washer + M6 Nut

# INSTRUCTION MANUAL




Patio Coffee Table

## ! CARE & MAINTENANCE

### Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the table with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

## TOOLS REQUIRED



**TABLE  
300 LBS  
CAPACITY**



**1 PERSON  
ASSEMBLY**



**UP TO 20 MIN.  
ASSEMBLY**

## HARDWARE

**1**

**M6.3 x 50 mm  
SCREW**



4 PCS

**2**

**M6.3 x 40 mm  
SCREW**



4 PCS

**3**

**M4 x 30 mm  
SCREW**



8 PCS

**4**

**ALLEN  
WRENCH**




1 PC

## PARTS

**A**


**TABLE TOP**



1 PC

**B**

**TABLE LEG I**



2 PCS

**C**

**TABLE LEG II**



2 PCS

**D**

**BOTTOM BAR**




2 PCS



## PRODUCT ASSEMBLY – OVERALL VIEW


Look at following overall view of this table and learn the exact position of each part to be assembled.



## PRODUCT ASSEMBLY

1

Attach **Part D Bottom Bar** to **Part B Table Leg** with 2 pcs of **Hardware #3 Screw**.




## PRODUCT ASSEMBLY

2

Attach **Part C Table Leg II** to **Part D Bottom Bar** with 2 pcs of **Hardware #3 Screw**.

Do the same to assemble another Part B, Part D and Part C.




3

Place **Part A Table Top** upside down on flat floor.

Attach **Combined Part (B+D+C)** to **Part A Table Top** with 2 pcs of **Hardware #1 Screw** and 2 pcs of **Hardware #2 Screw** as below.


Pay attention to protect the surface paint.



## PRODUCT ASSEMBLY

4


Attach another piece of **Combined Part (B+C+D)** to **Part A Table Top** with 2 pcs of **Hardware #1 Screw** and 2 pcs of **Hardware #2 Screw**.



5

Check and tighten all the screws when the parts are loosely attached.

Enjoy the table now.



---

## CLEANING TIPS

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

**QUICK CLEAN:** You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.