

SDS# GHS07, GHS08

Date: 04/2020

Total Pages: 9

Condensation Neutralization Media - Granules

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Condensation Neutralization Media - Granules

Catalog Number: GHS07, GHS08

Manufactured for: DiversiTech Corporation
3039 Premiere Parkway, Suite 600
Duluth, GA 30097

Information Phone No.: 1+678.542.3600

EMERGENCY Phone No.: 1 800.255.3924 Chem-Tel (Chemical Emergencies)

SECTION 2. HAZARDOUS IDENTIFICATION

Hazards Classification

GHS08 Health hazard

Carc. 1A H350 May cause cancer.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Label Elements:



GHS07 GHS08

Signal Word: Danger

Hazard-determining components of labeling:

TRADE SECRET

TRADE SECRET

TRADE SECRET

Hazard Statement(s):

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

May cause respiratory irritation.

Precautionary Statement(s):

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area. Wear protective gloves.

Wear eye protection / face protection. Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Condensation Neutralization Media - Granules

SECTION 2. HAZARDOUS IDENTIFICATION (cont.)

Precautionary Statement(s) (cont.):

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell.

IF EXPOSED OR CONCERNED: Get medical advice/attention.

IF SKIN IRRITATION OCCURS: Get medical advice/attention.

IF EYE IRRITATION PERSISTS: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse. Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

100 percent of the mixture consists of ingredient(s) of unknown toxicity.

Hazard description:

One of the proprietary components has variable toxicity. There is no evidence that it produces true systemic poisoning. Particles of the proprietary component which perforate the skin or gain entry through cuts and scratches may produce a severe local lesion characterized by the evolution of gas and acute inflammatory reaction, frequently with necrosis.

Classification system:

NFPA ratings (scale 0 - 4)

Health = **1** Fire = **0** Reactivity = **0**

Refer to NFPA 704 "Identification of the Fire Hazards of materials" for further information

HMIS III® - ratings (scale 0 - 4)

Health	1
Flamability	0
Reactivity	0

Hazard(s) not otherwise classified (HNOC): None known

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Description: Mixture: consisting of the following components.

Dangerous Components:

TRADE SECRET TRADE SECRET

Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 85-95%

TRADE SECRET TRADE SECRET

Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 5-15%

TRADE SECRET TRADE SECRET

Carc. 1A, H350; STOT RE 1, H372;

Acute Tox. 4, H332; STOT SE 3, H335; Eye Irrit. 2B, H320 <1.0%

SECTION 4. FIRST AID MEASURES

Description of first aid measures:

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

If skin irritation occurs, consult a doctor.

Wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

Condensation Neutralization Media - Granules

SECTION 4. FIRST AID MEASURES (cont.)

After swallowing: If swallowed and symptoms occur, consult a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

One of the proprietary components: Can cause silicosis, a fibrosis (scarring) of the lungs. Silicosis may be progressive; it may lead to disability and death; inhaled from occupational sources is classified as carcinogenic to humans. Some studies show in workers exposed to respirable quartz excess numbers of cases of scleroderma, connective tissue disorders, lupus, rheumatoid arthritis, chronic kidney diseases and end-stage kidney disease, chronic bronchitis and emphysema.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing Media:

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture:

One of the proprietary components takes up carbon dioxide and water from the air. Combines with water to form magnesium hydroxide. May have a violent reaction or ignition on contact with inter-halogens.

Advice for firefighters:

Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Not required.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling: No special precautions are necessary if used correctly.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage

Requirements to be met by storerooms and receptacles: Store in the original container.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s): No further relevant information available.

Condensation Neutralization Media - Granules

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see section 7.

Control parameters:

Components with occupational exposure limits:

TRADE SECRET

NIOSH	Short-term value: 5 mg/m ³ Long-term value: 10 mg/m ³
NIOSH TWA	Short-term value: 5 mg/m ³ Long-term value: 10 mg/m ³ inspirable dust
OSHA	Short-term value: 5 mg/m ³ Long-term value: 15 mg/m ³
OSHA TWA	Short-term value: 5 mg/m ³ Long-term value: 15 mg/m ³ inspirable fraction

TRADE SECRET

PEL	Long-term value: 15* mg/m ³ fume; *total particulate
TLV	Long-term value: 10* mg/m ³ *as inhalable fraction

TRADE SECRET

PEL	see Quartz listing
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction

Additional information: The lists that were valid during the creation of this SDS were used as basis.

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work.

Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection: Not required.

Condensation Neutralization Media - Granules

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Powder
Color:	White-gray
Odor:	Odorless
Odor threshold:	Not determined.
pH-value @ 20 °C (68 °F):	8
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	3600 °C (6512 °F)
Flash point:	None
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density @ 20 °C (68 °F):	Not determined.
Relative density:	Not determined.
Vapor density:	Not applicable.
Evaporation rate:	Not applicable.
Solubility in / Miscibility with:	
Water:	Soluble.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %
Other information:	No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity: No further relevant information available.

Chemical stability: Stable under normal conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: Contact with fluorine, oxygen difluoride, and chlorine trifluoride will cause fire.

Hazardous decomposition products: Magnesium hydroxide.

Condensation Neutralization Media - Granules

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects:

Acute toxicity:

LD/LC50 values that are relevant for classification:

Not determined.

Inhalative LC50/96 hours 1033 mg/l (Trout)

Primary irritant effect:

On the skin: Causes skin irritation

On the eye: Causes serious eye irritation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories:

IARC (International Agency for Research on Cancer):

"In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicate dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled"

TRADE SECRET

1

NTP (National Toxicology Program):

TRADE SECRET

K

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity:

Aquatic toxicity:

TRADE SECRET

EC50 218 mg/l (Green algae)

Persistence and degradability: No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

Condensation Neutralization Media - Granules

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14. TRANSPORTATION INFORMATION

UN-Number:

DOT, ADR, ADN, IMDG, IATA

Non-Regulated Material

UN proper shipping name:

DOT, ADR, ADN, IMDG, IATA

Non-Regulated Material

Transport hazard class(es):

DOT, ADR, ADN, IMDG, IATA

Class:

Non-Regulated Material

Packing group:

DOT, ADR, IMDG, IATA

Non-Regulated Material

Environmental hazards:

Not applicable.

Special precautions for user:

Not applicable.

Transport in bulk according to

Annex II of MARPOL73/78 and the IBC Code: Not applicable.

UN "Model Regulation":

Non-Regulated Material

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization):

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

California Proposition 65:

Chemicals known to cause cancer:

14808-60-7 Quartz (SiO₂)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenic categories:

EPA (Environmental Protection Agency):

None of the ingredients are listed.

Condensation Neutralization Media - Granules

SECTION 15. REGULATORY INFORMATION (cont.)

TLV (Threshold Limit Value established by ACGIH):

TRADE SECRET A4

TRADE SECRET A2

NIOSH-Ca (National Institute for Occupational Safety and Health):

TRADE SECRET

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS07 GHS08

Signal word: Danger

Hazard-determining components of labeling:

TRADE SECRET

TRADE SECRET

TRADE SECRET

Hazard statements:

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

May cause respiratory irritation.

Precautionary statements:

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear eye protection / face protection. Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell.

IF EXPOSED OR CONCERNED: Get medical advice/attention.

IF SKIN IRRITATION OCCURS: Get medical advice/attention.

IF EYE IRRITATION PERSISTS: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse. Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

State Right to Know:

TRADE SECRET Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335

TRADE SECRET Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335

TRADE SECRET Carc. 1A, H350; STOT RE 1, H372; Acute Tox. 4, H332; STOT SE 3, H335; Eye Irrit. 2B, H320

All ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Condensation Neutralization Media - Granules

SECTION 16. OTHER INFORMATION

Date of preparation / last revision: 08/17/2015 / 1

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B
Carc. 1A: Carcinogenicity, Hazard Category 1A
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

*** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

This information is, to the best of our knowledge and belief, accurate and reliable as of the date completed. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the completeness and suitability of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against patent infringement.