






Flexsteel Style# →	1750-19	Factory Style# →	9077S-05	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011
	KD Back Assembly Hardware	CBAH	CBAH	Metal	L0414019 3000019242
	Plastic Leg	5PL	5PL	Diameter 50*48mm	L0419119 3000019007
	Sectional Connection Fittings	1041SCF	1041SCF	Metal	L041FC19 3000019068
	Back/Seat C&S in 734-40/705-70	Back/Seat C&S in 734-40/705-70	Back/Seat C&S in 734-40/705-70	Leather/PVC	HLC&S 3000018939








Complete Back/Seat in  
734-40/705-70

Complete Back/Seat in  
734-40/705-70

Complete Back/Seat in  
734-40/705-70

Leather/PVC

HLC&S  
3000018939

Flexsteel Style# →	1750-23	Factory Style# →	9077S-38	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011
	KD Back Assembly Hardware	CBAH	CBAH	Metal	L0414019 3000019242
	Plastic Leg	5PL	5PL	Diameter 50*48mm	L0419119 3000019007
	Sectional Connection Fittings	1041SCF	1041SCF	Metal	L041FC19 3000019068
	Back/Seat C&S in 734-40/705-70	Back/Seat C&S in 734-40/705-70	Back/Seat C&S in 734-40/705-70	Leather/PVC	HLC&S 3000018939








Complete Back/Seat in  
734-40/705-70



Complete Back/Seat in  
734-40/705-70






Complete Back/Seat in  
734-40/705-70



Leather/PVC

HLC&S  
3000018939






Flexsteel Style# →	1750-50P5	Factory Style# →	9077-50HM	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	PW.20.30.003K	PW.20.30.003K	Input:AC100-240V~50/60Hz 2.5A Output: 29V/3.0A 87.0W Duty Cycle: Max 10%; MAX T-ON: 2min	L10415311 3000028950
	AC Power Cord	R5.504.01.250	R5.504.01.250	Okin	L104153AC 3000029521
	Power Switch	FS.24.09.03	FS.24.09.03	29V Length 96cm	L1750LBTN 3000029126
	Seat Motor	JLDQ.18.134.329Z09	JLDQ.18.134.329Z09	Max.Load: 800N Speed: 42mm/s Stroke: 326mm	L1592BMTR 3000028961
	Seat Mechanism	L&P 8634-2	L&P 8634-2	Metal 85*68*41cm	L86342OMZ 3000018884

	Headrest Motor	JLDQ.23.190.33F02	JLDQ.23.190.33F02	Max.Load: 2000N Speed: 12mm/s Stroke: 33mm	L104153HRMT 3000028952
	Bottom Rail	KY462	KY462	Metal Length 462mm	L7835250 3000020444
	Headrest Mechanism	MH1101-2	MH1101-2	Metal 43*36cm	L125HR50 3000019039
	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011
	KD Wings Bracket	HPCECP	HPCECP	Metal	L0434050 3000019222

	Control Box	CB.16.24.10	CB.16.24.10	Okin	L104153CTRL 3000028954
	Air Bladder	FP.17.01.06	FP.17.01.06	Okin	L104153BLDR 3000028955
	Heat Padding	R5.229.01.032	R5.229.01.032	Okin	L104153HTPD 3000028956
	White Clip	R2.303	R2.303	Okin	LR2303WC 3000029112
	O-ring	R2.303.01.019	R2.303.01.019	Okin	L1043ORING 3000029384

	Back/Arm/Seat/Wing in 734-40/705-70	Back/Arm/Seat/Wing in 734-40/705-70	Back/Arm/Seat/Wing in 734-40/705-70	Leather/PVC	HLC&S 3000018939
	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Leather/PVC	HLC&S 3000018939











Flexsteel Style# →	1750-57P5	Factory Style# →	9077S-71HM	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	PW.20.30.003K	PW.20.30.003K	Input:AC100-240V~50/60Hz 2.5A Output: 29V/3.0A 87.0W Duty Cycle: Max 10%; MAX T-ON: 2min	L10415311 3000028950
	AC Power Cord	R5.504.01.250	R5.504.01.250	Okin	L104153AC 3000029521
	Power Switch	FS.24.09.05	FS.24.09.05	29V Length 96cm	L1750LBTN 3000029126
	Seat Motor	JLDQ.18.134.329Z09	JLDQ.18.134.329Z09	Max.Load: 800N Speed: 42mm/s Stroke: 326mm	L1592BMTR 3000028961
	Seat Mechanism	L&P 8634-8	L&P 8634-8	Metal 100*68*41cm	L86348OMZ 3000029128

	Headrest Motor	JLDQ.23.190.33F02	JLDQ.23.190.33F02	Max.Load: 2000N Speed: 12mm/s Stroke: 33mm	L104153HRMT 3000028952
	Bottom Rail	KY684	KY684	Metal Length 684mm	L175058BR 3000029129
	Bottom Steel Rail (Male)	BSR-M	BSR-M	Metal Length 566mm	L175057SR 3000029130
	Headrest Mechanism	MH1101-8	MH1101-8	Metal 58*36cm	L1750HRM8 3000029132
	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011




	KD Wings Bracket	HPCECP	HPCECP	Metal	L0434050 3000019222
	Control Box	CB.16.24.10	CB.16.24.10	Okin	L104153CTRL 3000028954
	Air Bladder	FP.17.01.06	FP.17.01.06	Okin	L104153BLDR 3000028955
	Heat Padding	R5.229.01.032	R5.229.01.032	Okin	L104153HTPD 3000028956
	White Clip	R2.303	R2.303	Okin	LR2303WC 3000029112

	O-ring	R2.303.01.019	R2.303.01.019	Okin	L1043ORING 3000029384
	Back/Arm/Seat/Wing C&S in 734-40/705-70	Back/Arm/Seat/Wing C&S in 734-40/705-70	Back/Arm/Seat/Wing C&S in 734-40/705-70	Leather/PVC	HLC&S 3000018939
	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Leather/PVC	HLC&S 3000018939

Flexsteel Style# →	1750-58P5	Factory Style# →	9077S-81HM	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	PW.20.30.003K	PW.20.30.003K	Input:AC100-240V~50/60Hz 2.5A Output: 29V/3.0A 87.0W Duty Cycle: Max 10%; MAX T-ON: 2min	L10415311 3000028950
	AC Power Cord	R5.504.01.250	R5.504.01.250	Okin	L104153AC 3000029521
	Power Switch	FS.24.09.07	FS.24.09.07	29V Length 96cm	L1750RBTN 3000029127
	Seat Motor	JLDQ.18.134.329Z09	JLDQ.18.134.329Z09	Max.Load: 800N Speed: 42mm/s Stroke: 326mm	L1592BMTR 3000028961
	Seat Mechanism	L&P 8634-8	L&P 8634-8	Metal 100*68*41cm	L86348OMZ 3000029128






	Headrest Motor	JLDQ.23.190.33F02	JLDQ.23.190.33F02	Max.Load: 2000N Speed: 12mm/s Stroke: 33mm	L104153HRMT 3000028952
	Bottom Rail	KY684	KY684	Metal Length 684mm	L175058BR 3000029129
	Bottom Steel Rail (Female)	BSR-F	BSR-F	Metal Length 566mm	L175058SR 3000029131
	Headrest Mechanism	MH1101-8	MH1101-8	Metal 58*36cm	L1750HRM8 3000029132
	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011




	KD Wings Bracket	HPCECP	HPCECP	Metal	L0434050 3000019222
	Control Box	CB.16.24.10	CB.16.24.10	Okin	L104153CTRL 3000028954
	Air Bladder	FP.17.01.06	FP.17.01.06	Okin	L104153BLDR 3000028955
	Heat Padding	R5.229.01.032	R5.229.01.032	Okin	L104153HTPD 3000028956
	White Clip	R2.303	R2.303	Okin	LR2303WC 3000029112





	O-ring	R2.303.01.019	R2.303.01.019	Okin	L1043ORING 3000029384
	Back/Arm/Seat/Wing C&S in 734-40/705-70	Back/Arm/Seat/Wing C&S in 734-40/705-70	Back/Arm/Seat/Wing C&S in 734-40/705-70	Leather/PVC	HLC&S 3000018939
	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Leather/PVC	HLC&S 3000018939








Flexsteel Style# →	1750-59PH	Factory Style# →	9077S-05HL	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	PW.10.20.205K	PW.10.20.205K	Input:AC100-240V~50/60Hz 2.4A Output: 29V/2A 58.0W Output: 29V/4A MAX 116.0W Duty Cycle: Max 10%; 2min ON/18min OFF	L175059TR 3000029134
	Power Switch	JLDK.15.08.31	JLDK.15.08.31	29V Length 96cm	L175059PS 3000029135
	Seat Motor	JLDQ.18.134.329S06	JLDQ.18.134.329S06	Max.Load: 800N Speed: 42mm/s Stroke: 326mm	L175059BM 3000029136
	Seat Mechanism	L&P 8634-8	L&P 8634-8	Metal 100*68*41cm	L86348OMZ 3000029128
	Headrest Motor	JLDQ.23.190.33F07	JLDQ.23.190.33F07	Max.Load: 2000N Speed: 12mm/s Stroke: 33mm	L175059HM 3000029137

	Lumbar Motor	JLDQ.23.190.33F08	JLDQ.23.190.33F08	Max.Load: 2000N Speed: 12mm/s Stroke: 33mm	L175059LM 3000029138
	Bottom Rail	KY753	KY753	Metal Length 753mm	L175059SR 3000029139
	Bottom Steel Rail (Male)	BSR-M	BSR-M	Metal Length 566mm	L175057SR 3000029130
	Bottom Steel Rail (Female)	BSR-F	BSR-F	Metal Length 566mm	L175058SR 3000029131
	Headrest & Lumbar Mechanism	MH1501-8	MH1501-8	Metal 76*42*27cm	L1750HLM8 3000029140






	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011
	Back/Seat C&S in 734-40/705-70	Back/Seat C&S in 734-40/705-70	Back/Seat C&S in 734-40/705-70	Leather/PVC	HLC&S 3000018939
	Complete Back/Seat in 734-40/705-70	Complete Back/Seat in 734-40/705-70	Complete Back/Seat in 734-40/705-70	Leather/PVC	HLC&S 3000018939

Flexsteel Style# →	1750-62P5	Factory Style# →	9077-53HM	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	PW.20.30.003K	PW.20.30.003K	Input:AC100-240V~50/60Hz 2.5A Output: 29V/3.0A 87.0W Duty Cycle: Max 10%; MAX T-ON: 2min	L10415311 3000028950
	AC Power Cord	R5.504.01.250	R5.504.01.250	Okin	L104153AC 3000029521
	LAF Power Switch	FS.24.09.05	FS.24.09.05	29V Length 96cm	L1750LBTN 3000029126
	RAF Power Switch	FS.24.09.07	FS.24.09.07	29V, length 96cm	L1750RBTN 3000029127






	Seat Motor	JLDQ.18.134.329Z09	JLDQ.18.134.329Z09	Max.Load: 800N Speed: 42mm/s Stroke: 326mm	L1592BMTR 3000028961
	Seat Mechanism	L&P 8634-1	L&P 8634-1	Metal 85*68*41cm	L863410MZ 3000018883
	Headrest Motor	JLDQ.23.190.33F02	JLDQ.23.190.33F02	Max.Load: 2000N Speed: 12mm/s Stroke: 33mm	L104153HRMT 3000028952
	Headrest Mechanism	MH1101-1	MH1101-1	Metal 43*36cm	L1750HRM1 3000029133
	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011

	Bottom Rail	KY1663	KY1663	Metal Length 1663mm	L0419962 3000019356
	KD Wings Bracket	HPCECP	HPCECP	Metal	L0434050 3000019222
	Control Box	CB.16.24.10	CB.16.24.10	Okin	L104153CTRL 3000028954
	Air Bladder	FP.17.01.06	FP.17.01.06	Okin	L104153BLDR 3000028955
	Heat Padding	R5.229.01.032	R5.229.01.032	Okin	L104153HTPD 3000028956





	White Clip	R2.303	R2.303	Okin	LR2303WC 3000029112
	O-ring	R2.303.01.019	R2.303.01.019	Okin	L1043ORING 3000029384
	Back/Arm/Seat/Wing C&S in 734-40/705-70	Back/Arm/Seat/Wing C&S in 734-40/705-70	Back/Arm/Seat/Wing C&S in 734-40/705-70	Leather/PVC	HLC&S 3000018939
	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Complete Back/Arm/Seat/Wing in 734-40/705-70	Leather/PVC	HLC&S 3000018939





Flexsteel Style# →	1750-64P5	Factory Style# →	9077-54HM	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	PW.20.30.003K	PW.20.30.003K	Input:AC100-240V~50/60Hz 2.4A Output: 29V/2A 58.0W Output: 29V/4A MAX 116.0W Duty Cycle: Max 10%; 2min ON/18min OFF	L10415311 3000028950
	AC Power Cord	R5.504.01.250	R5.504.01.250	Okin	L104153AC 3000029521
	LAF Power Switch	FS.24.09.05	FS.24.09.05	29V Length 96cm	L1750LBTN 3000029126
	RAF Power Switch	FS.24.09.07	FS.24.09.07	29V, length 96cm	L1750RBTN 3000029127
	Seat Motor	JLDQ.18.134.329Z09	JLDQ.18.134.329Z09	Max.Load: 800N Speed: 42mm/s Stroke: 326mm	L1592BMTR 3000028961













	Seat Mechanism	L&P 8634-1	L&P 8634-1	Metal 85*68*41cm	L86341OMZ 3000018883
	Headrest Motor	JLDQ.23.190.33F02	JLDQ.23.190.33F02	Max.Load: 2000N Speed: 12mm/s Stroke: 33mm	L104153HRMT 3000028952
	Headrest Mechanism	MH1101-1	MH1101-1	Metal 43*36cm	L1750HRM1 3000029133
	KD Back Connector	KDBC-3	KDBC-3	Metal	L0416919 3000019011
	Bottom Rail	KY1438	KY1438	Metal Length 1438mm	L0419964 3000019357

	KD Wings Bracket	HPCECP	HPCECP	Metal	L0434050 3000019222
	Control Box	CB.16.24.10	CB.16.24.10	Okin	L104153CTRL 3000028954
	Air Bladder	FP.17.01.06	FP.17.01.06	Okin	L104153BLDR 3000028955
	Heat Padding	R5.229.01.032	R5.229.01.032	Okin	L104153HTPD 3000028956
	White Clip	R2.303	R2.303	Okin	LR2303WC 3000029112

	O-ring	R2.303.01.019	R2.303.01.019	Okin	L1043ORING 3000029384
	Hinges for Console Storage	HPHCHY	HPHCHY	Metal	L0410164 3000019148
	Hidden Hinge for Cup Holder	1043PKHY	1043PKHY	L150mm	L0436464 3000019221
	Stainless Cup Holder	7650CH	7650CH	H55mm x D84mm (107mm)	L0438864 3000024358
	Wireless Charger	JLDK.56.01.12	JLDK.56.01.12	n/a	L745WC64 3000019079
	USB A & TYPE C Port	PO11.01.01	PO11.01.01	n/a	L745AB64 3000019080

	<p>Wireless Charger Transformer</p>	<p>PW.10.18.201</p>	<p>PW.10.18.201</p>	<p>2.9V 1.8A</p>	<p>LWLSTRNS 3000018880</p>
	<p>Nuts Bolts Washer for Console</p>	<p>SJLG</p>	<p>SJLG</p>	<p>1/4*40</p>	<p>L0390164 3000019334</p>
	<p>Back/Arm/Seat/Wing C&amp;S in 734-40/705-70</p>	<p>Back/Arm/Seat/Wing C&amp;S in 734-40/705-70</p>	<p>Back/Arm/Seat/Wing C&amp;S in 734-40/705-70</p>	<p>Leather/PVC</p>	<p>HLC&amp;S 3000018939</p>
	<p>Complete Back/Arm/Seat/Wing in 734-40/705-70</p>	<p>Complete Back/Arm/Seat/Wing in 734-40/705-70</p>	<p>Complete Back/Arm/Seat/Wing in 734-40/705-70</p>	<p>Leather/PVC</p>	<p>HLC&amp;S 3000018939</p>

Flexsteel Style# →	1750-72	Factory Style# →	9077S-15	Date updated →	3/10/2025
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Nuts Bolts Washer for Console	SJLG	SJLG	1/4*40	L0390164 3000019334
	Hinges for Console Storage	HPHCHY	HPHCHY	Metal	L0410164 3000019148
	Hidden Hinge for Cup Holder	1043PKHY	1043PKHY	L150mm	L0436464 3000019221
	Stainless Cup Holder	7650CH	7650CH	H55mm x D84mm (107mm)	L0438864 3000024358
	Wireless Charger	JLDK.56.01.12	JLDK.56.01.12	n/a	L745WC64 3000019079

	<p>USB A &amp; TYPE C Port</p>	<p>PO11.01.01</p>	<p>PO11.01.01</p>	<p>n/a</p>	<p>L745AB64 3000019080</p>
	<p>Wireless Charger Transformer</p>	<p>PW.10.18.201</p>	<p>PW.10.18.201</p>	<p>2.9V 1.8A</p>	<p>LWLSTRNS 3000018880</p>
	<p>Sectional Connection Fitting</p>	<p>1041SCF</p>	<p>1041SCF</p>	<p>Metal</p>	<p>L041FC19 3000019068</p>
	<p>Console Back/Base C&amp;S in 734-40/705-70</p>	<p>Console Back/Base C&amp;S in 734-40/705-70</p>	<p>Console Back/Base C&amp;S in 734-40/705-70</p>	<p>Leather/PVC</p>	<p>HLC&amp;S 3000018939</p>
	<p>Complete Console Back/Base in 734-40/705-70</p>	<p>Complete Console Back/Base in 734-40/705-70</p>	<p>Complete Console Back/Base in 734-40/705-70</p>	<p>Leather/PVC</p>	<p>HLC&amp;S 3000018939</p>