





IIIIIIII PROTECT THE TARGET.[™]



Professional. Nothing Less.™



DEDICATED TO PROTECTING YOU

The ESG105LXR was developed in unison with utility professionals, **creating a method** to "remove the target" from the test area when cutting electric cables.

Unlike overhead electric power distribution systems, underground, shielded electric cable systems cannot be visually traced back to an open point to ensure the cable is isolated.



UL 62841-1 and CAN/CSA C22.2 No. 62841-1, First Edition, Electric Motor-Operated Hand-Held Tools, Transportable Tools, and Lawn and Garden Machinery – Safety – Part 1: General Requirements, Rev. January 11, 2019

REMOVE THE TARGET. PROTECT THE TARGET.™



"Workers can now confirm, in a safer manner, that the shielded cable they are intending to work on, is free from energization. Use of Remote Cutting Tools and the associated processes take the worker out of the Line of Fire."

— Kevin Kinnerk — Retired Standards & Methods Writer



RIGGING SET UP

- · Dual point tie off at head and tool body
- Lifting harness (BTC3-LH)
- Lifting eye bolt (BTC3-LR)



REMOTE CONTROL (BTC3GL)

- Bluetooth connection confirmation LED (BLUE)
- Blade position LED (GREEN)
- Audio feedback







PAIRING THE REMOTE CONTROL

Check out our YouTube page to view the operational videos

ESG105LXR REMOTE CABLE CUTTER WITH CUT CONFIRMATION





TOTAL OPERATIONAL CONTROL

- Select between *Hand-Held Manual* and *Remote* usage options
- Double tap trigger operation protects unintentional blade engagement
- Mechanical break stops residual blade travel when trigger is disengaged

CUTTING CAPACITY

- Flip-top jaw and guillotine style cutting head secures conductor
- Cutting capacity of up to 4.13"
- Cutting head rotates 350°
- LED level indicator on battery and built-in tool self-test confirms ability to complete cut

ESG105LXR **REMOTE CABLE CUTTER** WITH CUT CONFIRMATION





| SPECIFICATIONS | | ESG105LXR - REMOTE CABLE CUTTER WITH END-POSITION BLADE SENSOR | | |
|-----------------------------------|--------------------|--|--------------|--|
| Head Rotation | 350° | CAT NO. | UPC NO. | DESCRIPTION |
| Height | 13" (330 mm) | ESG105LXR11 | 783310047759 | 105mm Remote Cable Cutter, 120V Charger, Two 4.0Ah Batteries |
| Battery | 18V, 4.0Ah, Li-Ion | ESG105LXR12 | 783310047766 | 105mm Remote Cable Cutter, 12V Charger, Two 4.0Ah Batteries |
| Weight with Battery | 22 lbs (9.9kg) | ESG105LXR22 | 783310047773 | 105mm Remote Cable Cutter, 230V Charger, Two 4.0Ah Batteries |
| CAPACITY | | ESG105LXRB | 783310047780 | 105mm Remote Cable Cutter, Bare Tool Only |
| Cutter Opening | 4.13" (105 mm) | BTC3GL | 783310047711 | Bluetooth Remote Control |
| KITTED CONFIGURATIONS INCLUDE | | BTC3-LH | 783310047735 | Bluetooth Remote Cutter Lifting Harness |
| Bluetooth Remote Control (BTC3GL) | | BTC3-LR | 783310047728 | Bluetooth Remote Cutter Lifting Eye Bolt |
| 2-Point Lifting Harness (BTC3-LH) | | Bluetooth is a registered trademark of Bluetooth SIG, Inc. | | |

Lifting Eye Bolt (BTC3-LR)

Makita is a registered trademark of MAKITA CORPORATION.

MA6984

4455 Boeing Dr • Rockford, IL 61109 • USA • 800-435-0786 ©2020 Greenlee Tools, Inc. • An ISO 9001 Company • Printed in USA

Professional. Nothing Less.™

