

DS-LEDA27-4X4,
5X5, 6X6, 7X7, 8X8



SEAMLESS KITTED


Flat dvLED Mounting System

FOR ABSEN ACCLAIM, ACCLAIM PLUS, ACCLAIM PRO AND ICON DIRECT VIEW LED DISPLAYS

Peerless-AV's SEAMLESS Kitted Series Flat dvLED Mounting System is designed exclusively for Absen's Direct View LED Displays, offering slim, space-saving, and aesthetically appealing designs for multiple configurations. With integrated cable management, easy-hang hardware, and a lightweight aluminum frame, integrators can quickly and easily build the perfect video wall. Peerless-AV® also offers start to finish support through the SEAMLESS dvLED Video Wall Integration Program. The Peerless-AV dvLED Solutions Team is there every step of the way to ensure every customer receives SEAMLESS product support and service.



DS-LEDA27-4X4 shown



HEIGHT ADJUSTMENT
Overcome installation irregularities to assure the dvLED pixels are aligned

DEPTH ADJUSTMENT
The entire mount creates one flat plane, regardless of wall imperfections

QUICK ASSEMBLY
Predetermined adaptor rail locations speed up assembly and minimize the errors

- Lightweight aluminum frame is easy to install and minimizes the wall load
- Modular design offers unlimited video wall display configurations
- Tight tolerances and wall plate spacers assure the cabinets are properly positioned



SEAMLESS by Peerless-AV® - dvLED Video Wall Integration Program offers:




EXPERT ENGINEERING & DESIGN



CUSTOM PROJECT MANAGERS



FULL INSTALLATION SERVICES



SEAMLESS dvLED MOUNTING SYSTEMS



Visit Peerless-AV.com/SEAMLESS to get your project started!

DS-LEDA27-4x4 SEAMLESS Kitted Series Flat dvLED Mounting System for 4x4 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon Direct View LED Displays

Product Specifications


	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-LEDA27-4x4	96.02" x 50.56" x 2.25"-3.00" (2439 x 1284 x 57-76mm)	57.6lb (26.1kg)	308lb (140kg)	Powder Coat & Clear Anodized Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-4x4	66.50" x 29.00" x 8.00" (1689.1 x 736.6 x 203.2mm)	79.0lb (35.8kg)	735029326137	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep

All dimensions = inch (mm)



Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-4x4 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-5x5 SEAMLESS Kitted Series Flat dvLED Mounting System for 5x5 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon Direct View LED Displays

Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-LEDA27-5x5	120.00" x 64.07" x 2.25"-3.00" (3048 x 1627 x 57-76mm)	74.0lb (33.6kg)	415lb (215kg)	Powder Coat & Clear Anodized Finish	Black & Silver


Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-5x5	66.50" x 29.00" x 8.00" 1689.1 x 736.6 x 203.2mm)	94.2lb (42.7kg)	735029326366	Wall Plate, Mounting Bracket, Spacer & Hardware	1


Accessories

DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep


All dimensions = **inch** (mm)



TOP VIEW



FRONT VIEW



SIDE VIEW

Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-5x5 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-6x6 SEAMLESS Kitted Series Flat dvLED Mounting System for 6x6 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon Direct View LED Displays

Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-LEDA27-6x6	144.09" x 77.32" x 2.25"-3.00" (3660 x 1964 x 57-76mm)	97.7lb (44.3kg)	682lb (310kg)	Powder Coat & Clear Anodized Finish	Black & Silver


Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-6x6	116.50" x 29.00" x 8.00" (2959.1 x 736.6 x 203.2mm)	129.3lb (58.6kg)	735029326359	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories

DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep

All dimensions = inch (mm)



Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-6x6 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-7x7 SEAMLESS Kitted Series Flat dvLED Mounting System for 7x7 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon Direct View LED Displays

Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-LEDA27-7x7	168.03" x 91.08" x 2.25"-3.00" (4268 x 2313 x 57-76mm)	120.3lb (54.6kg)	924lb (420kg)	Powder Coat & Clear Anodized Finish	Black & Silver


Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-7x7	116.50" x 29.00" x 8.00" (2959.1 x 736.6 x 203.2mm)	151.0lb (68.5kg)	735029332206	Wall Plate, Mounting Bracket, Spacer & Hardware	1

Accessories

DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep

All dimensions = **inch** (mm)



Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-7x7 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



DS-LEDA27-8x8 SEAMLESS Kitted Series Flat dvLED Mounting System for 8x8 Absen Acclaim, Acclaim Plus, Acclaim Pro and Icon Direct View LED Displays

Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-LEDA27-8x8	192.05" x 104.34" x 2.25"-3.00" (4878 x 2650 x 57-76mm)	146.7lb (66.5kg)	1,210lb (550kg)	Powder Coat & Clear Anodized Finish	Black & Silver

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-LEDA27-8x8	116.50" x 29.00" x 8.00" (2959.1 x 736.6 x 203.2mm)	176.5lb (80.1kg)	735029325659	Wall Plate, Mounting Bracket, Spacer & Hardware	1


Accessories

DS-LEDTK Models: Universal Trim Kit for dvLED Video Walls 3.5" to 5.9" Deep


All dimensions = **inch** (mm)



TOP VIEW



FRONT VIEW



SIDE VIEW

Architect Specifications

The SEAMLESS Kitted Series Flat dvLED Mounting System shall be a Peerless-AV model DS-LEDA27-8x8 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV EMEA
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360

