

Product Change Notice: 3M™ Round Conductor Flat Cable, TPE Series 3756, 3355, 3749 & 3770

Issue Number: 638

Date: August 11, 2006

To: 3M Electronic Solutions Division Global Copy List

3M Electronic Solutions Division Distribution List 3M Electronic Solutions Manufacturing Rep Firm List

Product Change

TS-0068	3749/XX
TS-0508	3756/XX
TS-0317	3355/XX
TS-0342	3770/XX

Enhancement

3M is pleased to announce the 3M Round Conductor Flat Cable, TPE Series 3749, 3756, 3355 and 3770 are now RoHS Compliant*.

This change does not affect the form, fit or function of the cable, therefore product numbers and stock numbers will remain unchanged. The description, as well as the factory run number, will be updated to include "RC" for RoHS Compliant. A RoHS stamp will also be included on the label of these products.

The Round Conductor Flat Cable, TPE Series, is available in standard lengths of 100 and 300 feet. Please refer to the specified Tech Sheet numbers above for additional product and package details.

No new literature will be issued at this time. Please use the latest revision of the Tech Sheets provided, which lists the RoHS and WEEE compliance in the features and benefits section.

*"RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M's knowledge and belief based on information provided by third party suppliers to 3M.

Contains decaBDE. Compliant per EU Commission Decision 2005/17/EC, Annex Item 9a – Exemption for decaBDE in Polymeric Applications.

Product Change Notice: 3M™ Round Conductor Flat Cable, TPE Series 3756, 3355, 3749 & 3770

Actions Required

• Please notify customers of this enhancement.

Thank you for your continued support of 3M products.

Please direct all correspondence on this matter to:

Kelly Wolff Cable Product Marketer Phone: 512-984-3172

Email: kpwolff@mmm.com

3M is a trademark of 3M Company.

Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

Warranty; Limited Remedy; Limited Liability.

This product will be free from defects in material and manufacture for a period of one year from the time of purchase. 3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.

3M

3M Electronics 6801 River Place Blvd. Austin, TX 78726-9000 www.3M.com/interconnects

© 3M 2006