

QUESTION

1. A patient with a history of chronic kidney disease (CKD) is being treated with a diuretic. The patient's serum potassium level is 2.8 mEq/L. The nurse should monitor the patient for which of the following signs and symptoms?

- A. Hypertension
- B. Bradycardia
- C. Hyperkalemia
- D. Hypocalcemia

2. A patient with a history of chronic kidney disease (CKD) is being treated with a diuretic. The patient's serum potassium level is 2.8 mEq/L. The nurse should monitor the patient for which of the following signs and symptoms?

- A. Hypertension
- B. Bradycardia
- C. Hyperkalemia
- D. Hypocalcemia

3. A patient with a history of chronic kidney disease (CKD) is being treated with a diuretic. The patient's serum potassium level is 2.8 mEq/L. The nurse should monitor the patient for which of the following signs and symptoms?

- A. Hypertension
- B. Bradycardia
- C. Hyperkalemia
- D. Hypocalcemia

4. A patient with a history of chronic kidney disease (CKD) is being treated with a diuretic. The patient's serum potassium level is 2.8 mEq/L. The nurse should monitor the patient for which of the following signs and symptoms?

- A. Hypertension
- B. Bradycardia
- C. Hyperkalemia
- D. Hypocalcemia

5. A patient with a history of chronic kidney disease (CKD) is being treated with a diuretic. The patient's serum potassium level is 2.8 mEq/L. The nurse should monitor the patient for which of the following signs and symptoms?

- A. Hypertension
- B. Bradycardia
- C. Hyperkalemia
- D. Hypocalcemia

ANSWERS



1. A patient with a history of chronic kidney disease (CKD) is being treated with a diuretic. The patient's serum potassium level is 2.8 mEq/L. The nurse should monitor the patient for which of the following signs and symptoms?

- A. Hypertension
- B. Bradycardia
- C. Hyperkalemia
- D. Hypocalcemia