

# Part Numbering System

Example:



<b>0</b>	<b>R</b>	<b>1</b>	<b>9</b>	<b>P</b>	<b>X</b>	<b>X</b>	<b>C</b>	<b>1</b>
<b>Stop Type</b>	<b>Outlet Size</b>	<b>Inlet</b>	<b>Options</b>	<b>Compliant</b>	<b>Finish</b>	<b>Packaging</b>		
Iron Pipe Inlet	3/8" OD (1/4" Nom)	1/2" Nominal Copper, Angle	Compression PEX Inlet		Chrome	Individually Boxed		

**S**

Handle (Modifier)

## Handle\*

\*Drop the '0' in Stop Type, when using modifier

<b>S</b>	Loose Key, Lock Shield	<b>X</b>	Cross
<b>SS</b>	Screw Driver Slot, Lock Shield	<b>XX</b>	Round

**T**

Stem (Modifier)

## Stem\*

\*Drop the '0' in Stop Type, when using modifier

<b>T</b>	Stuffing Box
----------	--------------

**0 R**

Stop Type

## Stop Type

<b>OCR</b>	Compression Inlet	<b>OR</b>	Iron Pipe Inlet	<b>BRPX</b>	Barbed PEX Inlet
<b>OFCR</b>	Flare Outlet, Compression Inlet	<b>OFR</b>	Flare Outlet, Iron Pipe Inlet	<b>CS</b>	Sweat Extension Inlet
<b>FR</b>	Flare Outlet, Sweat Inlet	<b>R</b>	Sweat Inlet	<b>033</b>	Slip-Joint Outlet
<b>PR</b>	CPVC Inlet	<b>RD</b>	Sweat Outlet x Sweat Inlet		

### For Integral Shut-Offs:

<b>R</b>	Iron Pipe or Sweat Inlet
<b>DRS</b>	Screwdriver Slot, Less Lock Shield, Iron Pipe or Sweat Inlet

**1**

Outlet Size

## Outlet Size (same as riser diameter)

<b>0</b>	1/4" OD	<b>4</b>	5/8" OD (1/2" Nom)
<b>1</b>	3/8" OD (1/4" Nom)	<b>8</b>	1/2" Iron Pipe
<b>2</b>	7/16" OD	<b>9</b>	3/8" Iron Pipe
<b>3</b>	1/2" OD (3/8" Nom)		

**9**

Inlet

## Inlet Size & Style

<b>0</b>	3/8" FIP, Straight	<b>9</b>	1/2" Nominal Copper, Angle
<b>1</b>	3/8" OD Compression (1/4" Nom)	<b>A</b>	3/8" Nominal Copper, Straight
<b>2</b>	1/2" FIP, Straight	<b>B</b>	3/8" Nominal Copper, Angle
<b>4</b>	1/2" Nominal Copper, Straight		
<b>5</b>	3/8" FIP, Angle		
<b>7</b>	1/2" FIP, Angle		

### For Slip-Joint Outlets:

<b>01</b>	1/2" FIP Inlet, Angle
<b>05</b>	1/2" FIP Inlet, Straight
<b>41</b>	1/2" Nom Comp Inlet, Angle
<b>45</b>	1/2" Nom Comp Inlet, Straight

### For Integral Shut-Offs:

<b>83</b>	1/2" FIP x 1/2" MIP, Straight
<b>84</b>	1/2" Nom Sweat x 1/2" MIP, Straight
<b>44</b>	1/2" Nom Sweat x 1/2" Nom Sweat, Straight

### For Sweat Extension Inlets:

<b>40</b>	1/2" Nom Sweat x 3/8" OD Comp, Angle
<b>41</b>	1/2" Nom Sweat x 3/8" OD Comp, Straight
<b>47</b>	1/2" Nom Sweat x 1/2" OD Comp, Straight

**P X**

Options

## Options

<b>PX</b>	Compression PEX w/Tube Insert
-----------	-------------------------------

### For Sweat Extension Inlets:

<b>B</b>	w/Escutcheon
----------	--------------

### For Integral Shut-Offs:

<b>AA</b>	w/Check Inlet
<b>M</b>	w/Male Sweat Outlet

**X**

Compliant

## Compliant

<b>X</b>	100% Compliant
----------	----------------

**C**

Finish

## Finish

<b>C</b>	Chrome Plated, Trayed
<b>R</b>	Rough/Unplated, Trayed

### For Sweat Extension Inlets:

<b>C</b>	Chrome Plated, Boxed
<b>R</b>	Rough/Unplated, Boxed

**1**

Packaging

## Packaging

<b>1</b>	Individually Boxed (These stops are highlighted in <b>bold print</b> in this catalog).
----------	--

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
<b>Compression x Compression - Angle</b>					
OCR1BX C	026613150413	3/8" Nom Comp x 3/8" OD Comp	Chrome	60	12.7
<b>OCR1BX C1</b>	026613150420	3/8" Nom Comp x 3/8" OD Comp	Chrome	20	4.4
OCR09X C	026613135274	1/2" Nom Comp x 1/4" OD Comp	Chrome	60	14.0
<b>OCR09X C1</b>	026613135298	1/2" Nom Comp x 1/4" OD Comp	Chrome	20	4.9
OCR09X R	026613135267	1/2" Nom Comp x 1/4" OD Comp	Rough	60	15.3
OCR19X C	026613135113	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	14.4
<b>OCR19X C1</b>	026613135786	1/2" Nom Comp x 3/8" OD Comp	Chrome	20	5.0
OCR19X R	026613137445	1/2" Nom Comp x 3/8" OD Comp	Rough	60	15.7
<b>OCR19X R1</b>	026613135762	1/2" Nom Comp x 3/8" OD Comp	Rough	20	5.4
<b>OCR29X C1</b>	026613135984	1/2" Nom Comp x 7/16" OD Comp	Chrome	20	5.1
OCR39X C	026613135182	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	15.9
<b>OCR39X C1</b>	026613135212	1/2" Nom Comp x 1/2" OD Comp	Chrome	20	5.5
OCR39X R	026613135205	1/2" Nom Comp x 1/2" OD Comp	Rough	60	14.0



### Compression x Compression - Straight

OCR11X C	026613153230	1/4" Nom Comp x 3/8" OD Comp	Chrome	60	14.7
<b>OCR11X C1</b>	026613141954	1/4" Nom Comp x 3/8" OD Comp	Chrome	20	5.1
OCR11X R	026613153247	1/4" Nom Comp x 3/8" OD Comp	Rough	60	16.0
OCR14X C	026613136981	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	17.5
<b>OCR14X C1</b>	026613135977	1/2" Nom Comp x 3/8" OD Comp	Chrome	20	6.0
OCR14X R	026613138084	1/2" Nom Comp x 3/8" OD Comp	Rough	60	18.8
OCR34X C	026613138428	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	18.7
<b>OCR34X C1</b>	026613135946	1/2" Nom Comp x 1/2" OD Comp	Chrome	20	6.4



### Compression PEX x Compression - Straight

OCR14PXX C	026613150321	1/2" Nom Comp x 3/8" OD Comp With Tube insert	Chrome	60	18.1
------------	--------------	---	--------	----	------



### Compression x Slip-Joint - Angle

03341X C	026613138671	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	60	18.0
<b>03341X C1</b>	026613135878	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	20	6.2



### Compression x Slip-Joint - Straight

03345X C	026613137940	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	60	19.0
<b>03345X C1</b>	026613136028	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	20	6.5



### FIP x Compression - Angle

OR07X C	026613136844	1/2" FIP x 1/4" OD Comp	Chrome	60	14.3
<b>OR07X C1</b>	026613135939	1/2" FIP x 1/4" OD Comp	Chrome	20	5.0
OR15X C	026613137575	3/8" FIP x 3/8" OD Comp	Chrome	60	11.3
<b>OR15X C1</b>	026613135908	3/8" FIP x 3/8" OD Comp	Chrome	20	4.0



■ Denotes best selling Multi-Turn Supply Stops.