


# Seated Shower Base

## **INSTALLATION INSTRUCTIONS**



SEATED SHOWER BASE ------INSTALLATION



### PRIOR TO INSTALLATION:

- · Inspect product to ensure no damages have occurred while in shipping.
- · Observe all plumbing and building codes in accordance with your state and local requirements.
- · All dimensions are nominal! Be sure to measure your shower base prior to installation.
- The step-by-step guidelines in the installation instructions are a general reference. Should there be any discrepancies, Swiss Madison cannot be held liable. It is recommended to install all Swiss Madison products by hiring a licensed professional.
- Read installation and maintenance instructions thoroughly before installing. Be sure to use proper tools and always wear proper personal safety accessories for your protection.
- · Walls and sub-floor must be solid, flush and square.
- · Verify all the necessary plumbing is installed by a certified plumber.
- · Rust-proof hardware is recommended for installation.
- · Shower base may only be installed in a recess type installation.
- This shower base is not self-supporting and must be supported along its entire bottom with mortar or grout. Stringers will help level, but will not provide adequate support.
- · Take extra care when driving nails or screws to avoid damaging the shower base.

#### **OUESTIONS OR CONCERNS?**

Please contact us:

1-434-623-4766

info@swissmadison.com

## **SUGGESTED TOOLS & MATERIALS:**




SEATED SHOWER BASE — INSTALLATION

## 1 Frame


· Locate studs as required. Ensure rough-in dimensions are accurate. It is strongly recommended that an additional opening be provided for access to the drain components.

- · Mark the position of the underside of the deck by tracing a line onto the studs at the height indicated wih a level or other straight edge.
- · With the top of the stringer touching the traced line, attach the stringer to the studs.
- · Install drain components to the shower base following the manufacturer's instructions.




## 2 Support

- · Mortar is recommended as bedding material (sand is not recommended). Apply bedding to support the bottom of the shower base. After the bedding has been poured, before it sets, position the shower base within the recess until the rim is leveled against leveling stringers.
- · The rim of the shower base MUST NOT support weight. Allow the bedding material to completely harden before applying weight to the rim or bottom of the shower base.
- · Check level on all sides, shim as necessary. To secure the shower base to wood studs, use drywall screws with flat washers or roofing nails above the flange of the shower base. To secure the shower base to steel studs, use 4" drywall screws and flat washers.
- · Finish material such as tile or wallboard must be self-supporting if it touches the deck of the shower base. Flooring will be butted against the bottom of the shower base apron, also holding the shower base in place.




## 3 Routine Maintenance

· You may use soap and water with a soft cloth or cleaning cloth. Do NOT use a scouring pad or sponge to avoid scratching. Daily cleaning is recommended.



· For a deeper clean, you may use a commercial cleaning product, but it is important to rinse thoroughly and ensure the pan dries after cleaning to avoid prolonged stains.





## ONE-YEAR LIMITED WARRANTY

Swiss Madison® products are made with quality materials and excellent craftsmanship to provide our customers with beautiful, durable, long-lasting products. Should there be any defects in materials or craftsmanship under regular use that are discovered within the first year after delivery, Swiss Madison® will provide replacement parts at no charge, or at its discretion, replace any product or part of the product that is deemed defective, under normal installation, use, service or maintenance. This warranty applies only to the original purchaser. Proof of purchase must be submitted with any warranty claim.

Swiss Madison® recommends that all installations of Swiss Madison® products to be conducted by a licensed plumber or contractor. Swiss Madison® will not be held responsible for any damage or product failure due to improper installation, misuse, or failure to utilize a licensed plumber or contractor for installation. Swiss Madison® is not responsible for any installation or removal costs.

#### THIS ONE-YEAR LIMITED WARRANTY WILL BE VOIDED IF:

- The installation instructions were not followed by the installer
- The product has been moved from its initial place of installation
- The product has in any way been modified from its original condition
- The product has been subjected to improper maintenance, abuse, misuse, excessive use of chemicals, accidents, or other damages

Swiss Madison® makes no warranty that its products comply with any local building or plumbing codes. It is the consumer's responsibility and obligation to determine local code compliance prior to and during installation.

Swiss Madison® is not responsible for any special, incidental or consequential damages associated with the installation, replacement, return or use of the original purchaser's product. This includes, but is not limited to: freight costs, labor, travel time, lost profit, home damages and other contingent liabilities and costs (including, without limitation, costs associated with 'professionals' or 'experts', investigations, audits, analyses, attorneys and any other professional/hired services). Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

The Swiss Madison® warranty is a comprehensive and explicit limit of liability. All other warranties are hereby disclaimed and waived.

**QUESTIONS OR CONCERNS?** Please contact us directly at: 1-434-MADISON (623-4766)



#### **WARNING:**

Contents of your order may contain sharp and possibly other harmful pieces and may cause hazard to children and adults. Swiss Madison® is not responsible in any way for personal injuries or damages.