

SPECIFICATIONS

DESCRIPTION

- Single-function anti-calcium handshower at 1.8 GPM/6.7 LPM at 60 PSI
- 1/2" NPT male inlet
- No additional rough-in valve required to install

FLOW

- 6 GPM/23 LPM at 60 PSI
- CEC compliant

STANDARDS

- ASME A112.18.1/CSA B125.1

WARRANTY

- Most products or parts carry "Limited Warranties" against manufacturing defects. For US customers please visit houseofrohl.com/support and for Canadian customers please visit houseofrohl.ca/support for complete product and finish warranty.




UPC®

Verona™

4-Hole Deck Mount Tub Filler

MODEL: A2764LM - Metal Levers
A2764XM - Cross Handles




A2764LM



A2764XM

Installation note
For servicing after installation, install a service door near the valves



For warranty or additional information, contact:

U.S.A.
houseofrohl.com/support
1-800-777-9762

QUEBEC / MARITIMES / WESTERN CANADA
QUÉBEC / MARITIMES / OUEST CANADIEN
QUEBEC / MARITIMOS / CANADA OCCIDENTAL
houseofrohl.ca/support
1-866-473-8442

ONTARIO
houseofrohl.ca/support
1-800-287-5354

SPÉCIFICATIONS

DESCRIPTION

- Douchette anticalcaire à fonction unique à 1,8 GPM/6,7 LPM à 60 PSI
- Entrée mâle 1/2" NPT
- Aucune vanne brute supplémentaire requise pour l'installation

DEBITS DISPONIBLES

- 6 GPM/23 LPM à 60 PSI
- CEC compliant

CERTIFICATION

- ASME A112.18.1/CSA B125.1

GARANTIE

- La plupart des produits ou pièces comportent des « garanties limitées » contre les défauts de fabrication. Pour les clients américains, veuillez visiter houseofrohl.com/support et pour les clients canadiens, veuillez visiter houseofrohl.ca/support pour la garantie complète du produit et du fini.




UPC®

Verona™


Remplisseur de baignoire à 4 trous à montage sur pont

MODEL: A2764LM - Metal Levers
A2764XM - Cross Handles



A2764XM

Installation note
For servicing after installation, install a service door near the valves



A2764LM

For warranty or additional information, contact:

U.S.A.
houseofrohl.com/support
1-800-777-9762

QUEBEC / MARITIMES / WESTERN CANADA
QUÉBEC / MARITIMES / OUEST CANADIEN
QUEBEC / MARITIMOS / CANADA OCCIDENTAL
houseofrohl.ca/support
1-866-473-8442

ONTARIO
houseofrohl.ca/support
1-800-287-5354

ESPECIFICACIONES

DESCRIPCIÓN

- Ducha de mano anticalcio de función única a 1,8 GPM/6,7 LPM a 60 PSI
- Entrada macho 1/2" NPT
- No se requiere válvula de instalación adicional para instalar

FLUIR

- 6 GPM/23 LPM a 60 PSI
- CEC compliant

NORMAS

- ASME A112.18.1/CSA B125.1

GARANTÍA

- La mayoría de los productos o piezas cuentan con "Garantías limitadas" contra defectos de fabricación. Para los clientes de EE. UU., visite houseofrohl.com/support y para los clientes canadienses, visite houseofrohl.ca/support para conocer la garantía completa del producto y el acabado.




UPC®

Verona™

Llenador de bañera de montaje en cubierta de 4 orificios

MODEL: A2764LM - Metal Levers
A2764XM - Cross Handles




A2764LM



A2764XM

Installation note
For servicing after installation, install a service door near the valves



For warranty or additional information, contact:

U.S.A.
houseofrohl.com/support
1-800-777-9762

QUEBEC / MARITIMES / WESTERN CANADA
QUÉBEC / MARITIMES / OUEST CANADIEN
QUEBEC / MARITIMOS / CANADA OCCIDENTAL
houseofrohl.ca/support
1-866-473-8442

ONTARIO
houseofrohl.ca/support
1-800-287-5354