

BRIO 5CCT

120V AC 5CCT Slim Downlight

A favorite for residential and commercial applications, the Brio 5CCT becomes a 5-in-1 fixture with 5 selectable white color temperatures. With up to 900 lumen output performance and available in 4” and 6” remodel trim sizes, the Brio provides an ideal solution for tight spaces with its small height and included remote junction box.

- Excellent color rendering (90+ CRI)
- Aluminum housing with polycarbonate lens
- Five Selectable color temperatures:
2700K / 3000K / 3500K / 4000K / 5000K
- Lumen output up to 900 Lumens
- Dimmable with most TRIAC/CL/ELV Dimmers
- Remote driver with hardwire junction box
- Spring loaded mounting clips
- Type IC and cETLus Listed for wet locations
- 50,000 hours rated life
- ENERGY STAR certified
- JA8 Compliant

PROJECT:
TYPE:
LOCATION:
CATALOG NUMBER:



BRIO 5CCT



BRIO 5CCT SERIES QUICK SPECS

VOLTAGE	120V AC, 60Hz
WATTAGE	9W / 12W
LUMENS	See Ordering Information
CCT OPTIONS	2700K / 3000K / 3500K / 4000K / 5000K
CRI	90+
MOUNTING	Remodel Recessed mount
DIMMING	TRIAC / CL / ELV (10 - 100%)
BEAM ANGLE	110°
OPERATING TEMP	-13°F (-25°C) to +113°F (+45°C)
CERTIFICATIONS	cETLus Listed - Wet Location - Type IC
RATED LIFE	50,000 Hours

BRIO 5CCT SERIES ORDERING INFORMATION


ITEM NUMBER	SIZE	FINISH	VOLTAGE	CCT	CRI	LM @ 27	LM @ 30	LM @ 35	LM @ 40	LM @ 50	WATTAGE	DIMMING
BRD4-5CCT-RD	4"	White	120V	5CCT	90+	530	550	560	600	580	9W	10-100%
BRD6-5CCT-RD	6"	White	120V	5CCT	90+	850	880	900	900	890	12W	10-100%

BRIO 5CCT ACCESSORIES ORDERING INFORMATION


ITEM NUMBER	DESCRIPTION	SIZE	FINISH
BRD6-TRIM-RD-BK	Clip-on Trim for Brio	6"	BLACK




BRIO 5CCT SERIES QUICK DIMENSIONS AD56



HOLE CUT SIZES	4" BRIO	6" BRIO
Round	4-3/8" (111mm) Diameter - Round	6-1/4" (160mm) Diameter - Round



BRIO 5CCT SERIES ACCESSORIES

Image	Part Number	Description
	RP-2/4/6	Steel rough-in plate w/hangar bars for 2" / 4" / 6" use

