INSTRUCTION MANUAL




(!) CARE & MAINTENANCE

Please keep these instructions for your future reference.

- Be careful when assembling, avoid damaging the painted surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.




HARDWARE




PARTS

2 PCS




PARTS



PRODUCT ASSEMBLY - OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.





Attach Hardware #6 Steel Plate to Part G Right Front Leg with 2 pcs of Hardware #5 Screw.

Do the same to attach another **Hardware #6 Steel Plate** to **Part H Left Front Leg** with 2 pcs of **Hardware #5 Screw**.






Attach Part G Right Front Leg to Part E Right Arm with 2 pcs of Hardware #4 Screw.

Attach Part H Left Front Leg to Part F Left Arm with 2 pcs of Hardware #4 Screw.


Pay attention that the angled edge of the leg is facing towards the end of the arm.



3


Insert the tenon on the end of **Part E Right Arm** to the mortise in **Part C Right Rear Leg** and attach with 1 pc of **Hardware #2 Screw**.

Do the same to attach Part F Left Arm to Part D Left Rear Leg.



4


Attach the combined Part (C+E+G) and Part (D+F+H) to Part I Rocking Base with 4 pcs of Hardware #1 Screw.






Attach Part B Chair Backrest to Part C Right Rear Leg with 1 pc of Hardware #3 Screw.

Attach Part A Chair Seat to Part C Right Rear Leg and Part G Right Front Leg with 2 pcs of Hardware #3 Screw.



Attach the left frame (Part D+F+H+I) to the assembled part with 3 pcs of Hardware #3 Screw.





Check and tighten all the screws again to ensure the chair is steady enough.

Enjoy the chair now.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.