


This document, including the design, configuration and mechanical features revealed herein are the sole, confidential and proprietary property of TRU Corporation. Reproduction or use thereof, in whole or part, is prohibited without the prior written consent of TRU Corporation.

REV.	DESCRIPTION	DATE	APPROVED
-	ORIGINAL ISSUE	12/03/13	AM




ENGINEERING DATA:

ELECTRICAL:  
IMPEDANCE: 50 OHMS NOMINAL



MECHANICAL:  
INTERFACE: SC(m) PER MIL-STD-348A FIG. 309.1  
QRM(f) PER TRU SPECIFICATION

MATERIAL:  
INSULATORS: PTFE (Teflon)  
CONTACTS: BRASS & BERYLLIUM COPPER  
BODY & NUT: BRASS

FINISH:  
CONTACTS: GOLD PLATED  
BODY & NUT: NICKEL PLATED



NOTES:  
1. UNLESS OTHERWISE SPECIFIED; ALL DIMENSIONS ARE REFERENCE ONLY.

MATERIAL	DO NOT SCALE DRAWING	DRAWN TE	DATE 11/21/13	<div><b>TRU Corporation</b> 245 Lynnfield St, Peabody, MA 01960</div>		
		ENG APPR. AM	DATE 11/27/13			
		MFG APPR.	DATE	TITLE: CONNECTOR, COAXIAL, RF SC(m) to QRM(f) ADAPTER		
		OTHER APPR.	DATE			
COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES  TOLERANCES: FRACTIONS: $\pm 1/64$ .XX : $\pm .01$ .XXX: $\pm .005$ ANGLES: $\pm 1/2^\circ$ MACHINED SURFACES: <div><math>\sqrt{63}</math></div>	THIRD ANGLE PROJECTION 		SIZE <b>B</b>	DWG. NO. TRU-12559	REV -
				CAGE CODE: 92180	SCALE: 3:1	SHEET 1 OF 1
surface area: sq inch	weight: lbs					