



GAS CONNECTOR WITH FITTING

3/8" OD (1/4" ID) YELLOW COATED

- Durable stainless steel 304 material
- Corrugation extends all the way to the fitting for increased tubing flexibility
- Quality flared end fittings create a metal-to-metal seal in critical applications
- CSA Design certified domestically and internationally for indoor and outdoor use ANSI Z21.24/CSA 6.10-2015 and ANSI Z21.75-2016/CSA 6.27-2016
- 100% leak tested to ensure safety and quality for a product you can trust
- Corrosion resistant connectors add additional safety in highly corrosive environments or in areas where caustic chemicals are located
- For proper product selection, use the ID and length of the line to locate the BTU rating

Nominal connector ID, inch	Straight length capacity — Btu per hr (W) 0.64 Sp Gr, 1000 btu per cu ft (37.2 MJ/m ³) Gas at 0.5 inch water column (125 Pa) pressure drop							
	1 ft (0.30 m)	1 1/2 ft (0.46 m)	2 Ft (0.61 m)	2 1/2 Ft (0.76 m)	3 Ft (0.91 m)	4 Ft (1.22 m)	5 Ft (1.52 m)	6 Ft (1.83 m)
1/4	48,000 (14 067)	43,800 (12 837)	40,000 (11 723)	36,400 (10 668)	33,400 (9 789)	28,300 (8 294)	24,900 (7 297)	23,100 (6 770)
3/8	102,000 (29 893)	93,100 (27 285)	85,000 (24 911)	77,100 (22 596)	71,100 (20 837)	60,500 (17 731)	53,200 (15 591)	49,100 (14 390)
1/2	180,000 (52 752)	164,200 (48 122)	150,000 (43 961)	136,000 (39 858)	125,000 (36 634)	106,000 (31 066)	93,200 (27 314)	86,000 (25 204)
5/8			177,000 (51 874)	170,200 (49 881)	162,500 (47 624)	147,800 (43 316)	131,800 (38 627)	116,200 (34 055)
3/4			290,900 (85 254)	270,500 (79 276)	255,900 (74 997)	215,000 (63 010)	197,400 (57 852)	173,900 (50 965)
1			581,800 (170 509)	545,200 (159 783)	515,900 (151 196)	442,700 (129 743)	398,900 (116 906)	347,800 (101 930)

PART NO.	DESCRIPTION	CTN/MSTR	PART NO.	DESCRIPTION	CTN/MSTR	PART NO.	DESCRIPTION	CTN/MSTR
G70138	1/2" FIP X 1/2" MIP	1/25	G70144	3/8" FIP X 3/8" FIP	1/25	G70125	1/2" FIP X 3/8" MIP	1/25
G70106	3/8" FIP X 3/8" MIP	1/25	G70108	1/2" FIP X 1/2" FIP	1/25	G70143	1/2" FIP X 1/2" FIP	1/25
G70103	1/2" FIP X 1/2" MIP	1/25	G70146	1/2" FIP X 3/8" MIP	1/25	G70116	3/8" FIP X 3/8" FIP	1/25
G70112	3/8" FIP X 1/2" MIP	1/25	G70123	3/8" FIP X 3/8" FIP	1/25	G70111	1/2" FIP X 3/8" MIP	1/25
G70113	3/8" FIP X 3/8" MIP	1/25	G70107	1/2" MIP X 1/2" MIP	1/25	G70148	3/8" FIP X 3/8" MIP	1/25
G70117	1/2" FIP X 1/2" MIP	1/25	G70135	1/2" MIP X 1/2" MIP	1/25	G70115	1/2" FIP X 1/2" FIP	1/25
G70126	3/8" FIP X 1/2" MIP	1/25	G70134	3/8" FIP X 3/8" MIP	1/25	G70155	3/8" FIP X 3/8" MIP	1/25
G70124	1/2" FIP X 1/2" MIP	1/25	G70150	1/2" FIP X 1/2" FIP	1/25			
G70132	1/2" FIP X 3/8" MIP	1/25	G70129	1/2" FIP X 1/2" FIP	1/25			
G70118	1/2" FIP X 3/8" MIP	1/25	G70154	3/8" FIP X 1/2" MIP	1/25			
G70121	1/2" MIP X 1/2" MIP	1/25	G70128	1/2" MIP X 1/2" MIP	1/25			
G70119	3/8" FIP X 1/2" MIP	1/25	G70145	1/2" FIP X 1/2" MIP	1/25			
G70142	1/2" MIP X 1/2" MIP	1/25	G70104	1/2" FIP X 3/8" MIP	1/25			
G70139	1/2" FIP X 3/8" MIP	1/25	G70101	1/2" FIP X 1/2" FIP	1/25			
G70114	1/2" MIP X 1/2" MIP	1/25	G70127	3/8" FIP X 3/8" MIP	1/25			
G70120	3/8" FIP X 3/8" MIP	1/25	G70149	1/2" MIP X 1/2" MIP	1/25			
G70152	1/2" FIP X 1/2" MIP	1/25	G70136	1/2" FIP X 1/2" FIP	1/25			
G70137	3/8" FIP X 3/8" FIP	1/25	G70131	1/2" FIP X 1/2" MIP	1/25			
G70141	3/8" FIP X 3/8" MIP	1/25	G70109	3/8" FIP X 3/8" FIP	1/25			
G70130	3/8" FIP X 3/8" FIP	1/25	G70102	3/8" FIP X 3/8" FIP	1/25			
G70147	3/8" FIP X 1/2" MIP	1/25	G70100	1/2" MIP X 1/2" MIP	1/25			
G70153	1/2" FIP X 3/8" MIP	1/25	G70133	3/8" FIP X 1/2" MIP	1/25			
G70105	3/8" FIP X 1/2" MIP	1/25	G70110	1/2" FIP X 1/2" MIP	1/25			
G70122	1/2" FIP X 1/2" FIP	1/25	G70151	3/8" FIP X 3/8" FIP	1/25			