



### ***I. Product Description***

CRC Fast Motor Flush cleans the inside of engine and oil pan prior to carrying out an oil change. Due to today's longer oil change intervals, there is an increased build-up of sludge, gums and varnishes inside the engine. It is extremely important that the engine be cleaned out thoroughly before installing fresh motor oil.

### ***II. Application and Directions***

1. Use CRC Fast Motor Flush just before oil change.
2. Warm engine.
3. Add one bottle of CRC Fast Motor Flush to oil in crankcase (for crankcase capacities over 5 litres, use additional CRC Fast Motor Flush @ 100 ml per litre).
4. Close oil filter top, start engine and run at normal idle for approximately five minutes. Do not drive vehicle or race engine. Note: Be sure to idle engine in open air or in area where exhaust fumes are vented to the atmosphere.
5. Shut off engine, remove sump plug and drain oil.
6. Replace sump plug washer and install new oil filter.
7. Refill crankcase with fresh motor oil. Start engine and allow to idle for a few minutes to ensure proper circulation of new oil to all vital parts.

### ***III. Features & Benefits***

- Cleans engine and oil pan of sludge, gum and varnish build-up
- Allows oil to flow freely from all parts of the engine
- Helps free sticky valves and rings
- Should be used prior to oil change especially if change interval has been exceeded
- Recommended for use prior to engine overhaul
- Harmless to metal parts
- Suitable for petrol and diesel engines

### ***IV. Typical Properties and Characteristics***

Appearance	
Density @ 25°C	0.87
Flash Point	30°C

### ***V. Package Description***

<b>Part Number</b>	<b>Size</b>
5208	350ml Bottle



CRC Industries NZ, Auckland NZ

## VI. *Special Precautions*

### **General:**

Flammable liquid and vapour. Keep away from heat, sparks, open flames, hot surfaces. No smoking. Keep container tightly closed. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area. Store in a well-ventilated area. Keep container tightly closed. Dispose of empty containers safely. All unused product should be disposed of in conformance with local and HSNO regulations, do not contaminate water supply.

### **First Aid:**

Swallowed – Do not induce vomiting. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. Avoid giving milk or oils. Avoid giving alcohol.

Skin – Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

Eyes – Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention.

Inhalation – Remove from contaminated area. Lay patient down. Keep warm and rested.

Refer to Material Safety Data Sheet for more details.

TECHNICAL DATA SHEET Version 09/2011

**PRODUCT WARRANTY:** CRC offers a conditional warranty of this product for the period of 2 years from the date of manufacture.

**DISCLAIMER:** All information on this data sheet is based on testing by CRC Industries NZ. All products should be tested for suitability on a particular application prior to actual use. CRC Industries makes no representations or warranties of any kind concerning this data.