








Tools Required:

 <p>Pencil</p>	 <p>level Tool</p>	 <p>Electric drill</p>	 <p>Screwdriver</p>
---	---	---	--

Base Hardware :



 <p>A: Screw 6X</p>	 <p>B:Screw 2X</p>	 <p>C:Rubber Mat 4X</p>
 <p>D: Floor Washers 2X</p>	 <p>E:M4 Screw 4X</p>	 <p>F:M4 Screw 4X</p>
 <p>G:2.5 Allen Wrench 1X</p>	 <p>H:2.0 Allen Wrench 1X</p>	

Base Parts:


 <p>I 2X</p>	 <p>J 2X</p>	 <p>K 2X</p>
 <p>L 2X</p>	 <p>M 6X</p>	 <p>N 1X</p>
 <p>O 2X</p>	 <p>P 1X</p>	 <p>Q 2X</p>



①




②




③

Screw by hand.



④

Screw by hand.






5

Use a level tool and make sure that these parts are perfectly level.




6

Screw by hand.




7

Determine the final installation position and mark the hole positions in pencil on the wall. When determining the installation position, include the floor washers because the height will change once the floor washers are added.




8





9

Fix each of the brackets onto the wall using the 4 screws provided. Ensure that the screw heads are parallel to the floor.



10

Place the ceramic sink into position and use the level tool again to make sure it is perfectly level.

