


INSTRUCTION MANUAL



24" Upholstered Nail Head Counter Stool

V3.0

! NOTICE


Do not overtighten screws. (Insert all screws before tighten screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Please adjust the speed slowly when you use electric drill for assembling to avoid screw slippage.


TOOLS REQUIRED



HARDWARE




PARTS



PRODUCT ASSEMBLY – OVERALL VIEW

Look at the overall view of this stool and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1

Place 1 pc of **Part B Stool Leg I** and 1 pc of **Part C Stool Leg II** face to face as below.

Attach **Part D Long Footrest** to both legs, make sure the self-tapping screw holes are facing upwards.

Do the same to attach another **Part D** to the other two legs.




PRODUCT ASSEMBLY

2


Place **Part A Seat** upside down on flat floor.
Put the combined **Part (B+D+C)** to one side of the **Part A Seat** as below and loosely attach with 4 sets of **Hardware (#4 Bolt + #2 Lock Washer + #1 Flat Washer)** by 60%-80% tightness.

Attention: Make sure the sharp edge and holes covered with warning stickers are facing the outside of the **Part A Seat**.



3

Insert 2 pcs of **Part E Short Footrest** to **Part B** and **Part C Legs**.
Attention: **Part E** is attached to lower position as below.




PRODUCT ASSEMBLY

4


Place another combined **Part (B+D+C)** to the other side of the **Part A Seat** as below. Attach the **Part E** to the combined part.

Loosely attach the combined part to **Part A Seat** with 4 sets of **Hardware (#4 Bolt + #2 Lock Washer + #1 Flat Washer)** by 60%-80% tightness.



5

Firmly attach the footrests to the legs with 8 pcs of **Hardware #5 Self-tapping Screws** by screwdriver.




PRODUCT ASSEMBLY

6


Place the stool in normal position, sit on the seat and press downward till you feel the legs touch the ground evenly.

Tighten all bolts now, make sure the stool is steady enough to use.



7

Adjustable feet levelers are provided for you to further adjust the level of the stool.




PRODUCT ASSEMBLY

8


Check the status of the stool and make sure every part is steady.

Cover the black fabric back onto the bottom of the seat and turn it to normal position.



9

The assembly finishes here, enjoy the stool now.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.