

Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 1 of 9

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

GASPARD SOFT TOY, WHITE, POLYESTER

Item No. : 82058009

Importer : BLOOMINGVILLE A/S
Buyer : BLOOMINGVILLE A/S
Supplier : BLOOMINGVILLE A/S
Manufacturer : BLOOMINGVILLE A/S

Country of Origin : CHINA

Country of Destination : DENMARK

Labeled Age Grading : +0M

Requested Age Grading : ALL AGES

Age Group Assessed by SGS : ALL AGES

As Per Age Guideline

Age Group Applied in Testing : ALL AGES
Sample Receiving Date : AUG 15, 2025

Testing Period : AUG 15, 2025 TO AUG 22, 2025





Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 2 of 9

Test	Conclusion	
1.	For compliance with the European standard on Safety of toys:-	
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2: 2020 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements	PASS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Jia Fengjuan, Shelly Dept. Manager Sun Enxu, Aaron Dept. Manager







Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 3 of 9

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	General Requirements	
4.1	Materials cleanliness	PASS
4.7	Edges	PASS
4.8	Points and Metallic Wires	PASS
5	Toys intended for Children under 36 months	
5.1	General Requirements	
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	PASS
5.1b	Torque test (Test method 8.3)	PASS
5.1b	Tension test (Test method 8.4)	PASS
5.1b	Drop test (Test method 8.5)	PASS
5.1b	Impact test (Test method 8.7)	PASS
5.1b	Sharp edge (Test method 8.11)	PASS
5.1b	Sharp point (Test method 8.12)	PASS
5.2	Soft-filled toys and soft-filled parts of a toy	PASS
5.4	Cords, chains and electrical cables in toys	PASS
7	Warnings, markings and instructions for use	
7.1	General	See Remark
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1. Remark:No packaging provided	
	According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room 101-01/I Part 4 Room 101 (Part 2 Room 101 (Part 2 Room 101 (Part 2 Room 101 (Part 3 R



Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 4 of 9

EN 71-2: 2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Type of gas: Butane gas used in the test burner

Clauses relevant to the item:

Clause	<u>Description</u>	Result
4.1	General requirements	PASS
4.5	Soft-filled toys	PASS (See Result Page)

Result Page:

Soft-filled Toys (Clause 4.5)

Sample	Burning Rate (mm/sec)
See sample description	8.4

(Requirement: The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or shall self-extinguish)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307



Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 5 of 9

LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Present	Toy
CE mark	Present	Toy
Importer's Name & Address	Present	Toy
Manufacturer's Name & Address	Present	Toy
Product ID	Present	Toy

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only at telephone (86-755), 8307.



Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 6 of 9

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

Test Item(s)			Result(s)		MDL	Permissible Limit
Specimen No.			1	2		
Mass of trace amount		(mg)	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	5	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	5	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.025	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	5	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	50	46000

Test Item(s)			Res	ult(s)	MDL	Permissible Limit
Specimen No.			3	4		-
Mass of trace amount (mg)			/	/		
Soluble Aluminium	(AI)	(mg/kg)	54	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

Room 101-401, Plant 4 & Room 101, Plant 2 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101-501, Pl



Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 7 of 9

Test Item(s) Specimen No.			Res	ult(s)	MDL	Permissible Limit
			3	4		
Mass of trace amount		(mg)	/	/		
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	ND	5	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	5	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.025	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	5	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	50	46000

Specimen Description:

- 1. Dark yellow flannel w/ black, light brown fabric thread (Body)
- 2. Cream plush w/ grey, white embroidery (Body)
- 3. Grey fabric w/ brown printing, white fabric thread (Body)
- 4. White satinet w/ black printing (Sewn-in label)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/ferms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Compant-Service-Terms-and-C

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Earghao (Barrian) Industrial Plant Area, No.400, Jihua Road, Barrian Community, Barrian Street, Longgang District, Stendhen, Guangdong, China 518129 www.s.gsgroup.com.cn 中国-广东-深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.china@sgs.com



Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 8 of 9

Note: - mg/kg = milligram per kilogram

- mg = milligram

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit

-1% = 10000 mg/kg = 10000 ppm

- + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * = Exceeds Permissible Limit

N.B.: - Only applicable clauses or requested testing items were shown.

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable ** = Visual Examination DNI = Did Not Ignite

SE = Self-Extinguishing IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307

Room 101-401, Plant 4 & Room 101, Plant 2 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101-501, Pl



Test Report No.: T52510331076TY Date: AUG 22, 2025 Page 9 of 9

Sample Picture (As received)

Pic.1



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-And-Conditions/Terms-and-Conditions-And-Conditi

1443, or email: CN.Doccheck@sgs.com Room 101-901, Plant 14 Room 101, Plant 24 Room 101, Plant 34 Room 101,