




FIELDING TRAINER

GETTING STARTED



Thank you for choosing the SKLZ Fielding Trainer. We are dedicated to providing you with the best tools and instruction possible to help you prepare for your sport. If there is anything else we can do to help, don't hesitate to send us an email at customerservice@sklz.com or give us a call at **1-877-225-7275**.

BEFORE YOU BEGIN:

- Read all instructions carefully before using. If the instructions are not followed correctly, it could result in injury or damage to the product.
- Always check for wear and tear before use. If any is found, do not use the product.
- If you are missing any Fielding Trainer components, please contact SKLZ customer service toll free at 1-877-225-7275.
- Always wear a NOCSAE helmet. Face guard recommended.
- Adult assembly required.

⚠ WARNING:

- Fielding Trainer is under tension when assembled. Please take the utmost care when releasing the tension during disassembly. Failure to do so may result in injury.
- To avoid pinching, use caution when assembling the push-button tubing.
- Do not climb or hang on the Fielding Trainer.
- Regularly check for wear and tear. Stop using Fielding Trainer if any part of it breaks. Failure to do so could result in injury.
- Not suitable for children under 3 years of age. Recommended for athletes over 14 years old. Athletes under the age of 18 should use the Fielding Trainer under strict adult supervision.
- When in use, make sure the Fielding Trainer is set up in a clear area to avoid injury.
- When using your Fielding Trainer, please have others stay clear of the area to reduce the risk of injury.
- Do not store in extremely high or low temperatures to avoid damaging or reducing the life of your Fielding Trainer.
- Never release the Fielding Trainer while under tension. Sudden release will cause the Fielding Trainer to snap toward you and potentially cause significant injury, disfigurement or death.
- Any alteration of this product or its components will result in a disclaimer of liability.
- Balls may return at high speeds and unpredictable angles.

⚠ CAUTION:

- Keep away from fire and heat sources.
- Do not leave your Fielding Trainer outdoors for extended periods of time.
- When in use, make sure your Fielding Trainer is in a clear area to avoid damage to property.
- Avoid storing the Fielding Trainer in extremely hot or cold environments as this could reduce the life span of the product.

CARE:

- Do not use or store near abrasive or sharp objects.

PATENT PENDING

IDEA SUBMISSION


If you have an idea for a new and innovative sport training product, visit sklz.com to submit your concept. Some restrictions may apply.

1-YEAR LIMITED WARRANTY

This warranty does not cover damages resulting from accident, misuse, abuse or lost merchandise and is only valid in the USA. Need proof of purchase for warranty coverage. **Questions? Email customerservice@sklz.com or call toll free 1-877-225-7275.**

Made in China. ©2016 Pro Performance Sports, LLC. All rights reserved. Manufactured and distributed by SKLZ/Pro Performance Sports: 2081 Faraday Avenue, Carlsbad, CA 92008 USA. SKLZ is a registered trademark of Pro Performance Sports, LLC, its subsidiaries and affiliates. Product features, appearance and specifications may be subject to change without notice. Unauthorized duplication is a violation of applicable local and international laws.

IN THE BOX



ASSEMBLY

Remove all pieces from the Fielding Trainer box, remove plastic covering and group together as outlined below.

- 10 frame pieces (A-L)
- 2 corner joints (I-J, included in bungee bag)
- 1 black and yellow net (N)
- 30 bungee cords (M)

ASSEMBLING THE FRAME

1. Remove black protective caps from end of all poles. Black Protective caps can be discarded once removed as they are only used to avoid damage to edges.
2. Begin by assembling the base portion of the Fielding Trainer by connecting section A into B and C.
3. Begin assembling the frame and target portion of the Fielding Trainer by attaching part D to part C, E and B.
4. After the base has been completed and the beginning of the target frame has been started, attach part F to part D, G and E.
5. Attach the corner joints (I and J) to H (24 inch black tubing).
6. After the bracing bar has been built, attach bar to black tubes extending from parts F and G.
NOTE: The corner joints should be attached to the bracing bar with the plastic tabs on the inside of the base.
7. Attach K and L. Once complete, attach K to F and L to G. The target frame and base are now fully constructed.

ASSEMBLING THE NET

1. Use the bungees (M) to attach the net (N) to the yellow target frame.
NOTE: It is recommended to use 8 bungees on the left and right sides and 7 bungees on the top and bottom.

Once net is attached, move the Fielding Trainer to an open space to begin training.

NOTE: See included training guide for recommended drills or visit [skiz.com/FieldingTrainer](https://www.skiz.com/FieldingTrainer) for extra training content