

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Minute Mend™ Epoxy Putty

Other means of identification

**Product Code** No. 14071 (Item# 1004798)

Recommended use Permanent repair of holes and gouges

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

CRC Industries. Inc. Company name 885 Louis Dr. **Address** 

Warminster, PA 18974 US

Telephone

215-674-4300 **General Information Technical Assistance** 800-521-3168 **Customer Service** 800-272-4620 24-Hour Emergency 800-424-9300 (US)

(CHEMTREC) 703-527-3887 (International) Website www.crcindustries.com

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Sensitization, skin Category 1 **Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** May cause an allergic skin reaction. Harmful to aquatic life. Harmful to aquatic life with long

lasting effects.

**Precautionary statement** 

Prevention Avoid breathing vapors. Contaminated work clothing must not be allowed out of the workplace.

Avoid release to the environment. Wear protective gloves.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

Category 3

Wash contaminated clothing before reuse.

Store away from incompatible materials. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Material name: Minute Mend™ Epoxy Putty SDS US

Chemical name	Common name and synonyms	CAS number	%
talc (not containing asbestos fiber	rs)	14807-96-6	40 - 50
glass, oxide, chemicals		65997-17-3	20 - 30
bisphenol A, epichlorohydrin polymer		25068-38-6	5 - 10
titanium dioxide		13463-67-7	5 - 10
3,6-diazaoctanethylenediamin		112-24-3	< 1
quartz		14808-60-7	< 1

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation**Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, trained personnel should give oxygen. Do not use mouth-to-mouth method if victim inhaled

the substance. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

**Most important** Irritation of eyes and mucous membranes. Rash. May cause an allergic skin reaction. Dermatitis.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

General fire hazards

Use fire-extinguishing media appropriate for surrounding materials.

None known.

During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas.

**Environmental precautions** 

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

Precautions for safe handling

Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Wash hands after handling and before eating. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Do not store container above 95 °F/35 °C.

SDS US

## 8. Exposure controls/personal protection

## Occupational exposure limits

US. OSHA Table Z-1 Limits Components	Туре	Value	Form
quartz (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CF	R 1910.1000)		
Components	Туре	Value	Form
quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
talc (not containing asbestos fibers) (CAS 14807-96-6)	TWA	0.1 mg/m3	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.
titanium dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit	t Values		
Components	Туре	Value	Form
quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
talc (not containing asbestos fibers) (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	Form
glass, oxide, chemicals (CAS 65997-17-3)	TWA	3 fibers/cm3	Fiber.
		3 fibers/cm3	Fibrous dust.
		5 mg/m3	fibers, total dust
		5 mg/m3	Fiber, total
quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
talc (not containing asbestos fibers) (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.
US. Workplace Environmer	ntal Exposure Level (WEEL	.) Guides	
Components	Туре	Value	
3,6-diazaoctanethylenedia min (CAS 112-24-3)	TWA	6 mg/m3	
		1 ppm	
ogical limit values	•	nits noted for the ingredient(s).	
osure guidelines	Occupational exposure to should be monitored and	nuisance dust (total and respirable) and recontrolled.	espirable crystalline silica
US WEEL Guides: Skin des	signation		
3,6-diazaoctanethylened	<del>-</del>	Can be absorbed through the skin.	

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Material name: Minute Mend™ Epoxy Putty

SDS US No. 14071 (Item# 1004798) Version #: 02 Revision date: 03-08-2018 Issue date: 03-08-2018

Skin protection

**Hand protection** Wear protective gloves such as: Rubber.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

should be worn if material is to be sanded or sawed to avoid inhalation of airborne particles. In this situation, a cartridge respirator with an organic vapor cartridge and a P100 filter should be used.

Air monitoring is needed to determine actual employee exposure levels.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

Form Semi-solid paste.
Color Green. White.

Odor Pungent. Sulphurous.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling > 392 °F (> 200 °C)

range

Flash point > 200 °F (> 93.3 °C) Setaflash

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressure 406.9 hPa estimated

Vapor density Not available.

Relative density 1.97

Solubility(ies)

Solubility (water) Insoluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature > 392 °F (> 200 °C)

Percent volatile 0 %

# 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Temperatures above 35 °C. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides. Metal oxides. Halogenated materials.

No. 14071 (Item# 1004798) Version #: 02 Revision date: 03-08-2018 Issue date: 03-08-2018

## 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Not known. Acute toxicity

Components **Species Test Results** 

bisphenol A, epichlorohydrin polymer (CAS 25068-38-6)

**Acute** 

Oral LD50

Rat 11400 mg/kg

May cause an allergic skin reaction. Dermatitis. Rash.

quartz (CAS 14808-60-7)

**Acute** Oral

LD50 Rat 500 mg/kg

titanium dioxide (CAS 13463-67-7)

**Acute** 

**Dermal** 

**LD50** Rabbit > 10000 mg/kg

Oral

LD50 Rat > 10000 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

No. 14071 (Item# 1004798) Version #: 02 Revision date: 03-08-2018 Issue date: 03-08-2018

Components Species Test Results

bisphenol A, epichlorohydrin polymer (CAS 25068-38-6)

**Aquatic** 

Acute

Fish LC50 Rainbow trout, donaldson trout 3.6 mg/l, 96 hours

(Oncorhynchus mykiss)

titanium dioxide (CAS 13463-67-7)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia magna) > 1000 mg/l, 48 hours

Acute

Fish LC50 Fathead minnow (Pimephales promelas) 1000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

**Bioconcentration factor (BCF)** 

titanium dioxide 352

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Hazardous waste code Not regulated.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

**Disposal instructions** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty

containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all

applicable regulations.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

## 15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**CERCLA Hazardous Substances: Reportable quantity** 

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard Acute toxicity (any route of exposure) categories Respiratory or skin sensitization

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### **US** state regulations

#### US. New Jersey Worker and Community Right-to-Know Act

3,6-diazaoctanethylenediamin (CAS 112-24-3)

glass, oxide, chemicals (CAS 65997-17-3)

quartz (CAS 14808-60-7)

talc (not containing asbestos fibers) (CAS 14807-96-6)

titanium dioxide (CAS 13463-67-7)

#### **US. Massachusetts RTK - Substance List**

3,6-diazaoctanethylenediamin (CAS 112-24-3)

glass, oxide, chemicals (CAS 65997-17-3)

quartz (CAS 14808-60-7)

talc (not containing asbestos fibers) (CAS 14807-96-6)

titanium dioxide (CAS 13463-67-7)

#### US. Pennsylvania Worker and Community Right-to-Know Law

3,6-diazaoctanethylenediamin (CAS 112-24-3)

glass, oxide, chemicals (CAS 65997-17-3)

quartz (CAS 14808-60-7)

talc (not containing asbestos fibers) (CAS 14807-96-6)

titanium dioxide (CAS 13463-67-7)

#### **US. Rhode Island RTK**

glass, oxide, chemicals (CAS 65997-17-3)

quartz (CAS 14808-60-7)

talc (not containing asbestos fibers) (CAS 14807-96-6)

titanium dioxide (CAS 13463-67-7)

#### **California Proposition 65**



WARNING: Reproductive Harm - www.P65Warnings.ca.gov

## California Proposition 65 - CRT: Listed date/Developmental toxin

methanol (CAS 67-56-1) Listed: March 16, 2012

#### California Proposition 65 - CRT: Listed date/Female reproductive toxin

bisphenol A (CAS 80-05-7) Listed: May 11, 2015

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

glass, oxide, chemicals (CAS 65997-17-3)

quartz (CAS 14808-60-7)

talc (not containing asbestos fibers) (CAS 14807-96-6)

titanium dioxide (CAS 13463-67-7)

Material name: Minute Mend™ Epoxy Putty

No. 14071 (Item# 1004798) Version #: 02 Revision date: 03-08-2018 Issue date: 03-08-2018

## Volatile organic compounds (VOC) regulations

**EPA** 

VOC content (40 CFR 0 %

51.100(s))

Consumer products Not regulated

(40 CFR 59, Subpt. C)

State

Consumer products This product is regulated as a Sealant and Caulking Compound (chemically curing, non-aerosol).

This product is compliant for use in all 50 states.

VOC content (CA) 0 % VOC content (OTC) 0 %

#### **International Inventories**

**Philippines** 

Country(s) or region

		· · · · · · · · · · · · · · · · · · ·
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

(PICCS)

Inventory name

Taiwan Toxic Chemical Substances (TCS)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

Philippine Inventory of Chemicals and Chemical Substances

## 16. Other information, including date of preparation or last revision

Issue date03-08-2018Revision date03-08-2018Prepared byAllison Yoon

Version # 02

**Disclaimer** The information contained in this document applies to this specific material as supplied. It may not

be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

**Revision information** Handling and storage: Precautions for safe handling

Exposure controls/personal protection: Respiratory protection

Material name: Minute Mend™ Epoxy Putty

No. 14071 (Item# 1004798) Version #: 02 Revision date: 03-08-2018 Issue date: 03-08-2018

On inventory (yes/no)\*

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).