

SAFETY DATA SHEET

1. Identification

Product identifier	Hydraulic & Jack Oil - 5 gal			
Other means of identification				
Product Code	No. SL2555 (Item# 1007842)			
Recommended use	Hydraulic and jack oil			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/	Distributor information			
Manufactured or sold by:				
Company name	CRC Industries, Inc.			
Address	885 Louis Dr.			
	Warminster, PA 18974 US			
Telephone				
General Information	215-674-4300			
Technical Assistance	800-521-3168			
Customer Service	800-272-4620			
24-Hour Emergency	800-424-9300 (US)			
(CHEMTREC) Website	www.crcindustries.com			
2. Hazard(s) identification				
Physical hazards	Not classified.			
Health hazards	Not classified.			
Environmental hazards	Not classified.			
OSHA defined hazards	Not classified.			
Label elements				
Hazard symbol	None.			
Signal word	None.			
Hazard statement	The mixture does not meet the criteria for classification.			
Precautionary statement				
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use. Observe good industrial hygiene practices.			
Response	Wash hands after handling.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of waste and residues in accordance with local authority requirements.			
Hazard(s) not otherwise classified (HNOC)	None known.			

Supplemental information None. 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	60 - 70
distillates (petroleum), solvent-refined heavy naphthenic		64741-96-4	30 - 40

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures				
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.			
Skin contact	Wash off with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.			
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur. If ingestion of a large amount does occur, call a poison control center immediately.			
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.			
Indication of immediate medical attention and special treatment needed	Treat symptomatically.			
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
5. Fire-fighting measures				
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.			
Unsuitable extinguishing media	None known.			
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.			
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.			
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.			
General fire hazards	No unusual fire or explosion hazards noted.			
6. Accidental release mea	sures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.			
Methods and materials for	The product is immiscible with water and will spread on the water surface.			
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.			
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.			
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.			
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.			
7. Handling and storage				
Precautions for safe handling	Wear appropriate personal protective equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. When using, do not eat, drink or smoke. Wash contaminated clothing before reuse. Use appropriate container to avoid environmental contamination. For product usage instructions, see the product label.			
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).			

8. Exposure controls/personal protection

U.S OSHA Components	Туре	Value	
distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	
,	r Air Contaminants (29 CFR 1910.1000) Type	Value	Form
distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	PEL	5 mg/m3	Mist.
distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)	PEL	5 mg/m3	Mist.
,		2000 mg/m3 500 ppm	
ACGIH Components	Туре	Value	Form
distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction
US. ACGIH Threshold Limit Va Components	alues Type	Value	Form
distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)	TWA	5 mg/m3	Inhalable fraction.
U.S NIOSH Components	Туре	Value	Form
distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist
······································	TWA	5 mg/m3	Mist
US. NIOSH: Pocket Guide to C Components	Chemical Hazards Type	Value	Form
distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
· · · · /	TWA	5 mg/m3	Mist.
distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)	Ceiling	1800 mg/m3	
,	STEL	10 mg/m3	Mist.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Wear protective gloves such as: Nitrile. Polyvinyl chloride (PVC).		
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.		

9. Physical and chemical properties

Appearance	
Physical	etat

••				
Physical state	Liquid.			
Form	Liquid.			
Color	Amber. Red.			
Odor	Mild petroleum.			
Odor threshold	Not available.			
рН	Not available.			
Melting point/freezing point	Not available.			
Initial boiling point and boiling range	680 °F (360 °C) estimated			
Flash point	380 °F (193.3 °C) Pensky-Martens Closed Cup			
Evaporation rate	Slow.			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or exp	losive limits			
Flammability limit - lower (%)	Not available.			
Flammability limit - upper (%)	Not available.			
Vapor pressure	0.004 hPa estimated			
Vapor density	> 5 (air = 1)			
Relative density	0.87 - 0.89			
Solubility(ies)				
Solubility (water)	Insoluble.			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	500 °F (260 °C) estimated			
Decomposition temperature	Not available.			
Viscosity	49.8 - 58 mm²/s (104 °F (40 °C))			
Percent volatile	99 % estimated			

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.			
Chemical stability	Material is stable under normal conditions.			
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.			
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.			
Incompatible materials	Strong oxidizing agents.			
Hazardous decomposition products	Carbon oxides.			

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.			
Skin contact	Prolonged skin contact may cause temporary irritation. Repeated exposure may cause skin dryness or cracking.			
Eye contact	Direct contact with eyes may cause temporary irritation.			
Ingestion	Expected to be a low ingestion hazard.			
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			

Information on toxicological effects

Acute toxicity

Acute toxicity			
Product	Species	Test Results	
Hydraulic & Jack Oil - 5 gal			
Acute			
Dermal			
LD50	Rabbit	5034 mg/kg	
Oral			
LD50	Rat	8806 mg/kg	
Components	Species	Test Results	
distillates (petroleum), solvent-ref	ined heavy naphthenic (CAS 64741-96-4)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 5000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	
* Estimates for product may I	be based on additional component data not sh	own.	
Skin corrosion/irritation	Prolonged skin contact may cause tempora		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carci	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
(CAS 64742-54-7)		ifiable as to carcinogenicity to humans.	
	ed Substances (29 CFR 1910.1001-1053)		
Not listed. US. National Toxicology Pr	ogram (NTP) Report on Carcinogens		
Not listed.	- <u>-</u> · · · · · · · · · · · · · · · · · · ·		
Reproductive toxicity	This product is not expected to cause repro	ductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
	Not classified.		
Aspiration hazard	NUL CIASSILICU.		
Aspiration hazard Chronic effects	Prolonged inhalation may be harmful.		

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environmen			
Components		Species	Test Results	
distillates (petroleum), hydro	treated heavy	paraffinic (CAS 64742-54-7)		
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales pr	omelas) >100 mg/l, 96 hours	
* Estimates for product may	be based on a	additional component data not shown.		
Persistence and degradability	No data is	available on the degradability of this p	product.	
Bioaccumulative potential				
Mobility in soil	No data av	No data available.		
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considerati	ons			
Disposal instructions	containers	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.		
Hazardous waste code	Not regula	Not regulated.		
Contaminated packaging		Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Food and Drug

Administration (FDA)

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Massachusetts RTK - Substance List

distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)

US. Pennsylvania Worker and Community Right-to-Know Law

distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

US. Rhode Island RTK

distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR 51.100(s))	Not determined
Consumer products (40 CFR 59, Subpt. C)	Not regulated

State

Consumer products	Not regulated	
VOC content (CA)	0 %	
VOC content (OTC)	0 %	

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No

Country(s) or region

Inventory name

On inventory (yes/no)* Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-17-2019
Prepared by	Dustin Kern
Version #	01
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	This document has undergone significant changes and should be reviewed in its entirety.