



Area		JAPAN	NORTH AMERICA	EUROPE	EUROPE DERIVATIVE 1	EUROPE DERIVATIVE 2	GENERAL AREA
Model Name		XRJ-50X90J	XR-50X90J	XR-50X90J	XR-50X92J	XR-50X94J	XR-50X90J
SV No.		SV-39371	SV-39177	SV-39334	SV-39335	SV-39336	SV-39226
DIMENSION	TV only (W x H x D)	111.9 x 64.9 x 6.9 cm	1119 x 649 x 69 mm / 44 1/8 x 25 5/8 x 2 3/4 inch	Approx. 111.9 x 64.9 x 6.9 cm	Approx. 111.9 x 64.9 x 6.9 cm	Approx. 111.9 x 64.9 x 6.9 cm	Approx. 1119 x 649 x 69 mm
	TV with Stand (Standard position) (W x H x D)	111.9 x 71.3 x 29.6 cm	1119 x 715 x 286 mm / 44 1/8 x 28 1/4 x 11 3/8 inch	Approx. 111.9 x 71.5 x 28.6 cm	Approx. 111.9 x 71.5 x 30.0 cm	Approx. 111.9 x 71.3 x 29.6 cm	Approx. 1119 x 715 x 286 mm
	TV with Stand (Narrow position) (W x H x D)	-	-	-	-	-	-
	TV with Stand (Soundbar position) (W x H x D)	-	-	-	-	-	-
	TV with Floor Stand (W x H x D)	-	-	-	-	-	-
	Stand Width (Standard position)	111.7 cm	665 mm / 26 1/4 inch	Approx. 66.5 cm	Approx. 63.1 cm	Approx. 111.7 cm	Approx. 665 mm
	Stand Width (Narrow position)	-	-	-	-	-	-
	Stand Width (Soundbar position)	-	-	-	-	-	-
	Floor Stand Width	-	-	-	-	-	-
	VESA Hole Pitch	20.0 x 20.0 cm	200 x 200 mm / 7 7/8 x 7 7/8 inch	20.0 x 20.0 cm	20.0 x 20.0 cm	20.0 x 20.0 cm	200 x 200 mm
WEIGHT	TV Only	13.5 kg	13.5 kg / 29.8 lb	Approx. 13.5 kg	Approx. 13.5 kg	Approx. 13.5 kg	Approx. 13.5 kg
	TV with Stand (Standard position)	14.7 kg	14.1 kg / 31.1 lb	Approx. 14.1 kg	Approx. 17.1 kg	Approx. 14.7 kg	Approx. 14.1 kg
	TV with Stand (Narrow position)	-	-	-	-	-	-
	TV with Stand (Soundbar position)	-	-	-	-	-	-
	TV with Floor Stand	-	-	-	-	-	-
	Floor Stand weight (Supply)	-	-	-	-	-	-
	W-M't Br. Weight (Supply)	-	-	-	-	-	-
Remarks		PREMIUM EDGE STAND			CENTER STAND	PREMIUM EDGE STAND	

WITH STAND




MAIN STAND
STANDARD POSITION
Except XRJ-50X90J (JAPAN) &
XR-50X92J, XR-50X93J, XR-50X94J (EUROPE DERIVATIVE)






Purchase recycled resins and wire rods only from the business partners that Sony approves as Green Partners.
再生樹脂・被覆電線はグリーンパートナー認定索引先から調達すること。

HISTORY X COUNT	SUPPL. REF. NO.	RELEASE NO.	REVISED DATE	REVISION	SIGN.							GENERAL TOLERANCE				DATE OF ISSUE 2020.11.03			
														DOCUMENT TYPE ASSEMBLY					
														TOLERANCING JIS B 9703 ISO 8015					
										MATERIAL/COLOR				FINISH/COLOR					
LEGAL OWNER																			
Sony Corporation																			
RESPONSIBLE DEPARTMENT						ORIGINAL MODEL						DESCRIPTION(1)							
PANEL & MECHANICAL DESIGN												50(X90J) EXTERIOR VIEW							
PLANNED BY		CHECKED BY		APPROVED BY		SCALE		TENTATIVE MODEL											
DOYU-11.03		DOYU-11.03		DOYU-11.03		1 : 5													
KONIC DCS-MECHA		KONIC DCS-MECHA		KONIC DCS-MECHA															
DRAWN BY		PRG.		UNIT		SIZE		UNIT											
DOYU-11.03				mm		A1		mm											
KONIC DCS-MECHA																			
										PART NO.				SUFFIX		REV. NO.		SHEET/PAGES	
																		1 / 4	

CENTER STAND
STANDARD POSITION
XR-50X92J (EUROPE DERIVATIVE 1 only)





PREMIUM EDGE STAND
STANDARD POSITION
XRJ-50X90J (JAPAN) &
XR-50X93, XR-50X94JJ (EUROPE DERIVATIVE) only




DESCRIPTION	LEGAL OWNER	SCALE
50(X90J) EXTERIOR VIEW	Sony Corporation	1:5
DESCRIPTION	PART NO.	SHEET/PAGES
50(X90J) EXTERIOR VIEW		2/ 4


WITHOUT STAND



For GENERAL AREA, NORTH AMERICA



For JAPAN



For EUROPE

SU-WL450

