

Test Report No.: SZHL250900373801CW Date: SEP 30, 2025 Page 1 of 7

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

Sample Descriptions : WILLY CUP, BLUE, STONEWARE; WILLY PLATE,

BLUE, STONEWARE

Item No.(s) : 82063205, 82063207

P.O./ Ref No.(s) : 70200
Country of Origin : China
Country of Destination : Denmark

Buyer : BLOOMINGVILLE A/S

SGS Order No : SZHL2509003738CW

Sample Receiving Date : SEP 22, 2025

Testing Period : SEP 22, 2025 TO SEP 30, 2025





Test Report No.: SZHL250900373801CW Date: SEP 30, 2025 Page 2 of 7

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test	Conclusion	
Danish Executive Order on Food Contact Materials and Penal Code for Violation of Related EU Acts (BEK No 681 of 25/05/2020) - Leachable Lead and Cadmium		PASS
2	Norwegian regulation FOR 1993-12-21 nr 1381 - Leachable lead, cadmium and barium	
3		

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch







Test Report No.: SZHL250900373801CW Date: SEP 30, 2025 Page 3 of 7

Test Result(s):

Test Part Description:

SN ID	Sample No.	Description	Material (claimed by the client)
SN1	A1	Glazed yellow ceramic cup w/ fish design	Ceramic
SN2	B1	Glazed blue ceramic cup w/ fish design	Ceramic

Remarks:

 mg/dm² = milligram per square decimeter mg/inch² = milligram per square inches μg/cm² = microgram per square centimeter mg/L = milligram per litre mg/kg = milligram per kilogram

(2) °C = degree Celsius

°F = degree Fahrenheit

- (4) <= less than
- (5) RL = Reporting Limit
- (6) ND = Not Detected (< RL).

<u>Danish Executive Order on Food Contact Materials and Penal Code for Violation of Related EU Acts</u> (BEK No 681 of 25/05/2020) - Leachable Lead and Cadmium

Test Method: With reference to BEK No 681 of 25/05/2020 annex 6, analysis was performed by AAS/ICP-OES.

A1 Category 2 Pass

	Depth (mm)	Vol. of 4% acetic acid used (mL)
1	77	310

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)
1	<0.1	<0.01
Limit	4.0	0.3

B1 Category 2 Pass

	Depth (mm)	Vol. of 4% acetic acid used (mL)	
1	77	310	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are standard for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@psq.com

Room 101-00P. Park Room 101-10P. Park Room 101-10P



Test Report No.: SZHL250900373801CW Date: SEP 30, 2025 Page 4 of 7

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)
1	<0.1	<0.01
Limit	4.0	0.3

Notes:

(1) Category 1:

A: Articles which cannot be filled;

B: Articles for filling, whose internal depth measured between the lowest point and the upper edge horizontal level is not more than 25mm;

- (2) Category 2: Articles, not in categories 1 or 3, which can be filled.
- (3) Category 3:
- A: Cooking ware;
- B: Packaging and storage vessels having a capacity of more than three liters.

Test Method: With reference to BEK No 681 of 25/05/2020 annex 6, analysis was performed by

AAS/ICP-OES.

A1 Category 1(Lip&rim) Pass

	Vol. of 4% acetic acid used (mL)	Surface Area (dm²)
1	160	1.03

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

B1 Category 1(Lip&rim) Pass

	Vol. of 4% acetic acid used (mL)	Surface Area (dm²)
1	160	1.03

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

Notes:

(1) Category 1: Articles intended to drink of (lip & rim region).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

Room 101-001 Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-301, Plant 3, Janquiso (Bantian) Industrial Plant Area, No.401, Jihua Road, Bantian Chmunily, Bantian Street, Longgang District, Sherzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国。广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业广区广房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 253 sgs.china@sgs.com



Test Report No.: SZHL250900373801CW Date: SEP 30, 2025 Page 5 of 7

Norwegian regulation FOR 1993-12-21 nr 1381 - Leachable lead, cadmium and barium

Test Method: With reference to Norwegian regulation FOR 1993-12-21 nr 1381 section 26, analysis was

performed by ICP-OES and AAS.

A1 Hollowware Pass

	Vol. of 4% acetic acid used (mL)	Depth (mm)
1	310	77

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)	Leachable Barium (mg/L)
1	<0.1	<0.01	<1.0
Limit	0.1	0.01	1.0

B1 Hollowware Pass

	Vol. of 4% acetic acid used (mL)	Depth (mm)
1	310	77

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)	Leachable Barium (mg/L)
1	<0.1	<0.01	<1.0
Limit	0.1	0.01	1.0

Notes:

- (1) Flatware Articles with an internal depth not exceeding 25 mm or articles which cannot be filled.
- (2) Hollow-ware Articles which can be filled.

Test Method: With reference to Norwegian regulation FOR 1993-12-21 nr 1381 section 26, analysis was

performed by ICP-OES and AAS.

A1 Lip and rim Pass

	Vol. of 4% acetic acid used (mL)	Surface Area (dm²)
1	160	1.03

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)	Leachable Barium (mg/dm²)
1	<0.02	<0.002	<0.2
Limit	0.02	0.002	0.2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are temple(s) are temple(s) and the full of the company of the compan

Room 101-007. Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-301, Plant 3, Janquiso (Bantian) Industrial Plant Area, No.AGU, Jihua Road, Bantian Chmunity, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江颢(坂田)工业广区广房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 253 sgs..china@sgs.com



Test Report No.: SZHL250900373801CW Date: SEP 30, 2025 Page 6 of 7

B1 Lip and rim Pass

	Vol. of 4% acetic acid used (mL)	Surface Area (dm²)
1	160	1.03

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)	Leachable Barium (mg/dm²)
1	<0.02	<0.002	<0.2
Limit	0.02	0.002	0.2

Notes:

(1) Drinking rim –The drinking rim is the 20mm wide section, measured downwards from the upper edge along the wall of the vessel, of the external surface of a drinking vessel.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, European Council Directive 84/500/EEC & its amendment 2005/31/EC - Leachable Lead and Cadmium

Test Method: With reference to European Council Directive 84/500/EEC & its amendment 2005/31/EC,

analysis was performed by AAS/ICP-OES.

A1 Category 2 Pass

	Depth (mm)	Vol. of 4% acetic acid used (mL)
1	77	310

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)
1	<0.1	<0.01
Limit	4.0	0.3

B1 Category 2 Pass

	Depth (mm)	Vol. of 4% acetic acid used (mL)
1	77	310

Leachable Lead (mg/L)		Leachable Cadmium (mg/L)
1	<0.1	<0.01
Limit	4.0	0.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues fiftened therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are temple for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room 101-00P. Public 28 Boom 101, Publ 28 Boom



Test Report No.: SZHL250900373801CW Date: SEP 30, 2025 Page 7 of 7

Notes:

- (1) Category 1: Articles that cannot be filled and articles that can be filled, the internal depth of which does not exceed 25 mm.
- (2) Category 2: Articles, not in categories 1 or 3, which can be filled.
- (3) Category 3: Cooking ware; packaging and storage vessels having a capacity of more than three liters.

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A(NA) = Not Applicable

N/C(NC) = Not Conducted

N/T(NT) = Not Tested

3. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

Sample Picture (As received)





SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

Room 101-901, Plant 4 & Room 101 Plant 2 & Room 101 Plant 2 & Room 101 Plant 3 & Room 301-911, Plant 3, Janqhao (Bantian) Industrial Plant Ava, No.500, Juliua Rood, Bantian Chmunithy, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业广区广房 4 号 101-901、2 号 101、3 号 301-501 邮编:518129 t (86-755) 253 sgs.china@sgs.com