

QUICK START GUIDE SENTINEL[™] SERIES/ DRY SUITS

This Quick Start Guide will provide you the basic information needed to get out and use your suit. For detailed information please review your owner's manual available online at www.mustangsurvival.com

MOBILITY BASED SIZING™

In order to take your measurements correctly and select the appropriate size, please follow the instructions provided on our website at: www.mustangsurvival.com/mobility

QUICK START GUIDE

THE SENTINEL[™] SERIES DRY SUITS ARE WATERPROOF & BREATHABLE DRY SUITS. THEY FEATURE MUSTANG SURVIVAL'S MOBILITY BASED SIZING[™] AND RAPID REPAIR TECHNOLOGY[™] MAKING THEM THE MOST ADVANCED DRY SUITS ON THE MARKET.

This Quick Start Guide will provide you the basic information needed to get out and use your suit. For detailed information please review your owner's manual or consult www.mustangsurvival.com.

WRIST AND NECK SEAL FITTING

The seals on your dry suit tend to adjust to the wearer after a short period of time. If no excessive seal restriction exists, and seal fit is acceptable to the user, the seals should be left as is.

Neck seals shall fit snugly and remain in direct contact with the neck through all normal head movements.

Adjustable Neck Seal: Mustang's patented Closed Comfort System (CCS^{M}) can be worn loose to provide comfort out of the water and can quickly be drawn tight to keep the water out.

Wrist seals shall fit tightly enough to prevent water entry, but not tight enough to restrict blood flow.

If seal sizing is required, procedures are outlined in your owner's manual.

CLEANING

Rinse your dry suit with fresh water after each use. For laundering or detailed cleaning instructions review your owner's manual.

ZIPPER CARE AND USE

Regular zipper maintenance is recommended to maintain a watertight seal, inhibit corrosion and keep the zipper gliding freely. These steps are essential to zipper longevity:

- 1. Clean the zipper of any heavy deposits of mud, sand, salt or foreign substances using warm soapy water.
- 2. Use a recommended cleaning fluid (see owner's manual) to clean the inner and outer elements of the zipper.
- 3. METAL ZIPPERS: Apply a recommended lubricant (see owner's manual) to the outer elements of the zipper only.
- 4. PLASTIC ZIPPERS: Apply a recommended lubricant (see owner's manual) to the docking end of the zipper only.
- 5. Close and open zipper carefully to thoroughly distribute lubricant. Repeat process until zipper moves freely. Wipe away excess.
- 6. A suit that is used daily requires zipper care to be done on a weekly basis, as a minimum, paying close attention to more frequent cleaning of the zipper as required.

CAUTION: YKK™ AQUASEAL ZIPPERS DO NOT REQUIRE THE ZIPPER CHAIN TO BE LUBRICATED, ONLY THE DOCKING END. LUBRICATING THE ZIPPER CHAIN MAY AFFECT THE ZIPPER'S PERFORMANCE AND IS NOT RECOMMENDED.

For detailed information please review your owner's manual or consult www.**mustangsurvival.com.**

MUSTANG ENGINEERED

For 50 years Mustang Survival has been engineering highperformance marine gear for military, coast guard, and rescue personnel. With a focus on applied research and field-testing, we're committed to the protection and enhancement of those who push themselves to extremes. We build gear that saves lives and fuels exploration.

www.mustangsurvival.com

DO NOT REMOVE PRIOR TO SALE.

MUSTANG SURVIVAL AND SEAHORSE DESIGN ARE ALL REGISTERED TRADEMARKS OF MUSTANG SURVIVAL ULC. A BRAND OF THE SAFARILAND GROUP © 2016 SAFARILAND, LLC 052813

HT0601 REV 24MAR2016