HEL-BPH180

180 Degree Glass-to-Glass Pivot Hinge



Do not measure images. Use specified dimensions.



Measure from finished edge of glass.




Use monolithic glass.

- Glass Sizes:
 5/6" (8 mm) to 3/6" (10 mm) thick tempered safety glass
- Maximum Door Capacities for Two Hinges:


Maximum Door Weight: 100 lbs. (46 kg)

Maximum Door Width: 31" (787*mm*)

Edge Mount Preferred Method 1/8" (3mm) to 3/16" (5mm) Clearance



*The %6" (14mm) measurement on the fixed panel outer edge is dependent on the horizontal alignment of the fixed panel being inline with the door panel outer edge. If the fixed panel location is not inline with the door panel, revise this measurement and adjust accordingly.



HEL-BPH180

180 Degree Glass-to-Glass Pivot Hinge



Do not measure images. Use specified dimensions.



Measure from finished edge of glass.




Use monolithic glass.

- Glass Sizes:
 5/6" (8 mm) to 3/6" (10 mm) thick tempered safety glass
- Maximum Door Capacities for Two Hinges:


Maximum Door Weight: 100 lbs. (46 kg)

Maximum Door Width: 31" (787mm)

Edge Mount Alternate Method 1/8" (3mm) to 3/16" (5mm) Clearance



*The %6" (14mm) measurement on the fixed panel outer edge is dependent on the horizontal alignment of the fixed panel being inline with the door panel outer edge. If the fixed panel location is not inline with the door panel, revise this measurement and adjust accordingly.



HEL-BPH180

180 Degree Glass-to-Glass Pivot Hinge



Do not measure images. Use specified dimensions.



Measure from finished edge of glass.




Use monolithic glass.

- Glass Sizes:
 5/6" (8 mm) to 3/6" (10 mm) thick tempered safety glass
- Maximum Door Capacities for Two Hinges:

Maximum Door Weight: 100 lbs. (46 kg)

Maximum Door Width: 31" (787mm)

Variable Inset Mount Method 1/8" (3mm) to 3/16" (5mm) Clearance



HEL-BPH180

180 Degree Glass-to-Glass Pivot Hinge



Do not measure images. Use specified dimensions.



Measure from finished edge of glass.



Use monolithic glass.

- Glass Sizes:
 5/6" (8 mm) to 3/6" (10 mm) thick tempered safety glass
- Maximum Door Capacities for Two Hinges:

Maximum Door Weight: 100 lbs. (46 kg)

Maximum Door Width: 31" (787mm)

Transom Mount Method 1/8" (3mm) to 3/16" (5mm) Clearance

