

Eaton BR48L125RP

Catalog Number: BR48L125RP

Eaton Eaton BR main lug loadcenter, No feed-thru lugs, Convertible main, 125 A , L2, Aluminum, Cover included, NEMA 1, Metallic, 25 kAIC, NEMA 1,42 Circuits, 42 Spaces,Four-wire, Three-phase, Type BR 1-inch breakers, 120/240V



General specifications

Product Name	Catalog Number
Eaton BR main lug loadcenter	BR48L125RP
UPC	Product Length/Depth
786676001205	3.56 in
Product Height	Product Width
13 in	11 in
Product Weight	Warranty
10.1 lb	10 year
Certifications	
UL 67	
UL 50	

defaultTaxonomyAttributeLabel

Special features

Current design

Type

Main lug

Amperage Rating

125 A

Bus material

Aluminum

Cover

Cover included

Main circuit breaker

BR

Mounting

Surface

Number of circuits

8

Number Of Poles

Eight-pole

Number of spaces

4

Phase

Single-phase

Used with

Type BR 1-inch breakers

Voltage rating

120/240V

Wire size

#14-1/0 AWG Cu/Al

Box size

7R

Enclosure

NEMA 1

Enclosure material

Metallic

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

[Type BR Arc Fault Circuit Breakers and Loadcenters](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Installation instructions

[Cutler-Hammer Type CH and BR Loadcenters - Instructions](#)

Specifications and datasheets

[Eaton Specification Sheet - BR48L125RP](#)

Interrupt rating

10 kAIC

Number of wires

3



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia