

Multi-Flo^{XP}



HILLYARD

The Cleaning Resource®

Easy to Use - Excellent Results

It's in the design. Being in the floor coatings business for over 100 years has its advantages. Our coatings experience has led to a design that consistently delivers better results with minimal operator training. Multi-Flo XP takes about the same level of skill to operate as a push lawn mower. Easy to use, excellent results!

Consistency

An independently weighted application head provides an optimum level of pressure to the applicator, consistently achieving specified coverage rates. The result is uniform coats of finish that make your floor look great - regardless of who is applying the finish.

Traditional methods rely on the operators "touch and experience." The weight of gravity-feed systems constantly changes as product is being applied, making it nearly impossible to achieve consistent, uniform coats.

Maneuverability

Four independent swivel castors allow for maximum maneuverability. It's easy for an operator to get the Multi-Flo XP into tight corners, around pillars, or moving in a straight line.

The articulating handle gives the operator complete control and the freedom to perfectly position the Multi-Flo XP in the tightest spots.

Battery-Operated Pump

The battery-operated pump system quickly dispenses finish. At the touch of a button, saturate the application head and keep a consistent "well" of finish to maintain a wet edge - a key to avoiding streaks and achieving better results.

Battery Life

Coat about 100,000 square feet on a full charge!



Easily accessible, well-protected charger port. Simply plug in your charger to recharge your battery-operated system.

Simple Clean Up

Unlike mops and buckets, backpack systems, and gravity-fed applicators, Multi-Flo XP is easy to clean.

- Use finish right out of its own container. There are no extra buckets, reservoirs, or special backpacks to fill, clean, or transfer left-over finish from. If there is left-over finish with the Multi-Flo XP, just put the cap back on the container.
- A very short run of large diameter tubing is easily flushed clean. For water-based finishes, a small amount of water is circulated through the pump. Solvent-based finishes require a solvent rinse.



Versatility

Use On Many Surfaces


- Resilient/Vinyl
- Wood
- Terrazzo
- Smooth Concrete
- Carpet

Improve Productivity


The Multi-Flo® XP is fast! Apply floor finish at rates up to 10,000 square feet per hour in open areas like hallways, gymnasiums, and multi-purpose rooms.

Apply finish in smaller rooms at a rate of 6,000 square feet per hour. That's a typical 900 square foot classroom in less than 10 minutes.

**ISSA 540 Cleaning Times used for comparative systems.*



Multi-Flo^{XP} SOLUTIONTank



Built in fill gauge with graduations at 5, 7.5 and 10-gallons.

Wide-mouth access makes it easy to fill, empty and clean!

High capacity 11-gallon tank saves time with less refilling.



Watch the
SOLUTIONTank
video!



Multiple Container Options

Bag-in-box, 5-gallon buckets, 2.5 and 1-gallon containers, the Multi-Flo XP accommodates them all! One applicator. Multiple containers. Many surfaces. Multi-Flo XP just makes sense!

Select from any Hillyard high-performance finish or sealer and it will work with the Multi-Flo XP.



Better Ergonomics & Safety

It's not a natural body movement to push and pull a heavily saturated finish mop across the floor. The upper body is constantly moving, stretching, and reaching when applying finish with mops, backpack systems or gravity-feed applicators.

When using the Multi-Flo XP, the operator is in a more natural upright walking position. The weight of the finish is distributed over four large casters, making it easy to position the applicator.

Folding Handle

Handle folds, making it easy to transport and store.

Watch the Multi-Flo XP Overview video!



Multi-Flo^{XP}

The Best Way To Apply Floor Finish. Period.

Coat

Uniform Coating, Consistent Durability, Better Results.

Add The Optional SOLUTIONTANK...

Turn the Multi-Flo XP into the Total Floor Care Solution!

Clean


- Multi-Flo XP is for more than just restorative projects - use it for everyday cleaning!
- Fresh cleaning solution is applied to the leading edge of the floor pad at the touch of a button delivering superior cleaning results.
- Fast and efficient with a 30-inch wide path.

Strip

- The safe alternative to a process that is inherently slick and slippery.
- Apply and agitate stripping solution without "stepping in it."
- Fast and efficient with a 30-inch wide path.
- The applicator head has risers that lift the pad off the floor providing the optimum combination of saturation, agitation, and dwell time.

Carpet Pre-Spray

- Unlike pump-up sprayers, the carpet pre-spray system provides consistent, uniform and complete coverage of the carpet surface resulting in superior cleaning results.
- High-volume 30-inch wide spray pattern delivers greater productivity.












Multi-Flo^{XP}
SOLUTIONTank

System Configuration Options

The Multi-Flo® XP has been designed with application specific components to maximize results. The three configurations available are for floor finish (resilient/vinyl tile), water-based gym finish, and solvent-based gym finish.












Base Unit
Pictured
Without
Application
Head Assembly

Configuration	Applicator Head	Applicator Pad Refills	Pump System
HIL50110 Floor Finish System Complete <i>Base unit, battery, charger, weights, clean out tube, B-I-B hookup. Plus, applicator head, one pad, and pump listed at right.</i>	 Flat Pad Assembly	 HIL55331	HIL50226 .5 GPM 12V 
HIL50109 Water-based Gym Finish System Complete <i>Base unit, battery, charger, weights, clean out tube, pail/2.5 gal. dip tube B-I-B hookup. Plus, applicator head, one pad, and pump listed at right.</i>	 Single Bar System	 HIL50113 Applicator Pad, 1 - 30"	HIL50200 3 GPM 12V 
HIL50108 Solvent-Based Gym Finish System <i>Base unit, battery, charger, weights, clean out tube, pail/2.5 gal. dip tube. Plus, applicator head, one pad set, and pump listed at right.</i>	 Double Bar System	 HIL50162 Applicator Pad Set, 1-23", 1-30"	HIL50127 1.9 GPM 12V Rated for solvent use.* 

Conversion Kit Options

Once you have a complete Multi-Flo XP, convert it from one application to another with one of the following kits.

Conversion Kit	Applicator Head Assembly	Applicator Pad Refills	Pump System
HIL50262 Floor Finish System Conversion Kit <i>Applicator head, one pad, and pump listed at right. Plus, all hardware to make conversion.</i>	 Flat Pad Assembly	 HIL55331	HIL50226 .5 GPM 12V 
HIL50261 Water-based Gym Finish Conversion Kit <i>Applicator head, one pad, and pump listed at right. Plus, all hardware to make conversion.</i>	 Single Bar System	 HIL50113 Applicator Pad, 1 - 30"	HIL50200 3 GPM 12V 
HIL50260 Solvent-Based Gym Finish Conversion Kit <i>Applicator head, one pad set, and pump listed at right. Plus, all hardware to make conversion.</i>	 Double Bar System	 HIL50162 Applicator Pad Set, 1-23", 1-30"	HIL50127 1.9 GPM 12V Rated for solvent use.* 

* HIL50127 pump is rated for solvent use and can also be used for NON BAG-IN-BOX water-based finishes.

SOLUTIONTank Options



HIL54027
 SOLUTIONTank Kit

Includes tank, cap, green stripping pad, 2 risers w/ pin locks, 1 barb connector



HIL54028
 Carpet Pre-Spray Attachment

Includes bracket and sprayer head.



The Cleaning Resource®

PO Box 909
 St. Joseph, MO 64502
 www.hillyard.com

LIT-Multifloxp-1018

Subject to change without notice.