

This document, including the design, configuration and mechanical features revealed herein are the sole, confidential and proprietary property of TRU Corporation. Reproduction or use thereof, in whole or part, is prohibited without the prior written consent of TRU Corporation.

REV.	DESCRIPTION	DATE	APPROVED
-	ORIGINAL ISSUE	11/06/97	RMK
A	CHANGED PER ECO 2771	12/13/05	DA

ENGINEERING DATA:

ELECTRICAL
IMPEDANCE: 50 OHMS



MECHANICAL
INTERFACE: PER IEC 169-4, DIN 47223

MATERIAL
INSULATOR: TEFLON
FEMALE CONTACT: BERYLLIUM COPPER
OUTER CONTACT: PHOSPHOR BRONZE
OTHER METAL PARTS: BRASS

FINISH
REFER TO CHART

NOTES:
1. UNLESS OTHERWISE SPECIFIED; ALL
DIMENSIONS ARE REFERENCE ONLY.

PART NO.	CONTACT FINISH	BODY FINISH
TRU-6660-01	SILVER PLATED	NICKEL PLATED
TRU-6660-01SSX	SILVER PLATED	SILVER PLATED

MATERIAL	DO NOT SCALE DRAWING	DRAWN WWW	DATE 11/6/97	<div>TRU CORPORATION 245 LYNNFIELD STREET, PEABODY, MA 01960 The Custom Interconnect Leader™</div>			
		ENG APPR. RMK	DATE 11/6/97				
		MFG APPR.	DATE				
		OTHER APPR.	DATE	TITLE: 7-16(f) RECEPTACLE, PANEL, FRONT MOUNTING			
COMMENTS:	TOLERANCES: FRACTIONS: ±1/64 .XX : ±.01 .XXX: ±.005 ANGLES: ±1/2° MACHINED SURFACES: <div>63/✓</div>	THIRD ANGLE PROJECTION 		SIZE B	DWG. NO. TRU-6660-01		REV A
				CAGE CODE: 92180		SCALE: 2:1	SHEET 1 OF 1
surface area: sq inch		weight: 0.14 lbs					