

F1807 Brass PEX to Poly Adapter

Specifications

Manufactured to the highest industry standards, Jones Stephens' F1807 lead-free brass crimp fittings provide precise, leak-free connections. The secure and reliable crimp fitting method provides full, immediate strength upon installation, with 360-degree uniform pressure. Approved for use with PEX piping.

Applications

Jones Stephens' F1807 Brass PEX to Poly Adapters are approved for use with commercial and residential non-potable water applications.

Materials

Lead-free brass


Certifications/Listings/Approvals

ASTM F1807-2019b NSF/ANSI/ CAN 372-2022 and 61-2021 NSF/ANSI 14-2016a CSA B137.5-2017 Lead Law CompliantNSFNSF/ANSI 372-2016



| Job Name | |
|----------|-----|
| | |
| Engineer | |
| | |
| Tag | PO# |





| | ID | OD | |
|----------------------------|------------|------------|--|
| F1807 Specified Dimensions | in (mm) | in (mm) | |
| 1/2" End Connection | .37(9.30) | .47(11.98) | |
| 3/4" End Connection | .55(13.85) | .67(16.96) | |
| 1" End Connection | .72(18.22) | .86(21.74) | |

PRODUCT OFFERING ON PAGE 2



Dimensions and Product Offering

| PART NO. | SIZE | A - IN (MM) | A TOLERANCE ±IN(MM) | B - IN (MM) | B TOLERANCE ±IN(MM) | C - IN (MM) | CTOLERANCE ±IN(MM) | WEIGHT - LBS (G) | WEIGHT TOLERANCE ±LBS (G) |
|----------|-------|--------------|------------------------|--------------|------------------------|--------------|-----------------------|------------------|---------------------------------|
| C76100LF | 0.50" | 1.37 (34.80) | 0.01 (0.20) | 0.55 (14.00) | 0.002 (0.05) | 0.50 (12.70) | 0.2 | 0.05 (22.68) | 0.02 (10.89) |
| C76101LF | 0.75" | 1.37 (34.80) | 0.01 (0.20) | 0.79 (20.00) | 0.002 (0.05) | 0.72 (18.20) | 0.2 | 0.08 (36.29) | 0.02 (10.89) |