

**2024 Specification Sheet - English**

---

**LONG DESCRIPTION –**

---

**Long Description Marketing Copy**

Coated head brush guard for added safety. Intelli-CRIMP® technology notifies operator with a visual and audible alert in real time if correct crimp force is not achieved. Intelligent and fast two-stage telescopic cylinder identifies correct pressure for a broad range of wire classes. 3-year warranty

**PRODUCT NAME –**

---

**Page Title**

PVC Dieless Crimper, Variable 6 Ton, 12V Charger

**PRODUCT OVERVIEW –**

---

**Marketing Text 1**

Coated head brush guard for added safety

**Marketing Text 2**

Intelli-CRIMP® technology notifies operator with a visual and audible alert in real time if correct crimp force is not achieved

**Marketing Text 3**

Intelligent and fast two-stage telescopic cylinder identifies correct pressure for a broad range of wire classes

**Marketing Text 4**

3-year warranty

#### **Marketing Text 5**

Lightest indenting tool on the market

#### **Marketing Text 6**

Flip top style with 350° rotating head

#### **Marketing Text 7**

Single trigger operation for controlling all tool functions

#### **Marketing Text 8**

Powered by a 18V Makita battery platform for increased battery compatibility

#### **Marketing Text 9**

2X faster battery charge than competition

#### **Marketing Text 10**

Broad crimp range – crimps standard strand and fine strand wire classes

### **PRODUCT SPECIFICATION –**

---

#### **Product Specification 1**

Application : 6 Ton Crimping

#### **Product Specification 2**

Battery : 4.0Ah Makita LXT (2)

#### **Product Specification 3**

Battery Charger : 12V Makita Rapid Charge

#### **Product Specification 4**

Cable Type : Standard (B and C building wire), Fine Stranded (G, H, I, K, M, DLO)

#### **Product Specification 5**

Connector Type : Color-coded lugs and splices

#### **Product Specification 6**

Crimping Capacity : Standard Strand, 500 kcmil (MCM) Copper, 350 kcmil (MCM) Al, Fine Strand, 350 Kcmil (MCM) Copper, DLO, 373.7 Kcmil (MCM) Copper

#### **Product Specification 7**

Crimping Force : Variable 3-6 Ton (30-60 kN)

#### **Product Specification 8**

Finish : PVC Coated Head

#### **Product Specification 9**

Handle Type : In-Line Style with over-molded rubber grip

#### **Product Specification 10**

Height : 15 IN (380mm)

**Product Specification 11**

Overall Length : 15.75 IN (400mm)

**Product Specification 12**

Rotation : 350-degree rotating head

**Product Specification 13**

Standard : C/US UL Classified

**Product Specification 14**

Sub Brand : Gator

**Product Specification 15**

Type : Dieless Style Crimper

**Product Specification 16**

Weight : 5.5 lbs (2.5kg)