

Test Report No.: T51910222763TY Date: APR 22, 2019 Page 1 of 9

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

ROCKING TOY, WHITE, POLYESTER

Item No. 56605629 P.O. / Ref. No. 64654/64602

Importer **BLOOMINGVILLE A/S BLOOMINGVILLE A/S** Buyer Supplier **BLOOMINGVILLE A/S** Manufacturer **BLOOMINGVILLE A/S**

Country of Origin **CHINA** Country of Destination **DENMARK** Labeled Age Grading +12 MONTHS Requested Age Grading +12 MONTHS

Age Group Assessed by SGS As Per Age

Guideline

Age Group Applied in Testing **OVER 12 MONTHS** Sample Receiving Date MAR 27, 2019 Last Submission Sample Date APR 16, 2019

Testing Period MAR 27, 2019 TO APR 22, 2019



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms--Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

OVER 12 MONTHS



Test Report No.: T51910222763TY Date: APR 22, 2019 Page 2 of 9

Test	Test Requested		
1.	For compliance with the European standard on Safety of toys:-		
	EN 71-1:2014+A1:2018 - Safety of toys - Part 1: Mechanical and Physical Properties	PASS	
	EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability	PASS	
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT	
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738 – EN 71-3:2013 + A3:2018 – Migration of certain elements (All conclusive testing)	PASS	

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Qu Ping, Kiky Dept. Manager

Liu Junjie, Tony Section Manager







Test Report No.: T51910222763TY Date: APR 22, 2019 Page 3 of 9

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	Descript	<u>ion</u>	Result
4	General	requirements	
4.1	Material	cleanliness	<u>Pass</u>
4.2	Assembl	ly	<u>Pass</u>
4.7	Edges		<u>Pass</u>
4.8	Points a	nd metallic wires	<u>Pass</u>
4.9	Protrudir	ng parts	<u>Pass</u>
4.15	Toys inte	ended to bear the mass of a child:	
	4.15.3	Rocking horses and similar toys	<u>Pass</u>
5	Toys inte	ended for children under 36 months	
5.1	General	requirements:	
	5.1a	Small part requirement on toys & removable	
		Components (Test method 8.2)	<u>Pass</u>
	5.1b	Torque test (Test method 8.3)	<u>Pass</u>
		Tension test (Test method 8.4)	<u>Pass</u>
		Tip over test (Test method 8.6)	<u>Pass</u>
		Impact test (Test method 8.7)	<u>Pass</u>
		Compression test (Test method 8.8)	<u>Pass</u>
		Sharp edge (Test method 8.11)	<u>Pass</u>
		Sharp point (Test method 8.12)	<u>Pass</u>
	5.1d	Large and bulky toys	<u>Pass</u>
5.2	Soft-filled	d toys and soft-filled parts of a toy	<u>Pass</u>
6	Packagii	ng	<u>Pass</u>

According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



| SGS Blúg, No. 4, Jaraylası İndustrial Park, No. 430, Jinua Road, Barrian, Longgarig District, Sherucher, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.cchina@sgs.com



Test Report No.: T51910222763TY Date: APR 22, 2019 Page 4 of 9

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

ClauseDescriptionResult4.1General requirementsPass

4.5 Soft filled toys Pass (See Result Page)

Type of gas: Butane gas used in the test burner

Result Page:

Soft-Filled Toys (clause 4.5)

Sample Burning rate (mm/sec)
ROCKING TOY, WHITE, POLYESTER 0.9(IBE)

(Requirement: The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or the toy shall self-extinguish.)

IBE = Ignite But Self-Extinguished





Test Report No.: T51910222763TY Date: APR 22, 2019 Page 5 of 9

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Absent. See note 1	
CE mark	Present	Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company sudiblot to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

SSS Bldg, No. 4, Jangheo Industrial Park, No. 430, Jihua Road, Bartlan, Longgang Distrid, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T51910222763TY Date: APR 22, 2019 Page 6 of 9

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738 – EN 71-3:2013 + A3:2018 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2013 + A3:2018. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis and organic tin was analyzed by GC-MS.

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			1	2	3		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/ens-end-conditions

| SGS Blúg, No. 4, Jaraylası İndustrial Park, No. 430, Jinua Road, Barrian, Longgarig District, Sherucher, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.cchina@sgs.com



Test Report No.: T51910222763TY Date: APR 22, 2019 Page 7 of 9

Test Item(s)			Resu	MDL	Permissible Limit	
Specimen No.			4	5		
Mass of trace amount		(mg)				
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced to the service of the content of experience of this document is unlawful and offeed or may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307

SSSBldg, No.4, Jarginao Industrial Park, No.430, Jihua Read, Barrilan, Longgang District, Sheruthen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国·深圳·龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T51910222763TY Date: APR 22, 2019 Page 8 of 9

Test Item(s)			Resu	MDL	Permissible Limit	
Specimen No.			6	7		
Mass of trace amount		(mg)				
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium	(Cr)	(mg/kg)	ND	0.57	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	90	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	118	50	46000

Specimen Description:

- 1. White long plush (Sheep)
- 2. Apricot flannel (Foot, ear, tail)
- 3. White flannel w/ black embroidery (Eyebrow)
- 4. White flannel w/ back thread (Nose)
- 5. Cream wood (Base)
- 6. Brown wood (Handle)
- 7. Transparent lacquer coating (Handle, base)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/en/Terms-and-Cond

Attention: to check the authenticity of testing / inspection report & certificate, please contact us at telephone:{oo-/35} 030/1443, or email: CN.Doccheck@sgs.com

| SGS Blúg, No. 4, Jaraylası İndustrial Park, No. 430, Jinua Road, Barrian, Longgarig District, Sherucher, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.cchina@sgs.com



Test Report No.: T51910222763TY Date: APR 22, 2019 Page 9 of 9

Note: mg/kg = milligram per kilogram

mg = milligram

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- As received, test portion of grey-black coating on wood (Base) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2013 + A3:2018.

Only applicable clauses were shown. N.B.: -

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***



SSSBlbg, No. 4, Barghao Industrial Park, No. 430, Jihusa Roca, Bardian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀛工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com