


# INSTRUCTION MANUAL



**Mcnab 4PC Seating Group  
With Cushions  
SKU: OP101-4PC**

## ! NOTICE

### Do not overtighten screws. (Insert all screws before tighten screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.

## TOOLS REQUIRED



ALLEN WRENCH  
(PROVIDED)



LOVESEAT  
550 LBS  
CAPACITY



TABLE  
70 LBS  
CAPACITY



CHAIR  
330 LBS  
CAPACITY



1 PERSON  
ASSEMBLY



UP TO 30 MIN.  
ASSEMBLY

## HARDWARE

1

M6 WASHER



20 PCS

2

M6 x15mm  
BOLT



20 PCS

3

ALLEN  
WRENCH




1 PC

## PARTS

A


CHAIR SEAT



2 PCS

B


CHAIR LEG



2 PCS

C

TABLE LEG




2 PCS

## PARTS

D


TABLE TOP



1 PC

E


LOVESEAT



1 PC

F

LOVESEAT LEG




1 PC

## CUSHIONS

Z1


CHAIR SEAT  
CUSHION



2 PCS

Z2


LOVESEAT  
CUSHION



1 PC

Z3

BACK CUSHION




2 PCS

## GLASS

Y1

GLASS




1 PC

## PRODUCT ASSEMBLY

1


Put part A Chair Seat upside down, attach part B Chair Leg to part A Chair Seat with 4 PCS of part 1 washer and part 2 bolt.



2

Place part Z1 Cushion into the chair to finish the chair.


Do the same to assemble another chair.



## PRODUCT ASSEMBLY


3

Put part E Loveseat upside down, attach part F Loveseat Leg to part E Loveseat with 4 PCS of part 1 washer and part 2 bolt.



4


Place part Z2 Loveseat Cushion and part Z3 Back Cushion onto the loveseat to finish the assembly.



## PRODUCT ASSEMBLY

5

Put part D Table Top upside down, attach part C Table Leg to part D Table Top with 8 PCS of part 1 washer and part 2 bolt.



6

Place part Y1 Glass onto the Table to finish the assembly.

